



An Alphabetical List
of **PLANT
SPECIES
CULTIVATED**
in Bali Botanic Garden

— Editors

- Ida Bagus Ketut Arinasa • Bayu Adjie •
- Dyan Meiningsasi Siswoyo Putri •

An Alphabetical List
of **PLANT
SPECIES
CULTIVATED**
in Bali Botanic Garden

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other noncommercial uses permitted by copyright law.

An Alphabetical List
of **PLANT
SPECIES
CULTIVATED**
in Bali Botanic Garden

Editors

- Ida Bagus Ketut Arinasa • Bayu Adjie •
- Dyan Meiningsasi Siswoyo Putri •

LIPI Press

© 2017 Indonesian Institute of Sciences (LIPI)
Bali Botanic Garden

An Alphabetical List of Plant Species Cultivated in Bali Botanic Garden: Ida Bagus Ketut Arinasa, Bayu Adjie, and Dyan Meiningsasi Siswoyo Putri (Eds.).

xiv + 422 hlm. ; 14,8 x 21 cm

ISBN: 978-979-799-872-1

1. Plant species

2. Bali Botanic Garden

3. Catalogue

017.5

Copy editor : Tantrina Dwi Aprianita
Proofreader : Martinus Helmiawan and Sarwendah Puspita Dewi
Layouter : Nurhasanah Ridwan and Prapti Sasiwi
Cover Designer : Dhevi E.I.R. Mahelingga
Photographer : I Gede Wawan Setiadi

First Edition : August 2017



Published by:

LIPI Press, member of Ikapi

Jln. Gondangdia Lama 39, Menteng, Jakarta 10350

Phone (021) 314 0228, 314 6942. Fax. (021) 314 4591

E-mail: press@mail.lipi.go.id

Website: lipipress.lipi.go.id



LIPI press
@lipi_press



Contents

Editorial Note.....	vii
Abbreviations and Symbols	ix
Foreword.....	xi
Introduction	1
Chapter 1: List of Plant Species.....	3
Chapter 2: Indetermined.....	281
Chapter 3: List of Aquatic Collections	289
Chapter 4: List of Fern Collections.....	291
Chapter 5: List of <i>Begonia</i> Collections.....	297
Chapter 6: List of Ceremonial Plant Collections.....	301
Chapter 7: List of Nursery Collections.....	309
Chapter 8: List of Labirin Collections.....	313
Chapter 9: List of Poaceae Collections.....	317
Chapter 10: List of Medicinal Plant Collections.....	321
Conclusion	335
References.....	337
Index of Plant Names.....	339
Editors.....	421



Editorial Note

As a scientific publisher, LIPI Press holds on high responsibility to provide high-quality scientific publication. The provision of qualified publication is the epitome of our works to participate in enlightening society's intelligence and awareness as stated in The 1945 Constitution of the Republic of Indonesia.

This catalogue provides comprehensive list of plant species that are cultivated in Bali Botanic Garden. Species are listed alphabetically, followed by information regarding their locality.

We surely hope this catalogue could give useful information for botanists and researchers alike. As a final note, we would like to deliver our heartfelt gratitude to everyone taking part in the process of this book.

LIPI Press



Abbreviations and Symbols

- A : Annual
Cl. : Climber
Contd. : Continued
Cf. : Conform
cv. : Cultivar
E. : East, Eastern
Hb. : Herb
N. : North, Northern
P : Perennial
S. : South, Southern
Sc. : Succulent
Sh. : Shrub
S.E. : South East
sp. : Species
T. : Tree
var. : Varietas (latin), variety
W. : West, Western, Woody plant
W.Cl. : Woody Climber
Sex. : Sexual
- 1) : IUCN (Red List Categories and Criteria. Version 3.1. CR= Critically Endangered, EN= Endangered, VU=Vulnerable, NT= Near Threatened, LC=Least Concern, DD=Data Deficient)
- 2) : CITES (The Convention on International Trade in Endangered Species, App.= Appendix)



Foreword

The Bali Botanic Garden is organized by Indonesian Institutes of Sciences (*Lembaga Ilmu Pengetahuan Indonesia*-LIPI) as well as three other botanic gardens in Bogor, Cibodas and Purwodadi. The botanic garden was established on July 15, 1959 and the first botanic garden to be developed by Indonesian after the independence.

This catalogue is the latest edition issued by the Bali Botanic Garden. It consists of an up-to-date plant list which comprises more than 2,000 species and over 20,000 living specimens.

I would like to thank all Registration Unit staff and all contributors for the efforts and supports in preparing this catalogue. I hope this catalogue will be useful for anyone who interested in plants taxonomy and conservation, based on plants cultivated in Bali Botanic Garden.

Director

Dr. Bayu Adjie, M. Sc.





Figure 1. *Acacia crassicarpa* A. Cunn. ex Benth. (Leguminosae), a rare legume from Bali. Located at VIII.6



Introduction

The Bali Botanic Garden is situated at Candikuning, or well known as “Bedugul”, in the middle of Bali Island on the elevation of 1,200 to 1,450 m above sea level. Covering an area of 157.5 hectares, this garden represents plants from montane areas of the eastern Indonesia.

This catalogue is arranged in generic alphabetical order followed by each species, habit form, location of origin (where the collections were obtained) and location in the garden. The botanical names follow current references, for example *The Plant List* (<http://theplantlist.org>), *International Plant Names Index* (IPNI), *Flora Malesiana*, *The Angiosperm Phylogeny Group* III (APG III) and other recent publications. In case of “unresolved name” issued by The Plant List, for example in ferns, we use *Flora Malesiana* II for “the accepted name”.

This catalogue provides lists of specific plants categories based on concerned taxa and purposes, for example begonias, orchids, ceremonial plants, medicinal plants (*Taman Usada*) and list of families. Some photographs of the unique and interesting species are presented in this catalogue.

The garden map, which shows the locations of plant collections, is also provided. The map indicates each plant collection located in the garden. By the end of 2014, the plant collections of The Bali Botanic

Garden consisted of 21,094 specimens; 2,389 species; 1,074 genera; and 240 families.

Any suggestions will be much appreciated to enhance this catalogue more preferable.

Editors

Chapter 1

List of Plant Species

***Abelmoschus* (Malvaceae)**

<i>manihot</i> (L.) Medik.	Sh.	Bali	X.C.172-172a
<i>moschathus</i> Medik.	Sh.	Bali	X.C.800

***Abrus* (Leguminosae)**

<i>precatorius</i> L.	Cl.	E. Java	VIII.152 (8 pls.)
-----------------------	-----	---------	-------------------

***Acacia* (Leguminosae)**

<i>auriculiformis</i> Benth.	T.	Bali	VIII.7
<i>crassicarpa</i> Benth. ^{1-VU}	T.	Bali	VIII.6
<i>farnesiana</i> (L.) Willd.	T.	Bali	VIII.102-102a-102b
	T.	Trop. America	VII.A.36-36a-36b-36c
<i>maidenii</i> F. Muell.	T.	Australia	VIII.151-151a-151b-151c-151d-151e-151f-151g-151h-151i
<i>nilotica</i> (L.) Delile	T.	Bali	VIII.188-188a-188b-188c; XVIII.A.488, 559-559a-559b-559c.
	T.	Italia	VIII.185-185a; XIII.F.13-13a
<i>polystachya</i> Benth.	T.	Bali	VIII.31

Acacia (Leguminosae) - Contd.

<i>robusta</i> ssp. <i>clavigera</i> (E. Mey) Brenan	T.	S. Afrika	VIII.8-8a-8b-8c
<i>rugata</i> (Lam.) Fawc. & Rendle	Sh.	W. Nusa Tenggara	VIII.107-107a-107b
<i>spectabilis</i> Benth.	T.	China	VIII.5
sp.	T.	Bali	VIII.72-72a-72b- 72c-72d-72e-72f, 156-156a
	T.	C. Sulawesi	VIII. 89-89a-89b- 89c-89d, 130-130a
	T.	S. Sulawesi	VIII.135-135a-135b- 135c

Acalypha (Euphorbiaceae)

<i>angustifolia</i> Sw.	Sh.	Domingo Island	XII.C.I.237-237a- 237b
<i>argentii</i> Sagun & G. A. Levin	Sh.	Bali	XV.B.341-341a
<i>caturus</i> Blume	T.	Bali	XII.C.I.62
	T.	N. Sulawesi	XII.C.I.125
<i>chamaedrifolia</i> (Lam.) Mull. Arg.	Sh.	E. Java	N.64-64a-64b-64c- 64d
<i>hispida</i> Burm. f.	Sh.	Bali	X.C.644-644a
	Sh.	S. Sulawesi	XII.C.I.108-108a- 108b-108c-108d- 108e
	Sh.	New Britain	XII.C.I.239-239a- 239b-239c
<i>spiciflora</i> Burm. f.	T.	Bali	XII.C.I.27-27a-27b- 27c-27d
<i>wilkesiana</i> Mull. Arg.	Sh.	Bali	X.C.493-493a-493b- 493c; XVIII.A.539- 539a, 577
	Sh.	Fiji Island	XII.C.I.238-238a
	Sh.	N. Australia	XII.C.I.240-240a- 240b

***Acalypha* (Euphorbiaceae) - Contd.**

sp.	T.	S.E. Sulawesi	XII.C.I.266-266a- 266b-266c-266d- 266d
	Sh.	Papua	XII.C.I.286-286a- 286b-286c-286d

***Acampe* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	Bali	ER.67.249-249a- 249b; R.III.286 (4 pls.)
	Hb.	S. Sulawesi	ER.67.250, 251
	Hb.	N. Sulawesi	ER.67.248, 252

***Acanthephippium* (Orchidaceae)**

<i>striatum</i> Lindl. ^{2-App.II}	Hb.	N. Sulawesi	R.III.297-297a
sp. ^{2-App.II}	Hb.	S. Sulawesi	R.II.56
	Hb.	N. Sulawesi	R.III.299

***Acantholobivia* (Cactaceae)**

sp.	Sc.	Romania	RK.152-152a
-----	-----	---------	-------------

***Acanthostachys* (Bromeliaceae)**

<i>strobilacea</i> (Schult. & Schult. f.) Klotzsch	Hb.	Bulgaria	RK.164-164a-164b- 164c-164d-164e
---	-----	----------	-------------------------------------

***Acanthus* (Acanthaceae)**

<i>ebracteatus</i> Vahl	Hb.	Bali	X.C.421-421a
<i>ilicifolius</i> L.	Hb.	Bali	X.C.540-540a, 546-546a-546b

***Acer* (Aceraceae)**

<i>carpinifolium</i> Siebold & Zucc.	T.	Berlin	XIV.B.III.128
<i>caudatifolium</i> Hayata	T.	Taiwan	XIV.B.III.123-123a- 123b-123c-123d

***Acer* (Aceraceae) - Contd.**

<i>laurinum</i> Hassk.	T.	W. Nusa Tenggara	XIV.B.III.10-10a-10b-10c-10d, 11,16-16a-16b
	T.	E. Nusa Tenggara	XIV.B.III.45-45a-45-45c-45d-45e, 119-119a-119b-119c
	T.	S. Sulawesi	XIV.B.III.105-105a-105b
<i>oblongum</i> Wall. ex DC.	T.	Taiwan	XIV.B.III.127
sp.	T.	W. Nusa Tenggara	XIV.B.III.143-143a-143c-143d, 158-158a-158b
	T.	N. Sulawesi	XIV.B.III.67-67a-67b-67c-67d

***Acorus* (Acoraceae)**

<i>calamus</i> L. ^{1-LC}	Hb.	Bali	X.C.332-332a-332b-332c-332d,439-439a, 516-516a-516b-516c-516d-516e, 843-843a-843b
	Hb.	Bali	XVIII.A.499-499a-499b-499c-499d-499e, 562-562a, 575
	Hb.	E. Nusa Tenggara	X.C.39-39a-39b-39c-39d-39e, 232-232a-232b-232c-232d

***Acridopsis* (Orchidaceae)**

<i>lilifolia</i> (J. Koenig) Seidenf. ²⁻ App.II	Hb.	Bali	R.II.5, 6,7,8,9,10,12,13
	Hb.	E. Kalimantan	R.I.38, R.II.14, R.III.38
	Hb.	S. Sulawesi	R.II.4, R.III.95
sp. ^{2-App.II}	Hb.	C. Sulawesi	R.I.224; R.II.1

***Acriopsis* (Orchidaceae) - Contd.**

sp. ^{2-App.II}	Hb.	N. Sulawesi	R.II.2a-2b
	Hb.	S. Sulawesi	R.II.3-3a

***Acronychia* (Rutaceae)**

<i>trifoliolata</i> Zoll. & Moritz	T.	Bali	X.B.73-73a; XII.C.I.1
	T.	W. Nusa Tenggara	X.B.10-10a
	T.	E. Nusa Tenggara	X.B.101-101a
	T.	S. Sulawesi	X.B.66-66a-66b-66c-66d
sp.	T.	Bali	X.B.92
	T.	E. Nusa Tenggara	X.B.19-19b, 33-33b, 75, 99-99a-99b
	T.	W. Nusa Tenggara	X.B.95-95a-95b-95c

***Actinodaphne* (Lauraceae)**

<i>glomerata</i> (Blume) Nees	T.	W. Nusa Tenggara	XIV.B.III.17-17a-17b-17c-17d, 160-160a-160b-160c-160d, 161-161a-161b-161c-161d
	T.	E. Nusa Tenggara	XIV.B.III.64-64a, 95-95a
	T.	S. Sulawesi	XIV.B.III.97
sp.	T.	E. Nusa Tenggara	XIV.B.III.50-50a-50b-50c, 90-90a, 94-94a, 101-101a-101b
	T.	N. Sulawesi	XIV.B.III.73-73a-73b

***Actinorhysis* (Arecaceae)**

<i>calapparia</i> (Blume) H. Wendl. & Drude ex Scheff.	T.	Bali	X.C.500-500a-500b, XIV.E.19-19a-19b-19c
	T.	Papua	XIV.E.109-109a

Adenanthera (Leguminosae)

<i>microsperma</i> Teijsm. & Binn.	T.	Bali	VII.D.37-37a-37b-37c
	T.	India	VIII.9-9a-9b-9c-9d
sp.	T.	W. Nusa Tenggara	VIII.179-179a-179b-179c-179d

Adiantum (Pteridaceae)

<i>diaphanum</i> Blume	W.	Bali	N.398
<i>edgeworthii</i> Hook.	W.	E. Nusa Tenggara	IX.E.630
<i>hispidulum</i> Sw.	W.	Bali	IX.E.304-304a-304b-304c
	W.	E. Nusa Tenggara	IX.E.631, 633-633a
	W.	Norway	IX.E.439-439a-439b-439c-439d
<i>polyphyllum</i> Willd.	W.	E. Nusa Tenggara	IX.E.342-342a-342b-342c-342d
<i>raddianum</i> C. Presl	W.	Bali	IX.E.35-35a-35b
<i>silvaticum</i> Tindale	W.	E. Nusa Tenggara	IX.E.72-72a-72b-72c
sp.	W.	E. Nusa Tenggara	N.397
	W.	W. Nusa Tenggara	IX.E.629, 634
	W.	C. Sulawesi	IX.E.89
	W.	S.E. Sulawesi	IX.E.229-229a
	W.	S. Sulawesi	IX.E.260, 268-268a-268b-268c
	W.	N. Sulawesi	IX.E.396

Adinandra (Pentaphylacaceae)

<i>javanica</i> Choisy	T.	Bali	XV.A.5-5a-5b-5c-5d-5e-5f
	T.	W. Nusa Tenggara	XV.A.6

Adinandra (Pentaphylacaceae) - Contd.

sp.	T.	E. Nusa Tenggara	XV.A.26-26a-26b-26c-26d, 28
	T.	S. Sulawesi	XIX.K.12

Aegle (Rutaceae)

<i>marmelos</i> (L.) Correa	T.	Bali	XVIII.A.636-636a-636b
-----------------------------	----	------	-----------------------

Aerides (Orchidaceae)

<i>odorata</i> Lour. ^{2-App.II}	Hb.	Bali	ER.64.210-210a; R.II.138
	Hb.	E. Nusa Tenggara	ER.64.204 (4 pls.); R.II.136; R.III.303
	Hb.	W. Nusa Tenggara	R.I.213
	Hb.	S. Sulawesi	ER.64.203 (4 pls.); R.II.137, 158
	Hb.	S.E. Sulawesi	ER.64.206; R.I.199
	Hb.	C. Sulawesi	ER.64.211-211a-211b
	Hb.	N. Sulawesi	ER.64.208; ER.72.306; R.II.71
	Hb.	E. Nusa Tenggara	ER.64.205
	Hb.	S. Sulawesi	R.I.214
	Hb.	N. Sulawesi	ER.64.209
sp. ^{2-App.II}	Hb.	S.E. Sulawesi	R.I.198-198a

Aerva (Amaranthaceae)

<i>sanguinolenta</i> (L.) Blume	Hb.	E. Java	X.C.236-236a-236b-236c-236d
---------------------------------	-----	---------	-----------------------------

Aeschynanthus (Gesneriaceae)

<i>radicans</i> Jack	Cl.	Bali	N.390
<i>speciosus</i> Hook.	Cl.	Maluku	N.387-387a-387b-387c

***Aeschynanthus* (Gesneriaceae) - Contd.**

sp.	Cl.	W. Nusa Tenggara	VII.E.177-177a-177b-177c-177d
-----	-----	------------------	-------------------------------

***Agapanthus* (Amaryllidaceae)**

<i>africanus</i> (L.) Hoffmanns.	Hb.	S. Africa	VII.E.115-115a-115b-115c-115d
<i>praecox</i> Willd.	Hb.	Netherlands	VII.E.166-166a-166b

***Agathis* (Araucariaceae)**

<i>australis</i> (D. Don) Lindl. ^{1-LC}	T.	Australia	XIII.C.12-12a-12b-12c-12d
<i>borneensis</i> Warb. ^{1-EN}	T.	E. Kalimantan	X.C.212-212a-212b; XIII.C.36-36a
	T.	-	XIII.E.38-38a-38b-38c-38d
<i>dammara</i> (Lamb.) Rich. & A. Rich. ^{1-VU}	T.	Bali	XIII.C.37-37a-37b-37c-37d
	T.	S. Sulawesi	XIII.C.35-35a-35b
	T.	Australia	XIII.C.9-9a
	T.	-	XIII.C.14, 16-16a
<i>robusta</i> (C. Moore ex F. Muell.) F. M. Bailey ^{1-LC}	T.	Australia	XIII.C.10-10a-10b-10c-10d
sp.	T.	Bali	XIII.M.8
	T.	W. Nusa Tenggara	XIII.C.34
	T.	C. Sulawesi	XIII.M.9-9a-9b
	T.	Kalimantan	XIII.M.10 (6 pls.)
	T.	Irian Jaya	XIII.M.7a
	T.	-	XIII.C.15-15a

***Agave* (Asparagaceae)**

<i>attenuata</i> Salm-Dyck	W.	Mexico	VII.D.II.7-7a-7b-7c
sp.	W.	E. Nusa Tenggara	VII.D.II.45-45a-45b-45c-45d, 47-47a, 48-48a-48b



Figure 2. *Agathis dammara* (Lamb.) L.C.Rich (Araucariaceae), a rare gymnosperm from Sulawesi. Located at XIII.C.14

***Aglaia* (Meliaceae)**

<i>argentea</i> Blume ^{1-LC}	T.	Bali	XIV.A.105-105a
	T.	E. Nusa Tenggara	XIV.A.119-119a-119c, 131
<i>elliptica</i> (C. DC.) Blume ^{1-LC}	T.	C. Sulawesi	XIV.A.114
	T.	Papua	XIV.A.194
<i>eximia</i> Miq.	T.	W. Nusa Tenggara	XIV.A. 24-24a-24b, 44a- 44b
<i>grandis</i> Korth. ex Miq. ^{1-LC} sp.	T.	Papua	XIV.A.192
	T.	Bali	XIV.A.111, 164a, 177-177a-177b-177c, 220-220a, 232; XIV.B.I.11; XIV.B.II.20
	T.	W. Nusa Tenggara	XIV.A.31, 204, 208-208a-208b-208c-208d-208e, 228-228a-228b, 236-236a-236b-236c
	T.	E. Nusa Tenggara	XIV.A.73, 101-101a-101b, 106, 118-118a, 120-120a-120d, 132-132a, 154, 155-155a, 156, 184-184a, 231
	T.	S. Sulawesi	XIV.A.200
	T.	C. Sulawesi	XIV.A.212
	T.	S.E. Sulawesi	XIV.A.190-190a-190b, 195
	T.	Gorontalo	XIV.A.223

***Aglaomorpha* (Polypodiaceae)**

<i>heraclea</i> Copel.	W.	Bali	IX.E.295-295a
	W.	S. Sulawesi	IX.E.163-163a-163b

***Aglaonema* (Araceae)**

<i>costatum</i> N. E. Br.	Hb.	Bali	N.156-1569a-156b-156c-156d-156e
---------------------------	-----	------	---------------------------------

***Aglaonema* (Araceae) - Contd.**

<i>crispum</i> (Pitcher & Manda) Nicolson	Hb.	Papua	N.414-414a
<i>marantifolium</i> Blume	Hb.	S.E. Sulawesi	XIX.K.I.15
	Hb.	N. Sulawesi	XIX.K.I.41-41a-41b-41c
<i>pictum</i> (Roxb.) Kunth	Hb.	Bali	N.189-189a-189b-189c-189d
<i>simplex</i> (Blume) Blume	Hb.	Bali	XIX.K.I.31-31a-31b-31c-31d
	Hb.	S.E. Sulawesi	XIX.K.I.103-103a-103b
sp.	Hb.	Bali	N.206
	Hb.	E. Java	N.190

***Agrostophyllum* (Orchidaceae)**

<i>glumaceum</i> Hook. f. ^{2-App.II}	Hb.	S. Sulawesi	ER.92.763-763a-763b, 764-764a-764b
<i>longifolium</i> (Blume) Rchb. f. ^{2-App.II}	Hb.	Papua	R.I.142-142a-142b
<i>majus</i> Hook. f. ^{2-App.II}	Hb.	Bali	ER.20.32, 33, 34; ER.44. 88; ER.78.408; CG.1.146; CG.2.157; CG.3.187; CG.3.188; CG.3.232; CG.4.278; CG.4.279
	Hb.	E. Kalimantan	R.II.96-96a-96b-96c-96d; R.III.177
	Hb.	S.E. Sulawesi	ER.78.409; ER.78.411; ER.78.416-416a
	Hb.	C. Sulawesi	ER.78.410; ER.78.413; ER.78.418
	Hb.	N. Sulawesi	ER.78.412
	Hb.	S. Sulawesi	ER.78.414; CG.1.81-81a-81b; R.III.251
	Hb.	Papua	ER.78.415
<i>stipulatum</i> subsp. <i>bicuspidatum</i> (J. J. Sm.) Schult. ^{2-App.II}	Hb.	S. Sulawesi	ER.52.129-129a-129b

***Agrostophyllum* (Orchidaceae) - Contd.**

<i>stipulatum</i> subsp. <i>bicuspidatum</i> (J. J. Sm.) Schult. ^{2-App.II}	Hb.	C. Sulawesi	ER.72.294
	Hb.	E. Kalimantan	R.I.61; R.III.172-172a
<i>tenue</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	ER.78.405-405a- 405b; CG.3.221; CG.3.222; CG.3.223
	Hb.	E. Kalimantan	R.III.39
sp. ^{2-App.II}	Hb.	Bali	ER.18.30
	Hb.	E. Nusa Tenggara	R.I.20
	Hb.	S. Sulawesi	R.I.202; ER.78.407; ER.78.417
	Hb.	C. Sulawesi	ER.78.406; ER.83.536-536a; ER.93.788; CG.1.82; R.I.211; R.II.90-90a
	Hb.	S.E. Sulawesi	R.I.210
	Hb.	N. Sulawesi	ER.93.765-765a; ER.93.787-787a; CG.1.83
	Hb.	E. Kalimantan	R.I.40, 90, 108, 200; R.III.178-178a
	Hb.	Papua	R.I.122, 134, 221

***Ailanthus* (Simaroubaceae)**

<i>integrifolia</i> Lam. ^{1-LC}	T.	E. Nusa Tenggara	XIV.A.51-51a-51b- 51c-51d, 107-107a, 151-151a-151b
	T.	N. Sulawesi	XIV.A.94-94a- 94b, 95-95a-95b, 176-176a-176b
	T.	S. Sulawesi	XIV.A.178, 179

***Aiphanes* (Arecaceae)**

<i>horrida</i> (Jacq.) Burret	T.	Bali	XIV.E.171-171a- 171b-171c
	T.	W. Java	XIV.E.31-31a

***Alangium* (Cornaceae)**

<i>chinense</i> (Lour.) Harms	T.	Bali	XVII.B.3-3a-3b, 5-5a-5b
	T.	W. Nusa Tenggara	XII.C.I.33-33a-33b- 33c, 36-36a-36b-36c
	T.	E. Nusa Tenggara	XVII.B.2-2a-2b
sp.	T.	Bali	XVII.B.7-7a-7b-7c- 7d; XII.C.I.54-54a
	T.	E. Nusa Tenggara	XVII.B.6-6a-6b-6c- 6d

***Albizia* (Leguminosae)**

<i>chinensis</i> (Osbeck) Merr.	T.	W. Nusa Tenggara	VIII.11-11a-11b-11c- 11d, 23-23a-23b-23c- 23d
<i>procera</i> (Roxb.) Benth.	T.	E. Nusa Tenggara	VIII.54-54a-54b-54c- 54-d-54e
<i>saman</i> (Jacq.) Merr.	T.	E. Nusa Tenggara	VIII.79
	T.	Trop. America	XIII.E.23
sp.	T.	Bali	VIII.10, 74-74a-74b, 77
	T.	E. Nusa Tenggara	VIII.98
	T.	S. Sulawesi	VIII.121-121a-121b- 121c
	T.	Papua	VIII.159-159a

***Aleurites* (Euphorbiaceae)**

<i>moluccanus</i> (L.) Willd.	T.	Bali	X.C.171-171a, 264-264a-264b-264c; XII.C.I.9-9a-9c, 72- 72a, 126-126a, 143; XVIII.A.29-29a-29b, 276 (8 pls.), 376- 376a, 515 (3 pls.)
	T.	N. Sulawesi	XII.C.I.142-142a- 142b

Allamanda (Apocynaceae)

<i>cathartica</i> L.	W.Cl.	Bali	X.C.288 (5 pls.); XIV.C.9-9a, 111 (5 pls.), 112 (7 pls.); XVIII.A.450-450a- 450b-450c, 551 (5pls.)
sp.	W.Cl.	W. Java	XIV.C.4-4a
	W.Cl.	Bali	XVIII.A.495

Allantodia (Athyriaceae)

<i>aspera</i> (Blume) Ching	W.	Bali	X.C.30 (12 pls.)
	W.	E. Nusa Tenggara	IX.E.345

Allocasuarina (Casuarinaceae)

<i>distyla</i> (Vent.) L. A. S. Johnson	T.	Australia	XIII.F. 24b-24c
<i>littoralis</i> (Salisb.) L.A.S. Johnson	T.	Bali	XIII.F.28
	T.	S. Sulawesi	XIII.F.21 (6 pls.), 23
	T.	C. Sulawesi	XIII.J.45-45a
	T.	Australia	XII.A.1; XIII.J.17- 17a

Allophylus (Sapindaceae)

<i>cobbe</i> (L.) Raeusch.	T.	Bali	XIV.A.42-42a; XIV.B.I.77
	T.	W. Nusa Tenggara	XIV.B.I.6 (5 pls.), 49
	T.	E. Nusa Tenggara	XIV.B.I.30-30a-30b- 30c, 50-50a
	T.	C. Sulawesi	XIV.B.I.102-102a
	T.	S. Sulawesi	XIV.B.I.26
sp.	T.	Bali	XIV.B.I.7-7a-7b-7c, 17-17a-17b, 76

***Allophylus* (Sapindaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIV.B.I.60-60a-60b-60c-60d, 65 (5 pls.), 90-90a-90b-90c-90d
	T.	N. Sulawesi	XIV.A.133-133a-133b

***Alocasia* (Araceae)**

<i>alba</i> Schott	Hb.	Bali	XIX.K.I.169-169a-169b-169c-169d, 184, 185-185a
	Hb.	W. Nusa Tenggara	XIX.KI.112-112a-112b-112c-112d, 174-174a-174b-174c-174d-174e
<i>baginda</i> Kurniawan & P.C. Boyce	Hb.	E. Java	N.317
<i>balgooyi</i> A. Hay	Hb.	S. Sulawesi	N.167-167a-167b-167c
<i>brancifolia</i> (Schott) A. Hay	Hb.	Papua	N.415, 416
<i>clypeolata</i> A.Hay	Hb.	Bali	N.157-157a-157b-157c-157d-157e-157f-157g-157h-157i
<i>cucullata</i> (Lour.) G. Don.	Hb.	Bali	N.158-158a-158b-158c
<i>cuprea</i> K. Koch.	Hb.	Bali	N.159
<i>longiloba</i> Miq.	Hb.	Bali	N.219
<i>macrorrhizos</i> (L.) G. Don	Hb.	Bali	XVIII.A.247-247a-247b-247c-247d
	Hb.	Bali	XVIII.A.248-248a-248b, 265 (6pls.), 266-266a-266b, 267 (9 pls.); XIX.K.I.47-47a-47b-47c, 48, 146-146a-146b-146c-146d, 154-154a-154b, 155-155a, 163-163a-163b-163c-163d



Figure 3. *Alocasia baginda* Kurniawan & P.C. Boyce (Araceae), one of new species in Bali Botanic Garden. Located at Nursery.

***Alocasia* (Araceae) - Contd.**

	Hb.	W. Nusa Tenggara	XIX.K.I.147-147a
	Hb.	C. Sulawesi	N.165-165a-165b-165c-165d-165e
	Hb.	-	XIX.K.I.45-45a, 46-46a; N.290
<i>micholitziana</i> Sander	Hb.	Bali	N.191
<i>portei</i> Schott	Hb.	Bali	N.220
<i>reginula</i> A. Hay	Hb.	Bali	N.341
<i>sanderiana</i> W. Bull. ^{1-CR}	Hb.	Bali	N.162-162a-162b-162c
sp.	Hb.	Bali	N.192, 407, 408, 409-409a-409b; XIX.K.I.109-109a-109b-109c-109d, 168-168a-168b-168c, 170-170a-170b-170c-170d-170e, 171-171a-171b-171c-171d, 172-172a-172b-172c-172d
	Hb.	W. Nusa Tenggara	XIX.K.I.111-111a-111b-111c, 173-173a, 187-187a-187b-187c
	Hb.	E. Nusa Tenggara	XIX.K.I.110-110a; N.418
	Hb.	S.E. Sulawesi	N.384-384a-384b-384c-384d
	Hb.	N. Sulawesi	N.166-166a-166b-166c-166d-166e
	Hb.	-	N.294-294a
	Hb.	E. Kalimantan	N.161-161a-161b, 168-168a-168b, 420-420a

***Alocasia* (Araceae) - Contd.**

Hb.	Maluku	XIX.K.I.181-181a-181b, 182-182a-182b-182c; N.399-399a-399b-399c-399d
Hb.	Maluku	N.400-400a-400b-400c-400d, 401-401a-401b-401c-401d
Hb.	-	N.291-291a-291b

***Aloe* (Xanthorrhoeaceae)**

<i>arborescens</i> Mill.	W.	France	X.B.78-78a-78b
	W.	S. America	VII.D.II.4
<i>vera</i> (L.) Burm. f.	W.	Bali	X.C.249-249a-249b-249c-249d

***Alpinia* (Zingiberaceae)**

<i>odontonema</i> K. Schum.	Hb.	Papua	VII.C.I.48-48a-48b-48c-48d
<i>galanga</i> (L.) Willd.	Hb.	Bali	VII.C.I.10; X.C.55, 383, 359-359a, 481-481a, 485, 579-579a-579b-579c-579d, 623-623a-623b, 757-757a-757b-757c, 768-768a-768b-768c, 771-771a-771b-771c-771d, 798-798a-798b-798c; XVIII.A.348-348a
<i>luteocarpa</i> Elmer	Hb.	N. Sulawesi	VII.C.I.28-28a-28b-28c-28d
<i>myriocratera</i> K. Schum.	Hb.	S. Sulawesi	VII.C.I.46
<i>purpurata</i> (Vieill.) K. Schum.	Hb.	Bali	VII.C.I.44-44a, X.C.758-758a-758b-758c-758d

***Alpinia* (Zingiberaceae) - Contd.**

sp.	Hb.	Bali	X.C.480
	Hb.	E. Nusa Tenggara	VII.C.I.32-32a-32b-32c-32d
	Hb.	S. Sulawesi	VII.C.I.19-19a, 45 (5pls.)
	Hb.	C. Sulawesi	VII.C.I.26-26a-26b-26c-26d
	Hb.	S.E. Sulawesi	VII.C.I.40-40a-40b-40c

***Alseodaphne* (Lauraceae)**

sp.	T.	Bali	XIV.B.III.14-14a-14b-14c-14d, 21-21a
-----	----	------	--------------------------------------

***Alternanthera* (Amaranthaceae)**

sp.	P.	Bali	X.C.287
-----	----	------	---------

***Alstonia* (Apocynaceae)**

<i>angustiloba</i> Miq. ^{1-LC}	T.	W. Nusa Tenggara	XIV.C.13-13a-13b
<i>scholaris</i> (L.) R. Br. ^{1-LC}	T.	Bali	X.C.349-349a, 522-522a-522b-522c, 592, 593-593a, 636
	T.	W. Nusa Tenggara	XIV.C.21
	T.	E. Nusa Tenggara	X.C.718-718a, XIV.C.84-84a-84b
	T.	Gorontalo	XIV.C.85
	T.	N. Sulawesi	XIV.C.110-110a-110b-110c-110d-110e
<i>spectabilis</i> R. Br.	T.	C. Sulawesi	XIV.C.22-22a
	T.	N. Sulawesi	XIV.C.53-53a-53b
sp.	T.	Bali	XIV.C.74
	T.	C. Sulawesi	XIV.C.50-50a, 68

***Alstonia* (Apocynaceae) - Contd.**

T.	S. Sulawesi	XIV.C.102-102a-102b-102c-102d,104,
----	-------------	------------------------------------

***Altingia* (Altingiaceae)**

<i>excelsa</i> Noronha	T.	S.E. Asia	XIII.L.2-2a-2b-2c-2d
------------------------	----	-----------	----------------------

***Alyogyne* (Malvaceae)**

<i>huegelii</i> (Endl.) Fryxell	Sh.	Canada	X.C.8-8a-8b-8c-8d
---------------------------------	-----	--------	-------------------

***Alyxia* (Apocynaceae)**

<i>reinwardtii</i> Blume	W.Cl.	Bali	XVIII.A.4
sp.	W.Cl.	Papua	XIV.C.116-116a

***Amomum* (Zingiberaceae)**

<i>compactum</i> Sol. ex Maton	Hb.	Bali	X.C.299-299a-299b-299c
<i>maximum</i> Roxb.	Hb.	Bali	VII.C.I.11; X.C.639-639a-639b
sp.	Hb.	Bali	X.C.578, 692-692a
	Hb.	N. Sulawesi	VII.C.I.47-47a-47b-47c

***Amorphophallus* (Araceae)**

<i>bulbifer</i> (Roxb.) Blume	Hb.	France	N.333-333a-333b-333c
<i>konjac</i> K. Koch	Hb.	Estonia	N.334-334a-334b, 335-335a-335b-335c
<i>muelleri</i> Blume	Hb.	Bali	XIX.K.I.30-30a-30b, 32-32a-32b-32c, 64-64a, 125-125a-125b,133-133a
	Hb.	W. Nusa Tenggara	XIX.K.I.53, 55

***Amorphophallus* (Araceae) - Contd.**

<i>muelleri</i> Blume	Hb.	W. Nusa Tenggara	XIX.K.I. 56-56a-56b-56c-56d-56e-56f, 57-57a-57b-57c-57d-57e-57f-57g-57h, 58, 132-132a
<i>paeoniifolius</i> (Dennst.) Nicolson	Hb.	Bali	XIX.K.I.33-33a, 49-49a-49b-49c-49d, 50-50a-50b, 51-51a-51b-51c-51d, 59, 60-60a-60b-60c, 61-61a-61b-61c-61d, 62-62a-62b-62c-62d, 63-63a-63b-63c-63d, 65-65a-65b-65c-65d, 76-76a, 78, 82-82a-82b, 83-83a-83b, 84-84a, 85-85a-85b-85c, 86-86a-86b-86c, 87-87a-87b-87c-87d, 88-88a, 89-89a-89b, 90-90a-90b-90c, 91-91a, 92-92a-92b, 136-136a-136b-136c-136d
	Hb.	W. Nusa Tenggara	XIX.K.I.52, 54, 66, 67-67a-67b-67c-67d-67e, 68-68a-68b-68c-68d, 69, 70, 71-71a-71b-71c-71d-71e, 72, 137, 138-138a; N.312
<i>variabilis</i> Blume	Hb.	S.E. Sulawesi	XIX.K.I.102
	Hb.	Bali	XIX.K.I.73, 74, 75-75a, 77, 79, 80-80a-80b-80c-80d, 81-81a-81b-81c, 93-93a, 94-94a, 121, 123, 129

***Amorphophallus* (Araceae) - Contd.**

sp.	Hb.	Bali	XVIII.A.21
	Hb.	S.E. Sulawesi	XIX.K.I.106-106a

***Ampelopsis* (Vitaceae)**

<i>aconitifolia</i> Bunge	Cl.	Polandia	XV.B.338-338a
---------------------------	-----	----------	---------------

***Amydrium* (Araceae)**

<i>zippeianum</i> (Schott) Nicolson	Cl.	S.E. Sulawesi	XIX.K.I.95-95a-95b
sp.	Cl.	Papua	XIX.K.I.162-162a; N.172
	Cl.	Maluku	XIX.K.I.167-167a- 167b-167c-167d- 167e

***Anacardium* (Anacardiaceae)**

sp.	T.	E. Nusa Tenggara	IX.A.27-27a-27b- 27c-27d
-----	----	------------------	-----------------------------

***Anacolosia* (Olacaceae)**

sp.	T.	France	XX.J.16-16a
-----	----	--------	-------------

***Anadendrum* (Araceae)**

<i>montanum</i> Schott	Cl.	S.E. Sulawesi	XIX.K.I.99-99a
------------------------	-----	---------------	----------------

***Anisomeles* (Lamiaceae)**

<i>indica</i> (L.) Kuntze	H.	E. Nusa Tenggara	XV.B.294-294a
---------------------------	----	------------------	---------------

Ananas (Bromeliaceae)

<i>comosus</i> (L.) Merr.	W.	Bali	X.C.19 (11 pls.), 327-327a-327b, 378-378a-378b- 378c-378d, 424-424a-424b- 424c-424d, 742-742a-742b-742c; XVIII.A.79, 80, 313-313a-313b-313c
	W.	Bali	XVIII.A.350- 350a-350b-350c, 351-351a-351b-351c, 635-635a
	W.	E. Nusa Tenggara	XVIII.A.321-321a- 321b
sp.	W.	Bali	X.C.741

Andrographis (Acanthaceae)

<i>laxiflora</i> (Blume) Lindau	P.	Bali	X.C.506-506a-506b- 506c
---------------------------------	----	------	----------------------------

Angiopteris (Marattiaceae)

<i>evecta</i> (G. Forst.) Hoffm.	W.	Bali	IX.E.478
	W.	E. Nusa Tenggara	IX.E.136-136a, 334-334a-334b-334c- 334d, 413-413a-413b
	W.	Trop. Asia	IX.E.4
sp.	W.	W. Papua	IX.E.438-438a-438b- 438c-438d

Annona (Annonaceae)

<i>muricata</i> L.	Sh.	Bali	X.C.363
	Sh.	Trop. Asia	XV.C.2-2a-2b-2c
<i>squamosa</i> L.	Sh.	Bali	X.C.628-628a-628b
sp.	Sh.	W. Nusa Tenggara	XV.C.75-75a-75b-75c

Anredera (Basellaceae)

<i>cordifolia</i> (Ten.) Steenis	Cl.	C. Java	X.C.282-282a-282b-282c-282d
	Cl.	Bali	X.C.824-824a-824b-824c-824d

Anthoxanthum (Poaceae)

<i>odoratum</i> L.	P.	Norway	XI.D.346-346a-346b-346c-346d
--------------------	----	--------	------------------------------

Anthurium (Araceae)

<i>acaule</i> (Jacq.) Schott	Hb.	Bali	N.193 (13 pls.)
<i>andraeanum</i> Linden ex André	Hb.	Bali	N.198-198a-198b-198c-198d, 199-199a-199b-199c-199d-199e-199f-199g
<i>clarinervium</i> Matuda	Hb.	Bali	N.173-173a-173b-173c-173d-173e-173f-173g-173h-173i-173j
<i>crystallinum</i> Linden & André	Hb.	Bali	N.194
× <i>ferrierense</i> auct.	Hb.	Bali	N.200-200a-200b-200c-200d
<i>geitnerianum</i> A. Regel	H.	Bali	N.201
sp.	Hb.	Bali	N.202-202a-202b-202c-202d, 203-203a-203b-203c-203d-203e-203f, 204-204a-204b-204c-204d, 339, 340, 342-342a, 343-343a, 344-344a, 345-345a
	Hb.	E. Java	N.56, 57, 58, 59
	Hb.	W. Java	N.195-195a-195b-195c-195d

***Antidesma* (Phyllanthaceae)**

<i>bunius</i> (L.) Spreng.	T.	Bali	X.C.192-192a-192b, 274, 358-358a-358b- 358c-358d, 399-399a-399b, 584-584a, 594, 646-646a-646b-646c; XII.C.I.6-6a-6b-6c- 6d
	T.	Bali	XII.C.I.34-34a-34b- 34c-34d, 84-84a; XVIII.A.288, 513- 513a
<i>montanum</i> Blume	T.	Bali	XIII.K.21-21a
<i>neurocarpum</i> Miq.	T.	W. Nusa Tenggara	XII.C.I.35-35a-35b- 35c-35d
<i>tetrandrum</i> Blume	T.	Bali	XII.C.I.85
		S. Sulawesi	XIII.K.66-66a
sp.	T.	W. Nusa Tenggara	XX.E.2
	T.	E. Nusa Tenggara	XII.C.I.212- 212a-212b, 213- 213a, 218-218a, 248-248a-248b-248d; XIII.K.50; XV.C.17- 17a, 55-55a-55b

***Antigonon* (Polygonaceae)**

<i>leptopus</i> Hook. & Arn.	Cl.	Bali	X.C.819-819a-819b- 819c-819d
------------------------------	-----	------	---------------------------------

***Antrophyum* (Pteridaceae)**

<i>callifolium</i> Blume	W.	W. Nusa Tenggara	IX.E.575
<i>latifolium</i> Blume	W.	Maluku	IX.E.551-551a-551b- 551c
sp.	W.	Bali	IX.E.579-579a-579b

Aphanamixis (Meliaceae)

<i>polystachya</i> (Wall.) R. Parker	T.	W. Nusa Tenggara	XIV.A.34-34a
	T.	Sumatra	XIV.A.81

Aphananthe (Cannabaceae)

<i>aspera</i> (Thunb.) Planch.	T	Taiwan	VII.B.I.21-21a-21b
--------------------------------	---	--------	--------------------

Apoballis (Araceae)

<i>rupestris</i> (Zoll. & Moritzi ex Zoll.) S. Y. Wong & P.C. Boyce	Hb.	C. Sulawesi	N.331
---	-----	-------------	-------

Appendicula (Orchidaceae)

<i>cornuta</i> Blume ^{2-App.II}	Hb.	C. Sulawesi	ER.51.105
	Hb.	S. Sulawesi	ER.51.106, 110
	Hb.	N. Sulawesi	ER.51.107-107a
<i>elegans</i> Rchb. f. ^{2-App.II}	Hb.	Bali	CG.1.72, 73, 77, 78, 79, 80, 107, 108, 109, 145
<i>infundibuliformis</i> J. J. Sm. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.25.51; R.III.93-93a
	Hb.	E. Nusa Tenggara	ER.88.663, 664, 665, 666
	Hb.	Bali	CG.3.209
<i>pendula</i> Blume ^{2-App.II}	Hb.	N. Sulawesi	ER.86.630
<i>ramosa</i> Blume ^{2-App.II}	Hb.	Bali	ER.81.455-455a, 456-456a, 457, 458, 459, 460, 461, 462, 463, 464; CG.1.94, CG.4.325, 326, 327, 328
	Hb.	W. Nusa Tenggara	ER.81.465
	Hb.	E. Nusa Tenggara	R.I.15-15a
	Hb.	Bali	CG.1.74, 75; R.III.98, 99
	Hb.	Bali	CG.1.74, 75; R.III.98, 99

***Appendicula* (Orchidaceae) - Contd.**

<i>undulata</i> Blume ^{2-App.II}	Hb.	S. Sulawesi	ER.51.108
sp. ^{2-App.II}	Hb.	E. Nusa Tenggara	R.I.21
	Hb.	C. Sulawesi	ER.86.596-596a-596b; ER.72.292, 293, ER.86.629, 631, 632; CG.1.76; CG.4.335, 336; R.II.20, 21, R.III.54
	Hb.	S. Sulawesi	ER.51.109-109a, 110; R.II.127-127a; R.III.63
	Hb.	N. Sulawesi	R.II.16-16a; R.III.138
	Hb.	S.E. Sulawesi	ER.72.290-290a; R.III.60-60a, 79
	Hb.	E. Kalimantan	R.I.59; R.III.164, 165a-165b, 186-186a, 187

***Aquilaria* (Thymelaeaceae)**

<i>filaria</i> (Oken) Merr.	T.	Yogyakarta	XIII.K.108
<i>malaccensis</i> Lam. ^{1-VU}	T.	W. Nusa Tenggara	XIII.K.26-26b-26c-26d
	T.	E. Nusa Tenggara	XIII.K.100-100a
	T.	C. Sulawesi	XIII.K.94

***Arachis* (Leguminosae)**

sp.	Hb.	E. Kalimantan	VIII.170-170a-170b-170c-170d
-----	-----	---------------	------------------------------

***Arachniodes* (Dryopteridaceae)**

<i>haniffii</i> Ching	W.	S. Sulawesi	IX.E.123-123a, 125-125a-125b-125c
-----------------------	----	-------------	-----------------------------------

Arachnis (Orchidaceae)

<i>flos-aeris</i> (L.) Rchb. f. ^{2-App.II}	Cl.	Bali	ER.88.655, 656, 657, 658, 659
	Cl.	-	ER.88.654
sp. ^{2-App.II}	Cl.	W. Java	ER.88.660

Aralia (Araliaceae)

sp.	T.	S.E. Sulawesi	X.K.24-24a
-----	----	---------------	------------

Araucaria (Araucariaceae)

<i>bidwillii</i> Hook. ^{1-LC}	T.	Queensland	XIII.M.3-3a-3b
<i>cunninghamii</i> Mudie ^{1-LC}	T.	E. Australia	XIII.E.8-8a-8b-8c, 19-19a-19b-19c-19d- 19e-19f-19g
<i>heterophylla</i> (Salisb.) Franco ^{1-VU}	T.	Norfolk	XIII.E.28-28a

Arcangelisia (Menispermaceae)

sp.	Cl.	E. Nusa Tenggara	XV.B.171-171a
-----	-----	---------------------	---------------

Archidendron (Leguminosae)

<i>clypearia</i> (Jack) I.C. Nielsen	T.	Bali	VIII.21-21a-21b-21c, 22-22a-22b-22c, 25-25a-25b-25c, 76-76a-76b-76c-76d
	T.	W. Nusa Tenggara	VIII.47-47a-47b-47c- 47d
	T.	E. Nusa Tenggara	VIII.87-87a
<i>fagifolium</i> (Miq.) I. C. Nielsen	T.	E. Nusa Tenggara	VIII.75-75a-75b-75c- 75d
sp.	T.	Bali	VIII.106-106a-106b
	T.	E. Nusa Tenggara	VIII.180-180a-180b
	T.	S. Sulawesi	VIII.118-118a-118b
	T.	C. Sulawesi	VIII.120-120a

***Archidendron* (Leguminosae) - Contd.**

sp.	T.	N. Sulawesi	VIII.146-146a-146-146c
	T.	S.E. Sulawesi	VIII.100
	T.	Papua	VIII.160-160a-160b-160c

***Archontophoenix* (Arecaceae)**

<i>alexandrae</i> (F. Muell.) H. Wendl. & Drude	T.	S.E. Asia	XIII.B.4
	T.	Australia	XIV.E.17-17a-17b-17c
	T.	-	XIV.E.22-22a-22b-22c
<i>purpurea</i> Hodel & Dowe	T.	Hawai	XIV.E.125-125a-125b-125c

***Ardisia* (Primulaceae)**

<i>crenata</i> Sims	Sh.	Bali	X.C.179-179a-179b-179c-179d
	Sh.	France	XX.A.39 (5 pls.)
<i>humilis</i> Vahl	Sh.	Bali	XX.A.1-1a, 37-37a; X.C.606, 617-617a-617b, 647-647a-647b-647c
	Sh.	E. Nusa Tenggara	XX.A.18-18a, 31
	Sh.	W. Nusa Tenggara	XX.A. 13-13a, 19
	Sh.	N. Sulawesi	XX.A.21
	Sh.	S. Sulawesi	XX.A.27-27a-27b
<i>javanica</i> A. DC.	Sh.	Bali	XX.A.2-2a-2b
	Sh.	E. Nusa Tenggara	XX.A.17
<i>fuliginosa</i> Blume	Sh.	W. Nusa Tenggara	XX.A.7-7a-7b-7c

***Ardisia* (Primulaceae) - Contd.**

<i>myristifolia</i> Blume	Sh.	E. Nusa Tenggara	XX.A.16-16a-16b
sp.	Sh.	Bali	XX.A.3, 4, 20-20a-20b, 25-25a-25b-25c, 44-44a-44b-44c, 45, 47, 49-49a-49b-49c
	Sh.	W. Nusa Tenggara	XX.A.8-8a-8b-8c-8d, 50-50a-50b-50c
	Sh.	E. Nusa Tenggara	XX.A.10-10a, 12
	Sh.	N. Sulawesi	XX.A.22, 35-35a, 38-38a-38b-38c-38d
	Sh.	Gorontalo	XX.A.40-40a
	Sh.	C. Sulawesi	XX.A.24
	Sh.	S. Sulawesi	XX.A. 32-32a-32b-32c
	Sh.	S.E. Sulawesi	XX.A.28-28a-28b-28c-28d, 33-33a-33b-33c
	Sh.	Papua	XX.A.30, 41-41a

***Areca* (Arecaceae)**

<i>catechu</i> L.	T.	Bali	X.C.211-211a-211b-211c-211d, 447-447a-447b, 505-505a-505b-505c, 630-630a-630b-630c; XIV.E.18-18a-18b-18c, 48-48a-48b-48c; XVIII.A.136-136a, 277,374-374a, 523-523a-523b-523c-523d, 638-638a-638b
<i>vestiaria</i> Giseke	T.	C. Sulawesi	XIV.E.78-78a-78b-78c, 164-164a-164b-164c-164d

Areca (Arecaceae) - Contd.

<i>vestiaria</i> Giseke	T.	N. Sulawesi	XIV.E.117-117a- 117b-117c-117d
	T.	Hawai	XIV.E.153
sp.	T.	Bali	XVIII.A.378-378a- 378b
	T.	E. Nusa Tenggara	XIV.E.115c-115d
	T.	S. Sulawesi	XIV.E.82-82a
	T.	S.E. Sulawesi	XIV.E.101

Arenga (Arecaceae)

<i>microcarpa</i> Becc.	T.	W. Papua	XIV.E.146-146a- 146b-146c
<i>pinnata</i> (Wurmb) Merr.	T.	Bali	XIV.E.13-13a- 13b, 26-26a-26b, 113-113a-113b; XVIII.A.15, 274-274a-274b-274c, 608-608a, 639
	T.	W. Java	XIV.E.27-27a
	T.	E. Nusa Tenggara	XIV.E.87, 95-95a
sp.	T.	Bali	XIV.E.131
	T.	C. Sulawesi	XIV.E.130
	T.	Papua	XIV.E.147-147a

Arisaema (Araceae)

<i>filiforme</i> (Reinw.) Blume	Hb.	Bali	N.411-411a-411b- 411c-411d
---------------------------------	-----	------	-------------------------------

Aristolochia (Aristolochiaceae)

<i>tagala</i> Cham.	Cl.	W. Nusa Tenggara	XV.B.144
sp.	Cl.	E. Nusa Tenggara	XV.B.174

***Armatocereus* (Cactaceae)**

<i>matucanensis</i> Backeb.	Sc.	USA	RK.96
-----------------------------	-----	-----	-------

***Armadorum* (Orchidaceae)**

<i>sulingi</i> (Blume) Schltr.	Cl.	W. Nusa Tenggara	ER.24.49-49a; ER.25.49b
--------------------------------	-----	------------------	----------------------------

***Arthropteris* (Tectariaceae)**

<i>palisotii</i> (Desv.) Alston	Tr.	W. Nusa Tenggara	IX.E.549
---------------------------------	-----	------------------	----------

***Artocarpus* (Moraceae)**

<i>altilis</i> (Parkinson) Fosberg	T.	Bali	VII.D.238
	T.	W. Papua	VII.D.239
<i>elasticus</i> Reinw. ex Blume	T.	Bali	VII.D.4, 52, 74-74a-74b, 143-143a-143b-143c- 143d; X.C.707-707a; XVIII.A.289-289a- 289b-289c-289d- 289e
	T.	W. Nusa Tenggara	VII.D.56-56a
	T.	S.E. Sulawesi	VII.D.196
<i>heterophyllus</i> Lam.	T.	Bali	VII.D.33-33a-33b- 33c, 246-246a-246b- 246c, 258; X.C.254-254a-254b- 254c-254d
	T.	Bali	X.C.708-708a; XVIII.A.164-164a- 164b-164c-164d, 273 (7 pls.), 520-520a, 573-573a-573b
<i>integer</i> (Thunb.) Merr.	T.	Bali	XVIII.A.137-137a- 137b
	T.	E. Nusa Tenggara	VII.D.154

***Artocarpus* (Moraceae) - Contd.**

<i>integer</i> (Thunb.) Merr.	T.	S. Sulawesi	VII.D.126
	T.	Bengkulu	VII.D.79-79a
sp.	T.	E. Nusa Tenggara	VII.D.159-159a
	T.	C. Sulawesi	VII.D.149, 191
	T.	S.E. Sulawesi	VII.D.212
	T.	Gorontalo	VII.D.225-225a, 226, 227

***Arundina* (Orchidaceae)**

<i>graminifolia</i> (D. Don) Hochr. 2-App.II	W.	Bali	ER.65.212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222
--	----	------	---

***Arundo* (Poaceae)**

sp.	Sh.	Bali	XI.D.101
-----	-----	------	----------

***Arytera* (Sapindaceae)**

<i>littoralis</i> Blume ^{1-LC}	T.	Bali	XIV.B.I.53-53a-53b-53c
	T.	E. Nusa Tenggara	XIV.B.I.105

***Ascidieria* (Orchidaceae)**

<i>cymbidifolia</i> (Ridl.) W. Suarez & Cootes ^{2-App.II}	Hb.	S. Sulawesi	ER.93.766, 770, 772, 767; ER.90.704-704a-704b
	Hb.	C. Sulawesi	ER.73.820-820a
	Hb.	S.E. Sulawesi	ER.93.768-768a-768b
<i>longifolia</i> (Hook. f) Seidenf. 2-App.II	Hb.	Jambi	R.I.185

***Asclepias* (Apocynaceae)**

sp.	Sh.	E. Nusa Tenggara	XV.B.327-327a-327b-327c
-----	-----	------------------	-------------------------

***Ascocentrum* (Orchidaceae)**

sp. ^{2-App.II}	W.	E. Nusa Tenggara	ER.72.300-300a
	W.	E. Nusa Tenggara	ER.72.301a
	W.	S. Sulawesi	ER.72.302-302a
	W.	S.E. Sulawesi	ER.72.299 (4 pls.)

***Ascoglossum* (Orchidaceae)**

<i>calopteryum</i> (Rchb.f.) Schltr. ^{1-CR,2-App.II}	Ep.	Papua	R.III.316
--	-----	-------	-----------

***Asparagus* (Asparagaceae)**

<i>densiflorus</i> (Kunth.) Jessop.	Cl.	Bali	X.C.184 (5 pls.)
<i>racemosus</i> Willd.	Cl.	E. Nusa Tenggara	XII.C.II.82-82a
	Cl.	S. Sulawesi	XII.C.II.81-81a
<i>setaceus</i> (Kunth) Jessop.	Cl.	Bali	XVIII.A.486 (3 pls.), 527

***Asplenium* (Aspleniaceae)**

<i>bantamense</i> (Blume) Baker	W.	Bali	IX.E.19
<i>batuense</i> Alderw.	W.	Bali	IX.E.42-42a
<i>caudatum</i> G. Forst.	W.	Bali	IX.E.253-253a-253b-253c-253d, 364-364a-364b
	W.	W. Nusa Tenggara	IX.E.208, 482-482a, 559, 560-560a
	W.	E. Nusa Tenggara	IX.E.71-71a-71b-71c-71d, 77-77a-77b-77c, 326-326a-326b-326c
	W.	S. Sulawesi	IX.E.138-138a-138b

***Asplenium* (Aspleniaceae) - Contd.**

<i>nidus</i> L.	W.	Bali	IX.E.277-277a
	W.	E. Nusa Tenggara	IX.E.126-126a, 172, 321
	W.	S. Sulawesi	IX.E.264-264a-264b
	W.	S.E. Sulawesi	IX.E.287-287a
	W.	W. Papua	IX.E.458-458a
	W.	Old World, Tropical	IX.E.1
<i>normale</i> D. Don	W.	S. Sulawesi	IX.E.147-147a-147b
<i>robustum</i> Blume	W.	Bali	IX.E.41-41a-41b
<i>salignum</i> Blume	W.	Bali	IX.E.512-512a-512b-512c, 563-563a-563b
<i>tenerum</i> G. Forst.	W.	Bali	IX.E.13
	W.	W. Nusa Tenggara	IX.E.503
<i>thunbergii</i> Kunze	W.	Bali	IX.E.15, 398
	W.	W. Nusa Tenggara	IX.E.407-407a
	W.	Gorontalo	IX.E.459-459a
sp.	W.	Bali	IX.E.83, 186-186a, 567
	W.	W. Nusa Tenggara	IX.E.405-405a, 502-502a
	W.	E. Nusa Tenggara	IX.E.66-66a-66b, 135-135a, 325-325a-325b-325c-325d, 331-331a-331b, 356-356a, 363-363a-36b, 366, 367-367a-367b
	W.	C. Sulawesi	IX.E.64-64a-64b-64c, 179
	W.	S. Sulawesi	IX.E.258-258a, 259
	W.	S.E. Sulawesi	IX.E.220-220a-220b-220c-220d, 221-221a-221b

***Asphodeline* (Xanthorrhoeaceae)**

<i>lutea</i> (L.) Rchb.	Hb.	Belgium	VII.E.112-112a- 112b-112c-112d
-------------------------	-----	---------	-----------------------------------

***Aspidium* (Tectariaceae)**

<i>crenatus</i> (Cav.) Ching	W.	Bali	IX.E.313-313a- 313b-313c-313d, 457-457a-457b-457c
------------------------------	----	------	---

***Astrophytum* (Cactaceae)**

<i>myriostigma</i> Lem	Sc.	Italy	RK.155
<i>ornatum</i> (DC) Britton & Rose	Sc.	Suisse	RK.134
		Ceska Republika	RK.150-150a

***Asystasia* (Acanthaceae)**

<i>nemorum</i> Nees	Sh.	Bali	VII.E.124-124a
	Sh.	W. Nusa Tenggara	VII.E.125
sp.	Sh.	Bali	X.C.534-534a, 545-545a-545b-545c, 622-622a-622b, 689-689a-689b-689c, 818-818a-818b

***Aucuba* (Garryaceae)**

<i>japonica</i> Thunb.	Sh.	Japan	XVII.A.1-1a
------------------------	-----	-------	-------------

***Auranticarpa* (Pittosporaceae)**

<i>rhombifolia</i> (A. Cunn. ex Hook.) L. W. Cayzer, Crisp & I. Telford	Sh.	Australia	XIV.G.56-56a-56b
---	-----	-----------	------------------

***Austrocylindropuntia* (Cactaceae)**

<i>floccosa</i> (Salm-Dyck ex Winterfeld) F.Ritter	Sc.	W. Africa	RK.40-40a-40b-40c-40d-40e-40f-40g-40h-40i-40j-40k-40l-40m-40n
--	-----	-----------	---

***Averrhoa* (Oxalidaceae)**

<i>carambola</i> L.	T.	Bali	X.C.341-341a-341b-341c-341d, 342, 643, 653, 720-720a, 840
---------------------	----	------	---

***Aylostera* (Cactaceae)**

sp.	Sc.	Czech Republic	RK.135-135a-135b
-----	-----	----------------	------------------

***Baccaurea* (Phyllanthaceae)**

<i>racemosa</i> (Reinw. ex Blume) Mull. Arg.	T.	Bali	X.C.256 (4 pls.) 392, 709; XII.C.I.92; XVIII.A.278-278a-278b-278c-278d-278e, 601-601a-601b
sp.	T.	Bali	XII.C.I.233
	T.	E. Nusa Tenggara	XII.C.I.64-64a-64b-64c-64d; XIII.K.41

***Baeckea* (Myrtaceae)**

sp.	Sh.	Papua	XII.B.256-256a
-----	-----	-------	----------------

***Bambusa* (Poaceae)**

<i>blumeana</i> Schult. f.	T.	Bali	X.C.677-677a; XI.D.21-21a-21b, 317-317a
----------------------------	----	------	---

***Bambusa* (Poaceae) - Contd.**

<i>maculata</i> Widjaja	T.	Bali	XI.D.85, 124-124a-124b-124c- 124d-124e-124f- 124g-124h-124i, 125-125a-125b-125c, 222, 236, 327-327a, 328-328a
<i>multiplex</i> (Lour) Raeusch. ex Schult.	T.	Bali	XI.D.5-5a-5b, 206-206a-206b- 206c-206d, 243-243a-243b-243c
<i>ooh</i> Widjaja & Astuti	T.	-	XI.D.6-6a-6b-6c
<i>tuldoides</i> Munro	T.	Bali	XI.D.226, 308 (3 pls.)
	T.	Bali	XI.D.7, 128-128a-128b-128c- 128d
<i>vulgaris</i> Schrad.	T.	Bali	X.C. 676, 678; XI.D. 12-12a-12b, 13-13a-13b, 50, 96, 173, 190, 220, 261-261a-261b-261c- 261d, 312-312a, 314-314a-314b, 318-318a, 320- 320a, 330, 211- 211a; XVIII.A.353, 410-410a-410b, 500-500a
	T.	E. Nusa Tenggara	XI.D.33-33a-33b- 33c, 40
	T.	W. Nusa Tenggara	XI.D.277-277a
	T.	E. Java	XI.D.167
	T.	S. Sulawesi	XI.D.160-160a
sp.	T.	Bali	XI.D.189-189-189b, 246-246a-246b, 296 (7pls.); XVIII.A.371, 423-423a-423b, 425

***Bambusa* (Poaceae) - Contd.**

sp.	T.	W. Nusa Tenggara	XI.D.266 (5 pls.), 272-272a, 273, 276-276a-276b-276c, 279 (5 pls.), 369-369a
	T.	E. Nusa Tenggara	XI.D.162, 313
	T.	S. Sulawesi	XI.D.197-197a-197b, 212-212a-212b
	T.	S.E. Sulawesi	XI.D.216
	T.	-	XVIII.A.171, 172, 174

***Banksia* (Proteaceae)**

<i>robur</i> Cav.	T.	Bali	XII.A.73-73a
	T.	Australia	XII.A.37-37a

***Barleria* (Acanthaceae)**

<i>lupulina</i> Lindl.	Sh.	Bali	X.C.535-535a-535b-535c
<i>prionitis</i> L.	Sh.	Bali	X.C.724-724a
sp.	Sh.	Bali	X.C.693-693a-693b-693c-693d, 723, 813-813a-813b-813c

***Barringtonia* (Lecythidaceae)**

sp.	T.	Bali	XIX.K.9-9a-9b, 23
	T.	E. Nusa Tenggara	XVII.D.4-4a-4b-4c, 8-8a-8b-8c
	T.	Papua	XIX.K.14

***Basella* (Basellaceae)**

<i>alba</i> L.	Cl.	Bali	X.C.736-736a-736b-736c-736d
----------------	-----	------	-----------------------------

***Bauhinia* (Leguminosae)**

<i>fulva</i> Korth.	W. Cl.	Bali	VIII.178-178a
<i>purpurea</i> L. ^{1-1C}	T.	Bali	VIII.14-14a-14b, 29-29a-29b-29c-29d
	T.	E. Java	VIII.184-184a-184b- 184c-184d; N.55
sp.	W. Cl.	Bali	VII.D.204-204a
	T.	S.E. Sulawesi	VIII.132-132a

***Begonia* (Begoniaceae)**

<i>aborensis</i> Dunn	Hb.	USA	TB.142
<i>acetosa</i> Vell.	Hb.	W. Java	TB.51-51a-51b-51c
<i>acida</i> Vell.	Hb.	W. Java	TB.112 (5 pls.)
<i>aconitifolia</i> A.DC.	Hb.	W. Java	TB.19 (5 pls.)
<i>aptera</i> Blume	Hb.	Bali	TB.1-1a-1b-1c-1d
	Hb.	S.E. Sulawesi	TB.2-2a-2b-2c-2d
	Hb.	S. Sulawesi	TB.3-3a-3b-3c-3d, 44, 66-66a-66b
× <i>argenteoguttata</i> M. Lemoine 'Coral rubra'	Hb.	Bali	TB.20-20a-20b-20c- 20d
	Hb.	W. Java	TB.15-15a-15b-15c- 15d
× <i>argenteoguttata</i> M. Lemoine 'Creeper'	Hb.	W. Java	TB.13-13a-13b-13c- 13d
× <i>argenteoguttata</i> M. Lemoine 'Fanfare'	Hb.	E. Java	TB.70-70a-70b-70c- 70d
× <i>argenteoguttata</i> M. Lemoine 'Hybrid'	Hb.	W. Java	TB.14-14a-14b-14c- 14d
× <i>argenteoguttata</i> M. Lemoine 'Lois Burks'	Hb.	W. Java	TB.120-120a-120b- 120c-120d
<i>atricha</i> (Miq.) Miq. ex A. DC.	Hb.	W. Sumatra	TB.101
<i>auriculata</i> Hook. f.	Hb.	E. Java	TB.35-35a-35b
<i>baliensis</i> Girm.	Hb.	Bali	TB.183 (4 pls.), 186-186a-186b, 188-188a-188b, 189- 189a



Figure 4. *Begonia baliensis* Girm. (Begoniaceae), an endemic and ornamental herb from Bali. Located at the Begonia House.

***Begonia* (Begoniaceae) - Contd.**

<i>bipinnatifida</i> J.J. Sm.	Hb.	W. Java	TB.102-102a-102b-102c
<i>bowerae</i> Ziensenh.	Hb.	W. Java	TB.9-9a-9b-9c-9d, 123-123a-123b-123c-123d
<i>bowerae</i> 'Cleoptera'	Hb.	W. Java	TB.8-8a-8b-8c-8d
<i>bowerae</i> 'Bethlehem Star'	Hb.	W. Java	TB.7-7a-7b-7c-7d
<i>bowerae</i> 'Ripples'	Hb.	Yogyakarta	TB.122-122a-122b-122c-122d
<i>breviramosa</i> Irmsch.	Hb.	E. Java	TB.30-30a-30b
<i>calderonii</i> Standl.	Hb.	USA	TB.88-88a
<i>carolineifolia</i> Regel	Hb.	W. Java	TB.21
<i>chivatoa</i> Ziesenh.	Hb.	USA	TB.87
<i>coccinea</i> Hook.	Hb.	Scotlandia	TB.97-97a-97b-97c-97d
<i>coriacea</i> Hassk.	Hb.	Bali	TB. 38-38a-38b-38c-38d, 103-103a-103b-103c-103d, 145-145a
<i>crassicaulis</i> Lindl.	Hb.	USA	TB.86-86a-86b
<i>cucullata</i> Willd.	Hb.	E. Java	TB.31-31a, 32-32a-32b-32c
<i>cucullata</i> 'Thousand Wonders'	Hb.	E. Java	TB.55, 57 (5pls)
<i>cucullata</i> 'Tinkerbelle'	Hb.	Bali	TB.56 (5 pls.)
<i>didyma</i> D.C. Thomas & Ardi	Hb.	S. Sulawesi	TB.67-67a-67b-67c-67d
<i>droopiae</i> Ardi	Hb.	W. Sumatra	TB.78-78a-78b
<i>echinocephala</i> Regel	Hb.	Scotlandia	TB.95-95a-95b-95c
<i>fusca</i> Liebm.	Hb.	USA	TB.89-89a-89b-89c-89d
<i>guttapila</i> D.C. Thomas & Ardi	Hb.	S. Sulawesi	TB.65-65a-65b-65c-65d
<i>goegoensis</i> N.E. Br.	Hb.	W. Sumatra	TB.77-77a-77b-77c
<i>guaduensis</i> Kunth	Hb.	W. Java	TB.11 (5 pls.)
<i>heracleifolia</i> Cham. & Schltdl.	Hb.	W. Java	TB.17 (5 pls.), 71 (5 pls.)
<i>heracleifolia</i> 'Black Falcon'	Hb.	W. Java	TB.16 (5pls.)

***Begonia* (Begoniaceae) - Contd.**

<i>heracleifolia</i> 'Ben Lexcen'	Hb.	E. Java	TB.54 (5 pls.)
<i>heracleifolia</i> 'Hybrid'	Hb.	W. Java	TB.18 (5 pls.)
<i>heracleifolia</i> 'King of Prusia'	Hb.	W. Java	TB.113
<i>hirtella</i> Link	Hb.	W. Java	TB.69 (5 pls.)
<i>hooveriana</i> Wiriad.	Hb.	S. Sulawesi	TB.43 (5 pls.)
<i>hydrocotylifolia</i> Otto ex Hook.	Hb.	Scotlandia	TB.98
<i>imperialis</i> Lem.	Hb.	W. Java	TB.50 (5 pls.)
	Hb.	W. Java	TB.124 (5 pls.)
<i>incarnata</i> Link & Otto	Hb.	W. Java	TB.110 (5 pls.)
<i>karwinskyana</i> A. DC.	Hb.	USA	TB.141
<i>koordinersii</i> Warb. ex L.B. Sm. & Wassh.	Hb.	N. Sulawesi	TB.75
	Hb.	Maluku	TB.197 (5 pls.), 210 (5 pls.)
<i>lempuyangensis</i> Girm.	Hb.	Bali	TB.171 (5 pls.), 172 (5 pls.), 174 (5 pls.), 187-187a-187b
<i>listada</i> L.B. Sm.&Wassh.	Hb.	W. Java	TB.49 (5 pls.)
<i>lombokensis</i> Girm.	Hb.	W. Java	TB.105 (5 pls.)
<i>longifolia</i> Blume	Hb.	Bali	TB.47 (5 pls.), 143-143a, 144, 148 (5 pls.), 173 (5 pls.), 175 (5 pls.), 176-176a-176b, 178-178a-178b, 179, 180, 184 (4 pls.)
	Hb.	W. Nusa Tenggara	TB.233
cf. <i>longifolia</i>	Hb.	Bali	TB.36-36a-36b-36c-36d
<i>maculata</i> Raddi	Hb.	Mexico	TB.129-129a-129b-129c-129d, 130-130a-130b-130c-130d
	Hb.	Scotlandia	TB.99-99a-99b-99c-99d
<i>manicata</i> Brongn.	Hb.	W. Java	TB.5-5a-5b-5c-5d

***Begonia* (Begoniaceae) - Contd.**

<i>manicata</i> var. <i>aureomaculata</i> Ziesenh.	Hb.	W. Java	TB.93
<i>manicata</i> 'Essie Hunt'	Hb.	W. Java	TB.115 (5 pls.)
<i>manicata</i> 'Fairylant'	Hb.	W. Java	TB.114 (5 pls.)
<i>manicata</i> 'Hybrid'	Hb.	E. Java	TB.33-33a
<i>multangula</i> Blume	Hb.	Bali	TB. 41 (5 pls.),149 (5 pls.), 160, 181 (3 pls.), 182 (4 pls.), 185 (3 pls.),
	Hb.	Sumatra	TB.37 (5 pls.)
<i>multibracteata</i> Girm.	Hb.	W. Nusa Tenggara	TB.232 (5 pls.)
<i>naumoniensis</i> Irmsch.	Hb.	Papua Nugini	TB.91-91a
<i>obscura</i> Brade	Hb.	W. Java	TB.48 (5 pls.)
<i>oxyloba</i> Welw. ex Hook. f.	Hb.	Madagaskar	TB.92-92a
<i>pasamanensis</i> M. Hughes	Hb.	W. Sumatra	TB.100
<i>peltata</i> Otto & Dietr.	Hb.	Scotlandia	TB.96 (5 pls.)
<i>pseudomuricata</i> Girm.	Hb.	Bali	TB.177 (5 pls.)
<i>puspita</i> Ardi	Hb.	E. Nusa Tenggara	TB.82
<i>rachmatii</i> Tebbitt	Hb.	W. Java	TB.104 (5 pls.)
<i>rex</i> 'Brillians'	Hb.	E. Java	TB.29-29a-29b
<i>rex</i> 'Christmas'	Hb.	E. Java	TB.28-28a-28b
<i>rex</i> 'Hybrid'	Hb.	C. Java	TB.25
<i>rex</i> 'Lettuce Magic'	Hb.	E. Java	TB.53 (5 pls.)
<i>rex</i> 'Mystic Twist'	Hb.	W. Java	TB.117 (5 pls.)
<i>rex</i> 'Rosy Morn'	Hb.	E. Java	TB.27
<i>rex</i> 'Silver Circle'	Hb.	E. Java	TB.116 (5 pls.)
<i>robusta</i> Blume	Hb.	W. Java	TB.85-85a-85b
<i>sarmentosa</i> L.B.Sm. & Wassh.	Hb.	W. Java	TB.10-10a-10b-10c- 10d
<i>scutifolia</i> Hook. f.	Hb.	W. Africa	TB.108 (5 pls.)
<i>serratifetala</i> Irmsch (Lurik)	Hb.	Irian Jaya	TB.79 (5 pls.)
	Hb.	W. Java	TB.106
<i>silhetensis</i> (A. DC.) C.B. Clarke	Hb.	USA	TB.139 (4 pls.)

***Begonia* (Begoniaceae) - Contd.**

<i>subvillosa</i> Klotzsch	Hb.	Bali	TB.94 (5 pls.)
	Hb.	E. Java	TB.121 (5 pls.)
	Hb.	Germany	TB.132 (5 pls.)
<i>sudjanae</i> C.-A. Jansson	Hb.	Yogyakarta	TB.83-83a-83b
<i>sychnantha</i> L. B. Sm. & Wassh.	Hb.	Jambi	TB.109 (5 pls.)
cf. <i>sychnanta</i>	Hb.	Sumatra	TB.39-39a-39b-39c-39d
<i>tenuifolia</i> Dryand.	Hb.	Bali	TB.42 (5 pls.)
<i>thelmae</i> L.B. Sm. & Wassh.	Hb.	W. Java	TB.119 (5 pls.)
cf. <i>thelmae</i>	Hb.	Mexico	TB.111-111a-111b-111c-111d
<i>tomentosa</i> Schott	Hb.	Germany	TB.131 (5 pls.)
	Hb.	France	TB.138 (5 pls.)
<i>ulmifolia</i> Willd.	Hb.	France	TB.136 (5 pls.)
<i>variegata</i> Y.M.Shui & W.H.Chen	Hb.	W. Java	TB.90 (5 pls.)
<i>venosa</i> Skan ex Hook.f.	Hb.	Germany	TB.6-6a-6b-6c-6d
	Hb.	Italia	TB.68 (5 pls.)
<i>wallichiana</i> Lehm.	Hb.	Germany	TB.135 (5 pls.)
	Hb.	France	TB.137 (5 pls.)
'Black Falcon'	Hb.	Mexico	TB.23
'Chantilly Lace'	Hb.	C. Java	TB.118-118a-118b-118c-118d
'Fiji Islands'	Hb.	E. Java	TB.34-34a
'Foloveniana'	Hb.	Australia	TB.133-133a-133b-133c-133d
'Fuggy'	Hb.	Australia	TB.134-134a-134b-134c-134d
'Jurrah'	Hb.	W. Java	TB.12 (5 pls.)
'Kimbrook'	Hb.	W. Java	TB.125 (5 pls.)
'Penny O'day'	Hb.	C. Java	TB.26
'Silver Queen'	Hb.	W. Java	TB.52 (5 pls.)
'U388'	Hb.	W. Java	TB.74 (5 pls.)

Begonia (Begoniaceae) - Contd.

sp.	Hb.	Bali	TB. 40 (5 pls.),107 (4 pls.), 146-146a, 147-147a-147b, 150- 150a, 151-151a-151b, 152-152a, 153-153a-153b-153c, 154-154a, 155,
	Hb.	Bali	156-156a, 157-157a, 158-158a, 159-159a,
	Hb.	W. Java	TB.4-4a-4b-4c-4d, 45 (5 pls.)
	Hb.	W. Nusa Tenggara	TB. 72, 73, 80 (5 pls.),161-161a, 230- 230a, 231 (4 pls.)
	Hb.	E. Nusa Tenggara	TB.46 (5 pls.), 162-162a-162b, 163 (5 pls.), 163 (5 pls.), 164 (4 pls.), 165 (5 pls.), 166 (5 pls.), 167-167a, 168-168a, 169 (5 pls.), 170 (4 pls.)
	Hb.	E. Kalimantan	TB.58, 59, 60, 61, 62, 63, 64
	Hb.	N. Sulawesi	TB.76
	Hb.	Gorontalo	TB.229 (5 pls.)
	Hb.	W. Papua	TB.84-84a-84b-84c- 84d
	Hb.	Jambi	TB.81 (5 pls.)
	Hb.	C. Moluccas	TB.190 (5 pls.), 191 (5 pls.), TB.192-192a-192b, 193-193a-193b, 194-194a-194b,195- 195a-195b-195c, 196, 198-198a-198b, 199 (5 pls.), 200 (5 pls.), 201-201a-201b, 202-202a-202b

***Begonia* (Begoniaceae) - Contd.**

sp.	Hb.	C. Moluccas	TB. 203-203a-203b, 204 (5 pls.), 205 (3 pls.), 206 (3 pls.), 207-207a-207b, 208-208a-208b, 209 (5 pls.), 211 (5 pls.), 212 (5 pls.), 213 (5 pls.), 214 (5 pls.), 215 (5 pls.), 216 (5 pls.), 217 (5 pls.), 218 (5 pls.), 219 (5 pls.), 220 (5 pls.), 221 (5 pls.), 222 (5 pls.), 223 (5 pls.), 224 (5 pls.), 225 (5 pls.), 226 (5 pls.), 227 (5 pls.), 228 (5 pls.)
	Hb.	USA	TB.126-126a, 127 (4 pls.), 128 (5 pls.), 140-140a-140b-140c
	Hb.	N. Vietnam	TB.22

***Beilschmiedia* (Lauraceae)**

<i>gigantocarpa</i> Kosterm.	T.	N. Sulawesi	X.A.88-88a
<i>lucidula</i> (Miq.) Kosterm.	T.	W. Nusa Tenggara	XIV.B.III.33 (4 pls.)
sp.	T.	Bali	XIV.G.39-39a

***Belvisia* (Polypodiaceae)**

<i>revoluta</i> Copel.	W.	Bali	IX.E.432-432a
sp.	W.	Bali	IX.E.536

***Berberis* (Berberidaceae)**

<i>amurensis</i> Rupr.	Sh.	France	XII.C.II.75-75a-75b- 75c
<i>fortunei</i> Lindl.	Sh.	China	XII.C.II.78 (5 pls.)
<i>vulgaris</i> L.	Sh.	Czechoslovakia	XII.C.II.79-79a-79b

Berberis (Berberidaceae) - Contd.

<i>wilsoniae</i> Hemsl.	Sh.	France	XII.C.II.77 (5 pls.)
<i>yunnanensis</i> Franch.	Sh.	Belgia	XII.C.II.86-86a

Bignonia (Bignoniaceae)

<i>magnifica</i> W. Bull.	T.	Colombia	XV.B.81-81a-81b
---------------------------	----	----------	-----------------

Bischofia (Phyllanthaceae)

<i>javanica</i> Blume	T.	Bali	XII.C.I.8-8a-8b-8c-8d
	T.	S. Sulawesi	XII.C.I.102-102a
	T.	W. Nusa Tenggara	XII.C.I.107
	T.	E. Nusa Tenggara	XII.C.I.103

Bixa (Bixaceae)

<i>orellana</i> L.	T.	Bali	XIII.I.19-19a-19b-19c-19d; XVIII.A.149-149a-149b-149c-149d-149e-149f
--------------------	----	------	---

Blechnum (Blechnaceae)

<i>orientale</i> L.	W.	E. Nusa Tenggara	IX.E.518
sp.	W.	E. Nusa Tenggara	IX.E.79-79a, 338-338a-338b-338c, 340-340a-340b-340c-340d, 491-491a-491b-491c, 530-530a-530b
	W.	C. Sulawesi	IX.E.63-63a

***Blechnum* (Blechnaceae) - Contd.**

sp.	W.	S. Sulawesi	IX.E.227-227a- 227b-227c-227d- 227e-227f-227g; 372-372a-372b-372c- 372d-372e-372f-372g
-----	----	-------------	--

***Blighia* (Sapindaceae)**

<i>sapida</i> K.D. Koenig	T.	Bali	XIV.B.I.113-113a- 113b
	T.	China	XIII.C.13
sp.	T.	E. Nusa Tenggara	XIV.B.I.34-34a-34b- 34c

***Blumea* (Asteraceae)**

<i>balsamifera</i> (L.) DC.	Sh.	Bali	X.C.13
-----------------------------	-----	------	--------

***Boenninghausenia* (Rutaceae)**

<i>albiflora</i> (Hook.) Rchb. ex Meisn.	Sh.	Bali	X.B.23; X.C. 694, 721 (5 pls.)
	Sh.	W. Nusa Tenggara	X.C.111 (5 pls.)

***Boesenbergia* (Zingiberaceae)**

<i>rotunda</i> (L.) Mansf.	Hb.	Bali	VII.C.I.23-23a-23b- 23c-23d; X.C.41 (20 pls.), 464- 464a, 780 (5 pls.), 782-782a-782b-782c- 782d; XVIII.A.347
sp.	Hb.	W. Nusa Tenggara	X.C.790 (5 pls.)

***Bolbitis* (Dryopteridaceae)**

<i>heteroclita</i> (C. Presl) Ching	W.	Bali	IX.E.566 (5 pls.)
<i>sinuata</i> Hennipman	W	Bali	X.E.299-299a-299b- 299c

***Bolbitis* (Dryopteridaceae) - Contd.**

sp.	W.	E. Nusa Tenggara	IX.E.534, 568-568a
-----	----	------------------	--------------------

***Bombax* (Malvaceae)**

<i>anceps</i> Pierre	T.	S.E. Asia	XIII.H.1-1a-1b
<i>ceiba</i> L.	T.	Bali	XVIII.A.461
	T.	C. Sulawesi	XIII.H.13-13a
sp.	T.	Bali	XIII.H.5
	T.	W. Nusa Tenggara	XIII.H.4-4a-4b
	T.	S. Sulawesi	XIII.H. 6-6a-6b
	T.	S.E. Sulawesi	XIII.H.14-14a-14b-14c

***Borassodendron* (Arecaceae)**

sp.	T.	E. Kalimantan	XIV.E.159-159a-159b-159c-159d
-----	----	---------------	-------------------------------

***Botrychium* (Ophioglossaceae)**

<i>dauchifolium</i> Wall. ex Hook & Grev.	W.	Bali	IX.E.584-584a-584b-584c
sp.	W.	E. Nusa Tenggara	IX.E.127, 521-521a-521b-521c
	W.	W. Nusa Tenggara	IX.E.572-572a-572b

***Bougainvillea* (Nyctaginaceae)**

<i>spectabilis</i> Willd.	W.Cl.	Bali	XVIII.A.576, 592-592a-592b-592c
	W.Cl.	Brazil	XII.C.II.102

***Brachypodium* (Poaceae)**

<i>sylvaticum</i> (Huds.) P. Beauv.	Sh.	Polandia	XI.D.350-350a-350b-350c
-------------------------------------	-----	----------	-------------------------

***Brahea* (Arecaceae)**

<i>edulis</i> H. Wendl. ex S. Watson 1-EN	T.	San Fransisco	XIV.E.99-99a
--	----	---------------	--------------

***Brassaiopsis* (Araliaceae)**

sp.	T.	Bali	XVIII.A.167-167a- 167b-167c-167d, 521-521a-521b-521c
-----	----	------	--

***Brassavola* (Orchidaceae)**

<i>nodosa</i> (L.) Lindl. ^{2-App.II}	W.	Bali	R.III.276
---	----	------	-----------

***Breonia* (Rubiaceae)**

<i>chinensis</i> (Lam.) Capuron	P.	Bali	XVIII.A.534-534a- 534b
---------------------------------	----	------	---------------------------

***Breynia* (Phyllanthaceae)**

<i>microphylla</i> (Kurz ex Teijsm. & Binn.) Mull.Arg.	Sh.	Bali	XVIII.A.518-518a
	Sh.	Sumatra	XV.B.12
	Sh.	W. Nusa Tenggara	XII.C.I.11-11a-11b
sp.	Sh.	Bali	X.C.550-550a-550b- 550c-550d
	Sh.	E. Nusa Tenggara	XII.C.I.81-81a- 81b, 118
	Sh.	S. Sulawesi	XII.C.I.206, 210- 210b-210c

***Bridelia* (Phyllanthaceae)**

<i>glauca</i> Blume	T.	E. Nusa Tenggara	XII.C.I.74 (5 pls.)
sp.	T.	E. Nusa Tenggara	VIII.86-86a; XIII.I.21-21a-21b- 21c, 23

<i>Briza</i> (Poaceae)			
<i>media</i> L.	Sh.	Germany	XI.D.360 (5 pls.)
<i>Bromelia</i> (Bromeliaceae)			
sp.	W.	E. Java	N.60, 61, 62, 63 RK.146
<i>Bromheadia</i> (Orchidaceae)			
sp. ^{2-App.II}	W.	E. Kalimantan	R.I.32-32a-32b-32c- 32d
<i>Bromus</i> (Poaceae)			
<i>erectus</i> Huds.	W.	Norway	XI.D.344
<i>Browallia</i> (Solanaceae)			
<i>americana</i> L.	Sh.	France	VII.E.114-114a- 114b-114c-114d
<i>Brugmansia</i> (Solanaceae)			
<i>suaveolens</i> (Humb.& Bonpl. ex Willd.) Bercht. & J. Presl	Sh.	Brazil	XV.B.43-43a-43b
<i>Brunfelsia</i> (Solanaceae)			
<i>americana</i> L.	Sh.	Trop. America	XV.B.16-16a-16b-16c
<i>uniflora</i> (Pohl) D.Don	Sh.	Bali	XV.B.83-83a-83b
sp.	Sh.	Bali	XVIII.A.611-611a- 611b-611c
<i>Bryophyllum</i> (Crassulaceae)			
<i>pinnatum</i> (Lam.) Oken	Hb.	Bali	X.C.22, 250-250a-250b- 250c-250d, 521 (5 pls.), 727-727a-727b- 727c-727d, 728-728a-728b-728c- 728c-728d, 810 (5 pls.)

***Buchanania* (Anacardiaceae)**

<i>arborescens</i> (Blume) Blume	T.	E. Nusa Tenggara	IX.A.32a
sp.	T.	E. Nusa Tenggara	IX.A.35, 39
	T.	S.E. Sulawesi	IX.A.40-40a
	T.	C. Sulawesi	XIX.K.15-15a-15b

***Buddleja* (Scrophulariaceae)**

<i>davidii</i> 'Royal Superior'	Sh.	Bulgaria	XV.B.59-59a-59b
---------------------------------	-----	----------	-----------------

***Bulbophyllum* (Orchidaceae)**

<i>absconditum</i> J.J. Sm. ^{2-App.II}	Cl.	Bali	ER.44.87; CG.2.172
<i>angustifolium</i> (Blume) Lindl. ^{2-App.II}	Cl.	Bali	CG.1.47
	Cl.	Bali	CG.3.215
	Cl.	W. Nusa Tenggara	R.III. 103-103a
	Cl.	E. Nusa Tenggara	R.I.27, 29
<i>baileyi</i> F. Muell. ^{2-App.II}	Cl.	Papua	R.III.328
<i>beccarii</i> Rchb. f. ^{2-App.II}	Cl.	Kalimantan	R.III.283-283a
<i>biflorum</i> Teijsm. & Binn. ^{2-App.II}	Cl.	Bali	ER.72.303-303a-303b, 304-304a-304b, 305-305a-305b; ER.82.508; R.II.35-35a-35b, 36-36a-36b, 37-37a-37b, 38-38a-38b, 39-39a-39b, 40-40a
<i>echinolabium</i> J.J. Sm. ^{2-App.II}	Cl.	C. Sulawesi	R.I.171
<i>flavidiflorum</i> Carr ^{2-App.II}	Cl.	Bali	ER.82.490, 491, 492, 493, 494, 496, 510, 511, 512, 513, 514, 515; CG.4.360, 361; R.III. 212 (4 pls.)

***Bulbophyllum* (Orchidaceae) - Contd.**

<i>flavidiflorum</i> Carr. ^{2-App.II}	Cl.	W. Nusa Tenggara	ER.82.495
<i>fletcherianum</i> Rolfe ^{2-App.II}	Cl.	Papua	R.I.146
<i>grandiflorum</i> Blume ^{2-App.II}	Cl.	E. Java	R.II.154
<i>graveolens</i> (F. M. Bailey) J.J. Sm. ^{2-App.II}	Cl.	Kalimantan	R.III.282-282a
<i>hahlianum</i> Schltr. ^{2-App.II}	Cl.	Papua	R.II.65
<i>lemniscatoides</i> Rolfe ^{2-App.II}	Cl.	Bali	R.II.126-126a-126b
<i>lobbii</i> Lindl. ^{2-App.II}	Cl.	Bali	ER.74.349-349a, 351-351a-351b, 352-352a-352b, 353-353a-353b, 354-354a-354b, 355-355a-355b, 356-356a-356b, 357-357a, 358-358a, 359-359a
	Cl.	Bali	ER.74.360-360a-360b-360c-360d; ER.86.615-615a, 616-616a; ER.91.712; ER.86.617-617a; ER.91.711-711a-711b-711c; CG.2.156; R.II.68
	Cl.	W. Nusa Tenggara	ER.44.90; CG.2.148; CG.4.354; R.II.67
	Cl.	C. Sulawesi	ER.88.828
	Cl.	E. Kalimantan	ER.74.350-350a-350b
<i>macranthoides</i> Kraenzl. ^{2-App.II}	Cl.	Papua	ER.87.649

***Bulbophyllum* (Orchidaceae) - Contd.**

<i>odoratum</i> (Blume) Lindl. ^{2-App.II}	Cl.	Bali	ER.10.19; ER.11.20; ER.17.27; ER.18.29; ER.26.53, 54, 55; 61, 62, 63, 64; ER.45.96; ER.82.516, 517-517a-517b, 507-507a-507b-507c, 497; ER.83.535; CG.1.57, 59; CG.3.245, 246, 259; CG.4.271, 350, 351, 365
	Cl.	W. Nusa Tenggara	ER.22.43; ER.45.94, 95; CG.1.51; CG.3.242; R.III.101, 109
	Cl.	E. Nusa Tenggara	R.I.24-24a-24b; ER.45.93
	Cl.	C. Sulawesi	ER.87.642
	Cl.	S. Sulawesi	R.I.173, 205
	Cl.	N. Sulawesi	R.III.133-133a-133b
<i>ovalifolium</i> (Blume) Lindl. ^{2-App.II}	Cl.	Bali	R.III.213; CG.3.216
<i>phalaenopsis</i> J. J. Sm. ^{2-App.II}	Cl.	Papua	R.III.324
<i>saltatorium</i> var. <i>albociliatum</i> (Finet) J.J.Verm. ^{2-App.II}	Cl.	Bali	ER.4.13; CG.1.104, 105, 106; ER.44.91
	Cl.	E. Nusa Tenggara	R.I.23
<i>sulcatum</i> (Blume) Lindl. ^{2-App.II}	Cl.	N. Sulawesi	R.III.139-139a
<i>tortuosum</i> (Blume) Lindl. ^{2-App.II}	Cl.	Bali	R.III.214-214a
<i>vaginatum</i> (Lindl.) Rchb. f. ^{2-App.II}	Cl.	Kalimantan	R.II.32-32a-32b-32c- 32d
	Cl.	E. Kalimantan	R.II.33-33a-33b-33c- 33d, 34 (5 pls.)
<i>sp.</i> ^{2-App.II}	Cl.	W. Nusa Tenggara	CG.1.102, 103; R.II.69; R.III.92
	Cl.	E. Nusa Tenggara	CG.2.169-169a; R.I.16, 28, 217

***Bulbophyllum* (Orchidaceae) - Contd.**

sp. ² -App.II	Cl.	C. Sulawesi	ER.61.177; ER.86.620-620a, 636; ER.87.639, 641, 648, 652; ER.91.705-705a, 731-731a, 733, 734; R.I.178; R.II.26; 196a, 290; ER.88.669
	Cl.	N. Sulawesi	ER.73.325, ER.73.326; ER.91.732-732a; R.I.204; R.III.57, 128, 135,
	Cl.	S. Sulawesi	ER.87.643; ER.91.735, 736; CG.1.46; R.I.172; R.II.53, 55, 133, 134, 143, 142; R.III.197- 197a-197b-197c- 197d, 241-241a, 246
	Cl.	S.E. Sulawesi	ER.90.703; CG.4.292, 293, 294; R.II.23, 135; R.III. 64, 65
	Cl.	E. Kalimantan	R.I.33, 36, 46, 47, 48, 49, 54, 55, 58, 64, 72, 73, 192, 209; R.III.5
	Cl.	E. Kalimantan	R.III.5, 96, 142, 171-171a-171b, 174-174a , 175-175a, 179-179a, 181a, 182, 285
	Cl.	Papua	R.I.66, 164-164a-164b, 165, 167, 169, 157; R.III. 329

***Bupleurum* (Apiaceae)**

<i>fruticosum</i> L.	Sh.	France	XV.B.330 (5 pls.)
----------------------	-----	--------	-------------------

***Butia* (Arecaceae)**

<i>capitata</i> (Mart.) Becc. var. <i>capitata</i>	T.	Germany	XIV.E.100 (6 pls.)
	T.	Portugal	XIV.E.126-126a

***Buxus* (Buxaceae)**

<i>sempervirens</i> L.	T.	Bali	XV.B.339 (5 pls.)
	T.	W. Java	XV.B.36-36a

***Bryobium* (Orchidaceae)**

<i>hyacinthoides</i> (Blume) Y.P.Ng & P.J.Cribb ^{2-App.II}	Hb.	Bali	ER. 4.10; ER.57.146 (5 pls.), 147 (3 pls.), 148(3 pls.); ER.80.435 (5 pls.), 436 (5 pls.), 437 (5 pls.), 438 (5 pls.), 439
	Hb.	Bali	ER.80. (5 pls.), 440 (5 pls.), 441(5 pls.), 443 (5 pls.), 444(5 pls.), 445 (5 pls.), 446 (5 pls.), 447(5 pls.), 448 (5 pls.); ER.82.523, 524, 525, 526, 527, 528
	Hb.	Bali	ER.82.529-529a, 532-532a; ER.83.533-533a, 534-534a, 530-530a, 531-531a; ER.80.442 (5 pls.); CG.3.244; CG.4.359
	Hb.	S.E. Sulawesi	R.II.75

***Byttneria* (Malvaceae)**

sp.	W.CL.	W. Nusa Tenggara	XIII.K.43-43a-43b
-----	-------	------------------	-------------------

Cactus (Cactaceae)

<i>niger</i> Kuntze	Sc.	Switzerland	RK.15 (1 pls.)
sp.	Sc.	E. Nusa Tenggara	RK.165-165a

Caesalpinia (Leguminosae)

sp.	Cl.	Bali	VIII.182-182a-182b-182c-182d
	T.	E. Nusa Tenggara	VIII.108-108a-108b
	T.	E. Nusa Tenggara	VIII.55-55a-55b-55c-55d-55e
	T.	W. Nusa Tenggara	VIII.68

Caladium (Araceae)

<i>bicolor</i> (Aiton) Vent.	Hb.	Bali	N.223-223a-223b-223c, 224-224a-224b-224c-224d; XIX.K.I.140-140a-140b-140c
sp.	Hb.	S.E. Sulawesi	N.174-174a-174b-174c-174d-174e

Calamus (Arecaceae)

<i>ciliaris</i> Blume	W.Cl.	Bali	XIV.E.50 (7 pls.), 176-176a-176b-176c
sp.	W.Cl.	Bali	XIV.E.20-20a, 25, 41-41a, 69; XVIII.A.153-153a-153b-153c, 185-185a
	W.Cl.	W. Nusa Tenggara	XIV.E. 24-24a-24b-24c-24d, 36-36a-36b-36c-36d, 177-177a-177b,

***Calamus* (Arecaceae) - Contd.**

sp.	W.Cl.	E. Nusa Tenggara	XIV.E.28, 29-29a, 37-37b-37c-37d-37e-37f-37g, 59, 96, 116-116a-116b
	W.Cl.	S. Sulawesi	XIV.E.65, 165-165a-165b-165c-165d
	W.Cl.	S.E. Sulawesi	XIV.E.68, 136-136c-136d-136e, 137-137a-137b, 138-138a, 139, 140, 141
	W.Cl.	N. Sulawesi	XIV.E.156-156a-156b
	W.Cl.	E. Kalimantan	XIV.E.166-166a-166b-166c

***Calanthe* (Orchidaceae)**

<i>baliensis</i> J.J.Wood & J.B.Comber ^{2-App.II}	Hb.	Bali	CG.4.367-367a-367b-367c-367d; ER.837-837a-837b
<i>sylvatica</i> (Thouars) Lindl. ^{2-App.II}	Hb.	Bali	ER.88.825; ER.836 (5 pls.), 839-839a-839b-839c-839d, 840, 841-841a
<i>triplicata</i> (Willemet) Ames ^{2-App.II}	Hb.	Bali	ER.835-835a-835b-835c-835d; R.III.332-332a-332b-332c
	Hb.	W. Nusa Tenggara	R.III.199
	Hb.	N. Sulawesi	R.III.298, 302-302a
<i>zollingeri</i> Rchb. f. ^{2-App.II}	Hb.	Bali	ER.834-834a
sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	R.III.200
	Hb.	N. Sulawesi	R.III.300

***Calathea* (Marantaceae)**

sp.	Hb.	E. Java	N.72-72a-72b
	Hb.	S.E. Sulawesi	VII.C.I.42-42a-42b-42c

***Calathea* (Marantaceae) - Contd.**

sp.	Hb.	N. Sulawesi	XV.B.323-323a-323b-323c-323d
-----	-----	-------------	------------------------------

***Calliandra* (Leguminosae)**

<i>calothyrsus</i> Meisn.	Sh.	Bali	VIII.94-94a-94b-94c-94d
<i>haematocephala</i> Hassk.	Sh.	Trop. America	VIII.1-1a-1b-1c
<i>surinamensis</i> Benth.	Sh.	Guinea	VIII.20
	Sh.	Bali	VIII.155

***Callicarpa* (Lamiaceae)**

<i>japonica</i> Thunb.	Sh.	Japan	XV.B.86
<i>pedunculata</i> R. Br.	Sh.	Bali	X.C.96, 611-611a; XV.B.136-136a-136b-136c-136d
sp.	Sh.	Bali	X.J.6
	T.	S. Sulawesi	X.A.154-154a-154b-154c

***Callicoma* (Cunoniaceae)**

<i>serratifolia</i> Andrews	Sh.	Australia	XIII.B.31
-----------------------------	-----	-----------	-----------

***Callistemon* (Myrtaceae)**

<i>coccineus</i> F. Muell.	Sh.	Bali	XII.B.47-47a-47b-47c
	Sh.	Bali	XII.B.239-239a-239b-239c-239d
	Sh.	-	XII.B.33-33a
<i>formosus</i> S.T. Blake	Sh.	Australia	XII.B.31-31a-31b-31c
<i>lanceolatus</i> (Sm.) Sweet	Sh.	Australia	XII.B.32-32a-32b-32c-32d
<i>linearis</i> (Schrad.& J.C. Wendl.) Colv. ex Sweet	Sh.	Australia	XII.B.71-71e
<i>pachyphyllus</i> Cheel	Sh.	Australia	XII.B.72-72a-72b-72c-72d

***Callistemon* (Myrtaceae) - Contd.**

<i>pallidus</i> (Bonpl.) DC.	Sh.	Bali	XII.B.216-216a-216b-216c
	Sh.	Australia	XII.B.89
<i>pinifolius</i> (J. C. Wendl.) Sweet	Sh.	Bali	XII.B.81-81a-81b-81c
<i>salignus</i> (Sm.) Colv. ex Sweet	Sh.	Bali	XII.B.215-215a-215b-215c-215d, 261-261a
	Sh.	Australia	XII.B.29-29a
<i>sieberi</i> DC.	Sh.	Australia	XII.B.86-86a
<i>viminalis</i> (Gaertn.) G. Don.	Sh.	Australia	XII.B.28-28a-28b-28c, 126-126a-126b-126c
sp.	Sh.	Bali	XII.B.217-217a-217b-217c-217d
	Sh.	Australia	XII.B.27-27a-27b-27c-27d, 83

***Callitris* (Cupressaceae)**

<i>endlicheri</i> (Parl.) F.M.Bailey ^{1-LC}	T.	Australia	XVI.A.33
<i>rhomboidea</i> R. Br. ex Rich. & A.Rich.	T.	Australia	XVI.A.38-38a-38b-38c-38d

***Calocedrus* (Cupressaceae)**

<i>formosana</i> (Florin) Florin	T.	Taiwan	XIII.B.2
----------------------------------	----	--------	----------

***Calochlaena* (Dicksoniaceae)**

<i>javanica</i> (Blume) M.D. Turner & R. A. White	W.	E. Nusa Tenggara	IX.E.495-495a-495b, 166
	W.	W. Nusa Tenggara	IX.E.216-216a-216b-216c
	W.	S. Sulawesi	IX.E.233-233a

***Calophyllum* (Clusiaceae)**

<i>soulattri</i> Burm. f. ^{1-LC}	T.	Bali	XV.B.147-147a-147b-147c-147d-147e-147f; XIX.G.1
---	----	------	---

***Calophyllum* (Clusiaceae) - Contd.**

<i>soulattri</i> Burm. f. ^{1-LC}	T.	E. Nusa Tenggara	XIX.G.19-19a, 59-59a-59b
sp.	T.	E. Nusa Tenggara	XIX.G.38
	T.	Gorontalo	XIX.G.50
	T.	C. Moluccas	XIX.G.56-56a

***Calotropis* (Apocynaceae)**

<i>gigantea</i> (L.) Dryand.	Sh.	Bali	XVIII.A.457-457a-457b
------------------------------	-----	------	-----------------------

***Calyptrocalyx* (Arecaceae)**

sp.	T.	Papua	XIV.E.107-107a-107b
-----	----	-------	---------------------

***Camellia* (Theaceae)**

<i>japonica</i> L.	Sh.	E. Java	XIII.E.49-49a-49b
	Sh.	Japan	XV.A.3-3a-3b-3c-3c-3d-3e-3f-3g
<i>sasanqua</i> Thunb.	T.	E. Java	XIII.E.51-51a; XV.A.2-2a-2b, 29-29a-29b-29c-29d
<i>sinensis</i> (L.) Kuntze	Sh.	China	XV.A.1-1a-1b-1c
sp.	Sh.	E. Nusa Tenggara	VII.A.14-14a-14b

***Campanulorchis* (Orchidaceae)**

<i>leiophylla</i> (Lindl.) Y.P.Ng & P.J.Cribb ^{2-App.II}	Hb.	E. Kalimantan	R.I.56
---	-----	---------------	--------

***Cananga* (Annonaceae)**

<i>odorata</i> (Lam.) Hook. f. & Thomson	T.	Bali	X.C.191-191a-191b; XV.C.28; XVIII.A.49-49a-49b, 96, 249-249a-249b, 269-269a, 354
--	----	------	--

Cananga (Annonaceae)

<i>odorata</i> (Lam.) Hook. f. & Thomson	T.	Philippina	XV.C.7
sp.	T.	Bali	XV.C.37-37a
	T.	W. Nusa Tenggara	XV.C.74
	T.	S.E. Sulawesi	XV.C.59

Canarium (Burseraceae)

<i>asperum</i> Benth. ^{1-LC}	T.	W. Nusa Tenggara	XI.A.11-11a-11b-11c
	T.	E. Nusa Tenggara	XIV.B.I.31a
	T.	C. Sulawesi	XIV.B.I.32
<i>hirsutum</i> Willd.	T.	C. Sulawesi	XI.A.27-27a
sp.	T.	Bali	XI.A.28-28a
	T.	E. Nusa Tenggara	XI.A.14-14a-14b-14c, 19, 25-25a-25b, 26, 29-29a, 30; XIV.A.108; XIV.B.I.57
	T.	W. Nusa Tenggara	XI.A.40-40a
	T.	Gorontalo	XI.A.38
	T.	W. Papua	XI.A.37-37a-37b-37c-37d

Canavalia (Leguminosae)

sp.	Cl.	Bali	VIII.177
-----	-----	------	----------

Canna (Cannaceae)

<i>indica</i> L.	Sh.	W. Nusa Tenggara	VII.E.75-75a-75b-75c
sp.	Sh.	Bali	Aq.11; VII.E.76-76a-76b

***Canthium* (Rubiaceae)**

<i>glabrum</i> Blume	T.	W. Nusa Tenggara	X.C.699-699a-699b
	T.	E. Nusa Tenggara	X.A.70-70a-70b-70c
<i>horridum</i> Blume	W. Cl.	S.E. Sulawesi	XIII.I.20-20a-20b-20c-20d
sp.	T.	Bali	X.A.10-10b-10c, 25-25a-25b, 63
	T.	E. Nusa Tenggara	X.A. 64-64b, 82-82a-82b-82c
	T.	W. Nusa Tenggara	IX.D.I.2-2a-2b-2c-2d
	T.	N. Sulawesi	X.A.108

***Capparis* (Capparaceae)**

sp.	Sh.	N. Sulawesi	X.B.89-89a-89b-89c-89d-89e
-----	-----	-------------	----------------------------

***Carallia* (Rhizophoraceae)**

<i>brachiata</i> (Lour.) Merr.	T.	C. Sulawesi	X.A.125-125a-125b
	T.	S.E. Sulawesi	X.A.160

***Carica* (Caricaceae)**

<i>papaya</i> L.	T.	Bali	X.C.415
------------------	----	------	---------

***Carex* (Cyperaceae)**

<i>extensa</i> Gooden.	Hb.	The Netherlands	Aq.32-32a-32b-32c-32d
sp.	Hb.	W. Nusa Tenggara	Aq.27
	Hb.	E. Nusa Tenggara	Aq.30

***Caryota* (Arecaceae)**

<i>mitis</i> Lour.	T.	Bali	XIV.E.12-12a, 51-51a-51b-51c, 52-52a-52b, 71-71a, 93, XVIII.A.246- 246a-246b-246c, 295-295a-295b-295c, 460-460a-460b-460c- 460d
	T.	W. Nusa Tenggara	XIV.E. 21a-21b-21c, 34-34a
	T.	E. Nusa Tenggara	XIV.E.60-60a-60b
	T.	S. Sulawesi	XIV.E.66-66a, 67, 129
	T.	C. Sulawesi	XIV.E.70-70a, 121
	T.	S.E. Sulawesi	XIV.E.73-73a-73b, 127-127a, 154-154a
	T.	N. Sulawesi	XIV.E. 97-97a-97b, 128
	T.	N. Sulawesi	XIV.E.124-124a- 124b-124c-124d
	T.	C. Sulawesi	XIV.E.122-122a, 123
	T.	N. Sulawesi	X.C.240-240a-240b; XIV.E.169-169a-169b
<i>rumphiana</i> Mart.			
sp.	T.	Papua	XIV.E.110

***Cascabela* (Apocynaceae)**

<i>thevetia</i> (L.) Lippold	T.	Bali	X.C.402; XIV.C.5, 31a-31b-31c-31d-31e
------------------------------	----	------	--

***Cassia* (Leguminosae)**

<i>javanica</i> L.	T.	Bali	VIII.149-149a-149b- 149c-149d
	T.	Java	VIII.13-13a-13b- 13c-13d-13e-13f, 186-186a-186b-186c- 186d; XIII.B.7-7b

***Cassia* (Leguminosae) - Contd.**

sp.	T.	Bali	VII.A.35-35a-35b-35c-35d
	T.	W. Nusa Tenggara	VIII.27, 28-28a-28b, 40-40a-40b
	T.	S. Sulawesi	VIII.153

***Castanopsis* (Fagaceae)**

<i>acuminatissima</i> (Blume) A. DC.	T.	Bali	XI.B.1a-1b-1c
<i>argentea</i> (Blume) A. DC.	T.	Papua	XI.B.15-15a-15b-15c-15d

***Castanospermum* (Leguminosae)**

<i>australe</i> A. Cunn. & C. Fraser	T.	Australia	XIII.B.6-6a-6b
--------------------------------------	----	-----------	----------------

***Casuarina* (Casuarinaceae)**

<i>glauca</i> Sieber ex Spreng.	T.	Australia	XIII.J.21, 46-46a-46b-46c
<i>junghuhniana</i> Miq.	T.	Bali	X.C.167; XIII.B.28-28a-28b-28c; XIII.D.3-3a-3b-3c; XIII.E.30-30a-30b-30c; XIII.F.3-3a, 25-25a-25b-25c-25d; XIII.J.3-3a-3b; XVIII.A.284-284a-284b-284c-284d, 503 (6pls.), 514-514a
	T.	W. Nusa Tenggara	XIII.F.17-17a-17b-17c, 30
	T.	E. Nusa Tenggara	XIII.F.19-19a-19b-19c
	T.	W. Java	XIII.J.9-9a-9b-9c
	T.	S. Sulawesi	XIII.F.26
<i>obesa</i> Miq.	T.	Australia	XIII.J.22-22a-22b-22c

Casuarina (Casuarinaceae)

<i>obesa</i> Miq.	T.	E. Nusa Tenggara	XIII.F.20-20a-20b, 32-32a-32b; XIII.J.48
sp.	T.	S. Sulawesi	XIII.F.18-18a
	T.	Papua	XIII.J.23-23a-23b
	T.	California	XIII.J.11-11a-11b

Catha (Celastraceae)

<i>edulis</i> (Vahl.) Endl. ^{1-LC}	T.	Australia	X.C.187-187a-187b-187c-187d-187e-187f-187g
	T.	S. Africa	XIII.C.21-21a

Catharanthus (Apocynaceae)

<i>roseus</i> (L.) G. Don.	Sh.	Bali	X.C.302, 734
----------------------------	-----	------	--------------

Cattleya (Orchidaceae)

sp. ^{2-App.II}	Hb.	Bali	R.III.277
-------------------------	-----	------	-----------

Catunaregam (Rubiaceae)

<i>spinosa</i> (Thunb.)Tirveng.	T.	Taiwan	X.A.168-168a-168b-168c-168d
---------------------------------	----	--------	-----------------------------

Cayratia (Vitaceae)

<i>trifolia</i> (L.) Domin	Cl.	W. Nusa Tenggara	XV.B.312-312b-312c
----------------------------	-----	------------------	--------------------

Cecropia (Urticaceae)

<i>peltata</i> L.	T.	Trop. America	VII.D.54-54a
-------------------	----	---------------	--------------

Ceiba (Malvaceae)

<i>pentandra</i> (L.) Gaertn.	T.	Bali	XVIII.A.166-166a-166b-166c, 290-290a-290b-290c-290d
-------------------------------	----	------	---

***Ceiba* (Malvaceae) - Contd.**

<i>pentandra</i> (L.) Gaertn.	T.	E. Nusa Tenggara	XIII.H.7-7a-7b-7c
-------------------------------	----	------------------	-------------------

***Celastrus* (Celastraceae)**

<i>paniculatus</i> Willd.	W.Cl.	Bali	XVII.E.9
	W.Cl.	W. Nusa Tenggara	XVIII.A.211a
sp.	W.Cl.	W. Nusa Tenggara	XVII.E.21-21a-21b-21c-21d
	W.Cl.	S.E. Sulawesi	XVII.E.8a

***Celtis* (Cannabaceae)**

<i>philippensis</i> Blanco	T.	E. Nusa Tenggara	XIV.B.III.55
<i>sinensis</i> Pers.	T.	E. Nusa Tenggara	VII.B.I.15
sp.	T.	W. Nusa Tenggara	VII.B.I.2-2a-2b-2c, 5, 8-8a, 9-9a-9b-9c-9d, 22-22a-22b
	T.	E. Nusa Tenggara	VII.B.I.10-10a-10b, 17b, 20-20a-20b-20c-20d

***Centella* (Apiaceae)**

<i>asiatica</i> (L.) Urb.	Sh.	Bali	X.C.42, 827-827a-827b-827c-827d
---------------------------	-----	------	------------------------------------

***Cephalocereus* (Cactaceae)**

<i>palmeri</i> var. <i>sartorianus</i> (Rose) Krainz	Sc.	Mexico	RK.109
--	-----	--------	--------

***Cereus* (Cactaceae)**

<i>jamacaru</i> DC.	Sc.	W. Java	RK.46-46a-46b-46c-46d
---------------------	-----	---------	-----------------------

***Cereus* (Cactaceae) - Contd.**

sp.	Sc.	W. Java	RK.110, 116
	Sc.	-	RK. 37 (35 pls.), 38 (7 pls.), 39 (7 pls.)

***Ceratostylis* (Orchidaceae)**

<i>crassifolia</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	ER.83.540, 546, 550, 552, 553, 554, 556
	Hb.	Bali	ER.83.557; ER.93.806, 807, 808; R.I.216
	Hb.	E. Nusa Tenggara	ER.83.543, 544, 548
	Hb.	W. Nusa Tenggara	ER.83.545, 547, 549, 551
	Hb.	E. Java	ER.83.555
sp. ^{2-App.II}	Hb.	Bali	ER.55.138, 139, 140; ER.74.363, 364; 53, 54, 55, 52; R.I.188- 188a-188b; R.III.215- 215c, 217-217b-217c- 217d
	Hb.	E. Nusa Tenggara	ER.83.541-541a- 541b-541c
	Hb.	N. Sulawesi	R.I.194; R.III.126; ER.55.131-131a
	Hb.	S. Sulawesi	R.II.130, 131; ER.55.132, 133, 134, 136
	Hb.	C. Sulawesi	R.III.43; ER.55.135
	Hb.	S.E. Sulawesi	ER.55.137
	Hb.	E. Kalimantan	R.III.12, 41

***Cerbera* (Apocynaceae)**

<i>manghas</i> L.	T.	Irian Jaya	XIV.C.11
sp.	T.	Bali	X.C.368-368a, 396-396a, 642-642a-642b-642c

Cercis (Leguminosae)

<i>chinensis</i> Bunge	T.	Italy	VIII.36-36a
------------------------	----	-------	-------------

Cestrum (Solanaceae)

<i>elegans</i> (Brongn. ex Neumann) Schltdl.	Sh.	Netherlands	XII.C.II.28-28a
<i>nocturnum</i> L.	Sh.	W. India	XV.B.76-76a-76b-76c-76d
<i>pallidissimum</i> Francey	Sh.	Trop. America	XV.B.117-117a
sp.	Sh.	N. Sulawesi	XV.B.228-228a-228b-228c-228d
	Sh.	S. Sulawesi	XII.C.II.93-93a-93b

Chamaecyparis (Cupressaceae)

<i>lawsoniana</i> (A.Murray bis) Parl. ^{1-NT}	T.	Bali	XVI.A.55-55a-55b-55c-55d, 59-59a
	T.	N. America	XIII.E.16
	T.	Deutschland	XIII.E.39a-39b
<i>lawsoniana</i> 'Alumii'	T.	Hungaria	XVI.A.28
<i>lawsoniana</i> 'Coerulea'	T.	Deutschland	XVI.A.32
<i>lawsoniana</i> 'Globosa'	T.	Bali	XVI.A.60-60a
	T.	Hungaria	XVI.A.29
<i>lawsoniana</i> 'Golden King'	T.	Bali	XVI.A.57
	T.	Germany	XVI.A.26-26b
<i>nootkatensis</i> D. Don ^{1-LC}	T.	Hungaria	XIII.E.57
<i>obtusata</i> (Siebold & Zucc.) Endl. ^{1-NT}	T.	Bali	XVI.B.20-20a-20b-20c-20d
	T.	Australia	XII.A.7, XIII.E.13-13a-13b
<i>obtusata</i> var. <i>formosana</i> (Hayata) Hayata	T.	Hungaria	XVI.A.63-63a
<i>thyoides</i> (L.) Britton, Sterns & Poggenb. ^{1-LC}	T.	Bali	XVI.A.50
	T.	China	XIII.E.40

***Cheilanthes* (Pteridaceae)**

sp.	W.	W. Nusa Tenggara	IX.E.562
-----	----	------------------	----------

***Cheilocostus* (Costaceae)**

<i>speciosus</i> (J. Koenig) C.D. Specht	Hb.	Bali	VII.C.I.14; X.C.794
--	-----	------	---------------------

***Chelonistele* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	E. Kalimantan	R.III.144-144a-144b
-------------------------	-----	---------------	---------------------

***Cinchona* (Rubiaceae)**

sp.	T.	S. Sulawesi	X.A.139-139a-139b
-----	----	-------------	-------------------

***Chingia* (Thelypteridaceae)**

<i>clavipilosa</i> Holttum	W.	Bali	IX.E.507 (5 pls.)
----------------------------	----	------	-------------------

***Chionanthus* (Oleaceae)**

<i>ramiflorus</i> Roxb.	T.	Bali	XVIII.A. 59-59a-59b, 214
-------------------------	----	------	--------------------------

***Chisocheton* (Meliaceae)**

<i>macrophyllus</i> King.	T.	Bali	XIV.A.33-33a
	T.	W. Nusa Tenggara	XIV.A.243

***Chlorophytum* (Asparagaceae)**

<i>macrophyllum</i> (A. Rich.) Asch.	Hb.	Germany	VII.E.121-121a-121b-121c-121d
--------------------------------------	-----	---------	-------------------------------

***Chrysophyllum* (Sapotaceae)**

<i>cainito</i> L.	T.	Bali	XIV.B.II.4-4a-4b, 9-9b-9c
	T.	W. Nusa Tenggara	XIV.B.II.13-13a, 14-14a-14b-14c-14d

***Chrysophyllum* (Sapotaceae) - Contd.**

sp.	T.	Bali	XIV.B.II.15
	T.	E. Nusa Tenggara	XIV.B.II.34-34a-34b-34c, 40
	T.	S. Sulawesi	XIV.B.II.75 (4 pls.)

***Chydenanthus* (Lecythidaceae)**

<i>excelsus</i> (Blume) Miers	T.	Bali	XIX.K.26-26a-26b-26c-26d
sp.	T.	Bali	XIX.K.24-24a-24b

***Cibotium* (Cibotiaceae)**

sp.	T.	S. Sulawesi	IX.E. 267-267a-267b, 391-391a-391b-391c-391d
-----	----	-------------	--

***Cinnamomum* (Lauraceae)**

<i>burmanni</i> (Nees & T. Nees) Blume	T.	Bali	X.C.165-165a-165b-165c-165d, 595; XVIII.A.519-519a
	T.	W. Java	XIII.E.34
	T.	W. Nusa Tenggara	XIV.B.III.1-1a-1b-1c-1d
<i>camphora</i> (L.) J. Presl.	T.	Japan	XIII.E.33-33a-33b-33c
<i>cassia</i> (L.) J. Presl.	T.	Bali	XIV.B.III.111-111a
<i>iners</i> Reinw. ex Blume	T.	N. Sulawesi	XIV.B.III.69-69a-69b-69c-69d
<i>porrectum</i> (Roxb.) Kosterm. <i>sintoc</i> Blume	T.	Bali	XIV.B.III.12-12a-12b
	T.	Bali	X.C.573-573a-573b-573c
	T.	S. Sulawesi	XIV.B.III.106-106a-106b-106d-106e, 107-107a-107b-107c-107d, 108, 110, 142-142a
<i>verum</i> J. Presl.	T.	Bali	XIV.B.III.23-23a-23b-23c, 28-28a-28b

***Cinnamomum* (Lauraceae) - Contd.**

<i>verum</i> J. Presl.	T.	Java	XIV.B.III.24-24a-24b-24c-24d
	T.	E. Nusa Tenggara	XIV.B.III.46-46a-46b-46c
sp.	T.	Bali	XVIII.A.478
	T.	E. Nusa Tenggara	XIV.B.III. 62, 89-89a, 151-151a-151b-151c
	T.	S.E. Sulawesi	XIV.B.III.103-103a-103b, 115-115a-115b
	T.	Gorontalo	XIV.B.III.132
	T.	E. Kalimantan	XIV.B.III.120

***Cipadessa* (Meliaceae)**

<i>baccifera</i> (Roth) Miq.	Sh.	Bali	XIV.A.216-216a
	Sh.	S. Sulawesi	XIV.A.167-167a-167b-167d
sp.	Sh.	Bali	X.C.405-405a-405c-405d-405e
	Sh.	W. Nusa Tenggara	XIV.A.239-239a-239b-239c-239d

***Cissus* (Vitaceae)**

<i>hastata</i> Miq.	Cl.	S. Sulawesi	XV.B.270-270a
<i>javana</i> DC.	Cl.	Bali	VII.E.107-107a-107b-107c, 175-175a-175b-175c
	Cl.	S. Sulawesi	XII.C.II.104-104a-104b-104c-104d
<i>quadrangularis</i> L.	Cl.	Bali	X.C.406-406a-406b-406c-406d, 519-519a-519b

Citrus (Rutaceae)

<i>aurantiifolia</i> (Christm.) Swingle	T.	Bali	X.B.8-8a-8b-8c; X.C.336-336a-336b-336c-336d, 670-670a-670b-670c-670d
× <i>aurantium</i> L.	T.	Japan	X.B.94-94a-94b-94c-94d
<i>amblycarpa</i> (Hassk.) Ochse	T.	Bali	XVIII.A.614-614a-614b
<i>hystrix</i> DC.	T.	Bali	X.C.459-459a
<i>maxima</i> (Burm.) Merr.	T.	Bali	X.C.641, 659-659a; XVIII.A.483
	T.	W. Nusa Tenggara	X.B.100-100a
	T.	S. Sulawesi	X.B.68; X.C.188-188a
	T.	E. Kalimantan	X.C.649-649a-649b-649c-649d, 650-650a-650b-650c-650d
<i>medica</i> L.	T.	Bali	X.C.597, 671-671a-671b-671c; XVIII.A.565-565a-565b
<i>nobilis</i> Lour.	Sh.	Bali	X.C.610
<i>nobillis</i> var. <i>microcarpa</i>	Sh.	Bali	XVIII.A.605-605a-605b
sp.	T.	Bali	X.B.77; X.C.343-343a; XVIII.A.250
	T.	E. Nusa Tenggara	X.B.54, 69-69a-69b-69c-69d
	T.	S. Sulawesi	X.B.85-85a
	T.	Gorontalo	X.B.93-93a-93b

Claoxylon (Euphorbiaceae)

<i>indicum</i> (Reinw. ex Blume) Hassk.	T.	Bali	XII.C.I.10
---	----	------	------------

***Claoxylon* (Euphorbiaceae)**

sp.	T.	Bali	XII.C.I.127, 165-165a-165b-165c- 165d
	T.	S. Sulawesi	X.J.7-7a
	T.	E. Nusa Tenggara	XII.C.I.79a-79c-79d, 232-232a
	T.	W. Nusa Tenggara	XII.C.I.300

***Clausena* (Rutaceae)**

<i>excavata</i> Burm.f.	Sh.	Bali	X.B.35-35a
	Sh.	E. Nusa Tenggara	X.B.29-29a-29b-29c- 29d-29e-29f-29g- 29h-29i-29j
	Sh.	S.E. Sulawesi	X.B.64
	Sh.	Bali	X.B.21-21a, 98-98a-98b; X.C.499- 499a-499b-499c, 533-533a, 660-660a
	Sh.	E. Nusa Tenggara	VII.B.I.12-12a; X.B.49-49a
	Sh.	W. Nusa Tenggara	X.B.18-18a
sp.			

***Cleidion* (Euphorbiaceae)**

<i>javanicum</i> Blume	T.	W. Nusa Tenggara	XII.C.I.29-29a-29b- 29c
	T.	E. Nusa Tenggara	XII.C.I.134-134a- 134b-134c; XIV.C.23- 23a

***Cleisostoma* (Orchidaceae)**

<i>litoreum</i> (Schltr.) Garay ^{2-App.II}	Hb.	Papua	R.III.117-117a-117b- 117c-117d
<i>subulatum</i> Blume ^{2-App.II}	Hb.	Maluku	R.I.174

***Cleisostoma* (Orchidaceae) - Contd.**

sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.85.578
	Hb.	E. Nusa Tenggara	ER.75.374; R.I.11
	Hb.	E. Kalimantan	R.II.171
	Hb.	C. Sulawesi	ER.90.689, 691, 692; ER.75.375; R.II.66
	Hb.	N. Sulawesi	ER.75.368-368a- 368b, 372, 376
	Hb.	S.E. Sulawesi	ER.90.690; ER.67.829
	Hb.	Papua	R.III.317

***Cleistanthus* (Phyllanthaceae)**

<i>monoicus</i> (Lour.) Müll. Arg.	T.	Bali	XII.C.I.59-59a-59b, 306-306a
	T.	S.E. Sulawesi	XII.C.I. 167-167a, 256-256a-256b-256c- 256d

***Cleistocactus* (Cactaceae)**

<i>samaipatanus</i> (Cárdenas) D.R. Hunt	Sc.	W. Java	RK.99 (3 pls.), 108 (3 pls.)
	Sc.	Romania	RK.128-128a
<i>smaragdiflorus</i> (F.A.C.Weber) Britton & Rose	Sc.	Romania	RK.85
<i>straussii</i> (Heese) Backeb. ^{2-App.II}	Sc.	Switzerland	RK.95
<i>tominensis</i> subsp. <i>micropetalus</i> (F.Ritter) Mottram	Sc.	Germany	RK.97
sp.	Sc.	W. Java	RK.98

***Clematis* (Ranunculaceae)**

sp.	Cl.	W. Nusa Tenggara	VII.E.104-104a-104b
-----	-----	------------------	---------------------

Cleoserrata (Capparaceae)

<i>serrata</i> (Jacq.) Iltis	Sh.	Belanda	XV.B.331 (4 pls.)
------------------------------	-----	---------	-------------------

Clerodendrum (Lamiaceae)

<i>buchananii</i> (Roxb.) Walp.	Sh.	Bali	X.C.375
<i>calamitosum</i> L.	Sh.	Bali	XV.B.135
<i>hastatum</i> (Roxb.) Lindl.	Sh.	W. Nusa Tenggara	X.J.41-41a-41b-41c-41d, 42-42a-42b-42c-42d
	Sh.	India	XV.B.85-85a-85b-85c-85d
<i>japonicum</i> (Thunb.) Sweet.	Sh.	W. Nusa Tenggara	XV.B.311
<i>laevifolium</i> Blume	Sh.	E. Java	X.J.36-36a-36b-36c-36d
<i>speciosissimum</i> Drapiez.	Sh.	W. Nusa Tenggara	X.J.14
<i>thomsoniae</i> Balf. f.	W.Cl.	Bali	X.C.614-614a; XVIII.A.600, 610-610a-610b-610c-610d
sp.	Sh.	Bali	X.C.620-620a-620b-620c-620d; X.J.33-33a, 34-34a
	Sh.	E. Nusa Tenggara	X.J.12, 17-17a, 29
	Sh.	W. Nusa Tenggara	X.J.30, 47

Clethra (Clethraceae)

<i>javanica</i> Turcz. ^{1-VU}	T.	W. Nusa Tenggara	X.I.1, 4-4a-4b-4c-4d
	T.	E. Nusa Tenggara	X.I.3-3a-3b-3c
<i>javanica</i> var. <i>lombokensis</i>	T.	W. Nusa Tenggara	X.I.5-5a-5b-5c-5d

Clethra* (Clethraceae) - *Contd.

sp.	T.	E. Nusa Tenggara	X.I.2
-----	----	------------------	-------

***Clitoria* (Leguminosae)**

<i>ternatea</i> L.	Cl.	Bali	XVIII.A.656 (5 pls.); X.C.749, 820-820a-820b
--------------------	-----	------	--

***Coccinia* (Cucurbitaceae)**

<i>grandis</i> (L.) Voigt.	Cl.	Bali	X.C. 518-518a-518b, 615-615a-615b
----------------------------	-----	------	-----------------------------------

***Coccoloba* (Polygonaceae)**

<i>striata</i> Benth.	T.	Venezuela	XIX.E.3-3a-3b-3c-3d-3e-3f-3g
-----------------------	----	-----------	------------------------------

***Coccothrinax* (Arecaceae)**

sp.	T.	W. Java	XIV.E.1
-----	----	---------	---------

***Cocculus* (Menispermaceae)**

<i>laurifolius</i> DC.	Sh.	Bali	XVIII.A.227-227a-227b
<i>orbiculatus</i> (L.) DC.	Cl.	Bali	XVIII.A.583

***Codiaeum* (Euphorbiaceae)**

<i>variegatum</i> (L.) Rumph. ex A. Juss.	Sh.	Bali	X.C.178-178a-178b; XII.C.I.301; XVIII.A.10-10a-10b-10c-10d, 125, 126, 128-128a, 252-252a, 253-253a, 254-254a-254b-254c-254d, 451-451a-451b, 452-452a-452b-452c-452d, 453 (9 pls.), 462 (25 pls.), 463-463a-463b-463c-463d, 464 (11 pls.), 465 (8 pls.), 466 (6 pls.), 467 (1 pls.), 544-544a-544b-544c, 545-545a, 546-546a-546b, 547-547a-547b-547c-547d, 648-648a-648b-648c
	Sh.	W. Nusa Tenggara	XII.C.I.282-282a-282b-282c-282d
	Sh.	E. Nusa Tenggara	XII.C.I.110
	Sh.	N. Sulawesi	XII.C.I.242-242a-242b-242c; XIV.C.55-55a-55b
	Sh.	Papua	XII.C.I.264-264a
	Sh.	Malaysia	XII.C.I.236
	Sh.	Bali	XII.C.I.235-235a; XVIII.A.58-58a-58b-58d-58c, 251
	Sh.	Trop. America	XII.C.I.241-241a-241b
sp.			

***Coelogyne* (Orchidaceae)**

<i>asperata</i> Lindl. ^{2-App.II}	Hb.	W. Java	R.II.104
--	-----	---------	----------

Coelogyne (Orchidaceae) - Contd.

<i>asperata</i> Lindl. ^{2-App.II}	Hb.	S. Sulawesi	R.II.95, 103
	Hb.	E. Kalimantan	R.I.85; R.III.36-36a
	Hb.	Papua	ER.60.168, 170, 172-172a-172b-172c; R.II.91
<i>beccarii</i> Rchb. f. ^{2-App.II}	Hb.	Papua	R.III.314
<i>celebensis</i> J.J. Sm. ^{2-App.II}	Hb.	C. Sulawesi	ER.86.619-619a; ER.89.683
	Hb.	S. Sulawesi	ER.89.680, 681-681a, 682, 685, 686, 687, 688; ER.91.718; R.II.105
	Hb.	S.E. Sulawesi	ER.89.684
<i>cumingii</i> Lindl. ^{2-App.II}	Hb.	E. Kalimantan	R.III.149 (5 pls.)
	Hb.	Papua	R.I.159
	Hb.	Papua	R.I.161 (4 pls.)
<i>fragrans</i> Schltr. ^{2-App.II}	Hb.	Papua	R.I.161 (4 pls.)
<i>flexuosa</i> Rolfe ^{2-App.II}	Hb.	Bali	ER.14.22; 23, 24, 25; ER.16.26-26a; ER.19.31; ER.20.35, 36, 37; ER.21.39, 40, 41, 42
	Hb.	W. Nusa Tenggara	CG.4.272-272a
	Hb.	W. Java	ER.91.729 (4 pls.), 730 (4 pls.)
<i>foerstermannii</i> Rchb. f. ^{2-App.II}	Hb.	N. Sulawesi	ER.91.728-728a-728b
	Hb.	E. Kalimantan	ER.91.727-727a- 727b; R.I.35-35a-35b; R.III.33, 148-148a, 154
	Hb.	W. Java	ER.86.614-614a-614b
<i>mayeriana</i> Rchb. f. ^{2-App.II} <i>miniata</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	CG.1.60, 61, 62, 63, 64, 65, 66
	Hb.	W. Nusa Tenggara	CG.1.92
	Hb.	E. Kalimantan	CG.4.332
	Hb.	S. Sulawesi	R.II.81-81a

Coelogyne (Orchidaceae) - *Contd.*

<i>multiflora</i> Schltr. ^{2-App.II}	Hb.	C. Sulawesi	ER.90.701-701a; ER.59.161, 163- 163a; ER.60.169; ER.90.699
	Hb.	S. Sulawesi	ER.90.695-695a- 695b, 696-696a-696b
<i>pandurata</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.91.714-714a- 714b, 715-715a-715b
	Hb.	Kalimantan	ER.91.713-713a-713b
	Hb.	S. Kalimantan	ER.91.716-716a-716b
<i>prasina</i> Ridl. ^{2-App.II}	Hb.	Papua	R.I.151
<i>pulverula</i> Teijsm. & Binn. ^{2-App.II}	Hb.	S. Kalimantan	ER.60.173 (5 pls.)
	Hb.	W. Java	ER.60.174 (5 pls.)
	Hb.	C. Sulawesi	ER.60.159-159a, 160-160a
<i>rochussenii</i> de Vriese ^{2-App.II}	Hb.	C. Sulawesi	ER.60.165-165a, 166- 166a; R.II.94
	Hb.	-	ER.60.167-167a
	Hb.	S. Sulawesi	ER.93.811-811a-811b
	Hb.	E. Kalimantan	R.I.84; R.III.34, 158
<i>speciosa</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	ER.86.618; ER.91.722, 723, 724- 724a, 725-725a
	Hb.	E. Java	ER.91.720-720a
	Hb.	W. Java	ER.91.721
<i>swaniana</i> Rolfe ^{2-App.II}	Hb.	W. Java	ER.60.171 (5 pls.)
	Hb.	W. Kalimantan	R.II.92 (5 pls.)
<i>sp.</i> ^{2-App.II}	Hb.	Bali	R.III.218
	Hb.	W. Java	ER.86.628
	Hb.	W. Nusa Tenggara	ER.59.158-158a; ER.85.570-570a-570b
	Hb.	S.E. Sulawesi	ER.85.571-571a-571b
	Hb.	C. Sulawesi	ER.59.159-159a, 160, 61, 162, 164- 164a ; R.II.101, 102; R.III.53, 56

Coelogyne (Orchidaceae) - Contd.

sp. ^{2-App.II}	Hb.	S. Sulawesi	ER.90.698; ER.91.726-726a; R.II.54; R.III.51, 195, 207
	Hb.	N. Sulawesi	ER.90.697, 700-700a
	Hb.	E. Kalimantan	R.I.52, 78-78a, 83, 86; 31-31a, 150-150a, 152, 153, 157, 198
	Hb.	Papua	R.I.158-158a-158b, 160-160a

Coffea (Rubiaceae)

<i>canephora</i> Pierre ex A. Froehner	Sh.	Bali	X.C.547-547a-547b- 547c-547d-547e
	Sh.	W. Nusa Tenggara	X.A.181-181a- 181b-181c-181d, 182-182a-182b-182c- 182d
<i>liberica</i> var. <i>dewevrei</i> (De Wild. & T. Durand) Lebrun	Sh.	W. Nusa Tenggara	X.A.3-3a-3b-3e
sp.	Sh.	E. Nusa Tenggara	X.A.149-149a-149b- 149c-149d
	Sh.	W. Nusa Tenggara	X.A.180-180a-180b- 180c-180d-180e-180f

Coix (Poaceae)

<i>lacryma-jobi</i> L.	Sh.	Bali	X.C.286-286a, 710 (5 pls.); XVIII.A.39-39a-39b, 117-117a-117b- 117c-117d, 118-118a-118b-118c
------------------------	-----	------	---

Colocasias (Araceae)

<i>esculenta</i> (L.) Schott	Hb.	Bali	XIX.K.I.16 (9 pls.), 17 (11 pls.), 43-43a, 113-113a-113b- 113c-113d, 114-114a-114b-114c- 114d, 115-115a, 117-117a-117b-117c, 118-118a-118b-118c- 118d, 119-119a, 120-120a-120b- 120c-120d, 144-144a-144b- 144c-144d, 165-165a-165b-165c
	Hb.	W. Nusa Tenggara	XIX.K.I.130-130a- 130b
	Hb.	E. Nusa Tenggara	XIX.K.I.143-143a- 143b-143c-143d
	Hb.	Maluku	XIX.K.I.145-145a
	Hb.	Papua	XIX.K.I. 34-34a-34b, 35-35a-35b, 36-36a-36b, 37-37a, 38-38a, 39-39a, 40
<i>gigantea</i> (Blume) Hook. f.	Hb.	Bali	XIX.K.I.122-122a
	Hb.	W. Nusa Tenggara	XIX.K.I.131-131a- 131b, 186-186a

Colona (Malvaceae)

sp.	T.	S. Sulawesi	XII.C.I.271
	T.	S.E. Sulawesi	XII.C.I.269-269a- 269b

Colysis (Polypodiaceae)

<i>macrophylla</i> (Blume) C. Presl.	W.	E. Nusa Tenggara	IX.E.418-418a-418b
--------------------------------------	----	---------------------	--------------------

***Commersonia* (Malvaceae)**

<i>bartramia</i> (L.) Merr.	T.	Papua	XII.C.I.285
-----------------------------	----	-------	-------------

***Congea* (Lamiaceae)**

sp.	W.Cl.	Burma	XV.B.104-104a
-----	-------	-------	---------------

***Coniogramme* (Pteridaceae)**

<i>fraxinea</i> (D. Don) Fee ex Diels	Sh.	S. Sulawesi	IX.E.114-114a-114b
<i>macrophylla</i> (Blume) Hieron	Sh.	Bali	IX.E.182
<i>serrulata</i> F	Sh.	Bali	IX.E.505 (5 pls.)

***Conyza* (Compositae)**

sp.	P.	Bali	X.C.277-277a-277b- 277c-277d
-----	----	------	---------------------------------

***Corchorus* (Malvaceae)**

<i>cunninghamii</i> F. Muell.	Sh.	Australia	XX.E.6
-------------------------------	-----	-----------	--------

***Cordia* (Boraginaceae)**

<i>myxa</i> L.	T.	Bali	X.C.640-640a; X.G.7- 7a; XIV.B.III.30-30a- 30b
----------------	----	------	--

***Cordyline* (Asparagaceae)**

<i>fruticosa</i> (L.) A. Chev.	Sh.	Bali	X.C.238-238a-238b- 238c; XVIII.A.1-1a- 1b-1c-1d, 257-257a, 258-258a-258b
	Sh.	Papua	VII.D.II.15-15a-15b, 46-46a-46b-46c-46d
<i>rubra</i> Otto & A. Dietr.	Sh.	Bali	X.C.328-328a; XVIII.A.92-92a, 599-599a

***Cordyline* (Asparagaceae) - Contd.**

sp.	Sh.	Bali	VII.D.II.40; X.C.174, 183; XVIII.A. 133, 145, 255-255a-255b, 256, 322-322a, 448-448a-448b-448c-448d
	Sh.	Bali	XVIII.A., 504-504a, 511, 550 (5 pls.), 555 (5 pls.), 556 (4 pls.), 561 (7 pls.)
	Sh.	E. Nusa Tenggara	VII.D.II.23a-23b-23c, 24 (7 pls.), 27-27a-27b-27c, 29 (4pls.), 31
	Sh.	S. Sulawesi	VII.D.II.34
	Sh.	N. Sulawesi	VII.D.II.41-41a, 43-43a-43b-43c, 44
	Sh.	S.E. Sulawesi	VII.D.II.42-42a

***Coreopsis* (Asteraceae)**

<i>grandiflora</i> Hogg ex Sweet	Sh.	N. America	XIX.C.5
----------------------------------	-----	------------	---------

***Cornopteris* (Athyriaceae)**

<i>opaca</i> (D. Don) Tagawa	W.	Bali	IX.E.23, 455 (5 pls.)
------------------------------	----	------	-----------------------

***Corymbia* (Myrtaceae)**

<i>citriodora</i> (Hook.) K. D. Hill & L.A.S.Johnson	T	Egypt	XII.B.240 (4 pls.)
<i>papuana</i> (F. Muell.) K. D. Hill & L.A.S. Johnson	T.	Jayapura	XII.B.219-219a-291b-219c
<i>terminalis</i> (F. Muell.) K. D. Hill & L.A.S. Johnson	T.	Australia	XIV.D.17

***Corymborkis* (Orchidaceae)**

<i>veratrifolia</i> (Reinw.) Blume ²⁻ App.II	Sh.	W. Nusa Tenggara	R.III.204-204a
--	-----	------------------	----------------

***Corymborkis* (Orchidaceae) - Contd.**

<i>veratrifolia</i> (Reinw.) Blume ² App.II	Sh.	Bali	ER.838-838a
---	-----	------	-------------

***Coryphantha* (Cactaceae)**

<i>compacta</i> (Engelm.) Orcutt	Sc.	Austria	RK.160
----------------------------------	-----	---------	--------

***Coryphopteris* (Thelypteridaceae)**

<i>unidentata</i> (Bedd.) Holttum	W.	W. Nusa Tenggara	IX.E.206-206a
-----------------------------------	----	---------------------	---------------

***Costus* (Costaceae)**

<i>malortieanus</i> H. Wendl.	Hb.	Costarica	VII.C.I.17
<i>spiralis</i> (Jacq.) Roscoe	Hb.	Bali	X.C.377-377a-377b- 377c, 688-688a-688b- 688c, 792-792a-792b
	Hb.	S. Sulawesi	VII.C.I.27-27a-27b- 27c-27d
sp.	Hb.	Bali	X.C.246-246a- 246b-246c-246d, 603-603a-603b-603c- 603d; XVIII.A.259- 259a-259b-259c

***Couroupita* (Lecythidaceae)**

<i>guianensis</i> Aubl.	T.	Hawai	XIX.K.11, 16-16a-16b-16c-16d- 16e-16f
-------------------------	----	-------	---

***Crassula* (Crassulaceae)**

sp.	Hb.	Bali	X.C.379-379a
	Hb.	-	RK.93-93a

***Cratoxylum* (Hypericaceae)**

sp.	T.	Gorontalo	XII.B.157
	T.	C. Sulawesi	XX.H.1

***Crateva* (Capparaceae)**

sp.	T.	Bali	XVIII.A.95-95a-95b
-----	----	------	--------------------

***Crescentia* (Bignoniaceae)**

<i>cujete</i> L.	T.	Bali	X.C.199a-199b- 199c-199e, 366-366a-366b-366c- 366d; XVIII.A.487- 487a-487b-487c- 487d-487e-487f
------------------	----	------	--

***Crinum* (Amaryllidaceae)**

<i>asiaticum</i> L.	Hb.	Bali	VII.E.106
	Hb.	Trop. America	VII.E.117
sp.	Hb.	E. Nusa Tenggara	VII.E.118-118a- 118b-118c-118d
	Hb.	W. Nusa Tenggara	VII.E.105-105a- 105b-105c

***Crotalaria* (Leguminosae)**

sp.	Sh.	Bali	VIII.93-93a-93b-93c
-----	-----	------	---------------------

***Croton* (Euphorbiaceae)**

<i>argyratus</i> Blume	T.	Bali	XII.C.I.60-60a, 183-183a-183b-183c
	T.	S.E. Sulawesi	XII.C.I.257-257a- 257d
<i>oblongus</i> Burm. f.	T.	Bali	XIII.K. 89-89a-89b, 101-101a-101b-101c
	T.	E. Nusa Tenggara	XII.C.I.138-138a
sp.	T.	E. Nusa Tenggara	XII.C.I.98-98a-98b- 98c-98d
	T.	S.E. Sulawesi	XIII.K.61-61a-61b

***Cryptanthus* (Bromeliaceae)**

<i>bromelioides</i> Otto & A. Dietr.	H.	W. Java	RK.114, 115
<i>fosterianus</i> L.B. Sm.	H.	-	RK.63 (100 pls.)
<i>zonatus</i> (Vis.) Beer	H.	-	RK.64 (9 pls.), 60 (12 pls.)

***Cryptocarya* (Lauraceae)**

<i>densiflora</i> Blume	T.	W. Nusa Tenggara	XIV.B.III.39
<i>massey</i> (Oken) Kosterm.	T.	Bali	XVIII.A.279-279a-279b
sp.	T.	Bali	XI.B.2-2a-2b

***Cryptomeria* (Cupressaceae)**

<i>japonica</i> (Thunb. ex L.f.) D. Don ^{1-NT}	T.	Bali	XIII.J.52-52a-52b
	T.	China	XIII.C.31-31a-31b-31c-13d; XIII.J.13-13a-13b-13c-13d-13e-13f-13g-13h
	T.	Japan	XIII.E.12-12a-12b
sp.	T.	Papua	XIII.J.56-56a-56b

***Cryptostylis* (Orchidaceae)**

<i>arachnites</i> (Blume) Hassk. ^{2-App.II}	Hb.	Bali	R.III.219
--	-----	------	-----------

***Cunninghamia* (Cupressaceae)**

<i>lanceolata</i> (Lamb.) Hook.	T.	China	XIII.E.59-59a-59b-59c-59d
---------------------------------	----	-------	---------------------------

***Cuphea* (Lythraceae)**

<i>micropetala</i> Kunth	Sh.	Mexico	X.H.5-5a-5b-5c-5d
--------------------------	-----	--------	-------------------

***Cupressus* (Cupressaceae)**

<i>arizonica</i> Greene ^{1-LC}	T.	Portugal	XIII.E.45-45a
---	----	----------	---------------

Cupressus (Cupressaceae) - Contd.

<i>arizonica</i> Greene ^{1-LC}	T.	-	XIII.E.37
<i>cashmeriana</i> Royle ex Carrière ^{1-NT}	T.	Kasmir	XIII.E.52-52a-52b- 52c-52d-52e-52f
<i>duclouxiana</i> Hickel	T.	China	XVI.B.9-9a-9b
<i>funnebris</i> Endl. ^{1-DD}	T.	China	XIII.C.2-2a
	T.	-	XVI.A.44-44a-44b- 44c-44d
<i>lusitanica</i> Mill. ^{1-LC}	T.	Mexico	XIII.C.8-8a-8b- 8c-8d-8e, 20, 24-24a-24b, 28, 30-30a; XIII.E.56; XIII.J.4, XIII.K.1-1a; XV.C.6; XVI.B.18- 18a-18b
	T.	Portugal	XIII.E.44-44a-44b, 47-47a
	T.	London	XVI.A.25
	T.	Portugal	XVI.B.1-1a-1b
	T.	-	XVI.B.19-19a
	T.	Bali	XVI.A.48a-48b-48c
<i>lusitanica</i> var. <i>benthamii</i> (Endl.) Carrière	T.	Mexico	XIII.C.25-25a-25b
<i>macrocarpa</i> Hartw.	T.	Bali	XVI.A.52-52b
	T.	Portugal	XIII.E.48
<i>sempervirens</i> L. ^{1-LC}	T.	Bali	XVI.A.49
	T.	Romania	XIII.E.46
	T.	France	XVI.A.42-42a
	T.	Netherlands	XVI.B.7-7a
	T.	Jugoslavia	XVI.B.10a-10b
	T.	E. Java	XVI.B.17 (5 pls.)
<i>torulosa</i> D. Don ^{1-LC}	T.	-	XIII.E.10
	T.	Himalaya	XIII.E.18-18a-18b- 18c
	T.	France	XIII.E.53-53a

Curculigo (Hypoxidaceae)

sp.	P.	Bali	XVIII.A.406-406a
-----	----	------	------------------

Curcuma (Zingiberaceae)

<i>aeruginosa</i> Roxb.	Hb.	Bali	X.C.56 (6 pls.); XVIII.A 34, 37, 421 (4 pls.); X.C.432- 432a-432b-432c- 432d, 486-486a, 524-524a-524b, 525 (7 pls.), 754, 756-756a-756b-756c
<i>heyneana</i> Valeton & Zijp	Hb.	Bali	X.C.59 (3 pls.)
	Hb.	Bali	X.C.117 (2 pls.), 487-487a
<i>longa</i> L.	Hb.	Bali	XVIII.A.326
	Hb.	Bali	X.C.755 (5 pls.)
	Hb.	Bali	X.C.473 (4 pls.)
	Hb.	Bali	X.C.526 (5 pls.), 751, 784 (4 pls.)
<i>mangga</i> Valeton & Zijp	Hb.	Bali	X.C.767, 772 (5 pls.), 785, 786 (5 pls.)
<i>purpurascens</i> Blume	Hb.	Bali	X..C.51 (21 pls.), 527 (5 pls.), 763 (4 pls.), 783 (3 pls.)
<i>sylvatica</i> Valeton	Hb.	Bali	X.C.427-427a
<i>viridiflora</i> Roxb.	Hb.	Bali	X.C.61 (4 pls.), 231- 231a; 1, 37 (5 pls.), 465-465a-465b, 470- 470a, 761 (4 pls.); XVIII.A.327
	Hb.	Japan	X.C.123(5 pls.), 124(5 pls.)
<i>zanthorrhiza</i> Roxb.	Hb.	Bali	XVIII.A.349, 548 (4 pls.); X.C.53 (20 pls.), 764-764a-764b, 472
	Hb.	W. Nusa Tenggara	VII.C.I.50-50a

***Curcuma* (Zingiberaceae) - Contd.**

<i>zedoaria</i> (Christm.) Roscoe	Hb.	Bali	X.C.52 (21 pls.), 57(20 pls.), 466, 762-762a-762b, 844 (4 pls.)
	Hb.	Japan	X.C.125 (5 pls.)
	Hb.	W. Nusa Tenggara	X.C.789 (5 pls.), 791 (5 pls.)
sp.	Hb.	Bali	X.C.50 (22 pls.), 370 (4 pls.), 425 (5 pls.), 426, 471, 475-475a-475b, 542, 561-561a, 54 (20 pls.), 750 (5 pls.), 752-752a, 765
	Hb.	Bali	X.C. 523-523a, 766- 766a, 776 (4 pls.), 777 (5 pls.), 778 (4 pls.), 779 (5 pls.); VII.C.I.38- (5 pls.); XVIII.A.325
	Hb.	W. Nusa Tenggara	VII.C.I.49-49a, 51-51a

***Cyathea* (Cyatheaceae)**

<i>contaminans</i> (Wall. ex Hook.) Copel.	T.	E. Nusa Tenggara	IX.E.129, 337, 529- 529a
	T.	Bali	XIII.A.6-6a; XIII.B.24; XIII.D.10- 10a
	T.	W. Nusa Tenggara	IX.E.469, 485-485a
	T.	N. Sulawesi	IX.E.390
	T.	Gorontalo	IX.E.450
<i>latebrosa</i> (Wall. ex Hook.) Copel.	T.	E. Nusa Tenggara	IX.E.132 (4 pls.), 494 (3 pls.), 532
	T.	Bali	XII.A.6
sp.	T.	Irian Jaya	IX.E.34

Cyathea (Cyatheaceae) - *Contd.*

sp.	T.	E. Nusa Tenggara	IX.E.70, 105-105a, 106-106a, 330 (3 pls.), 359-359a, 318, 493 (3 pls.), 525 (5 pls.), 343
	T.	S. Sulawesi	IX.E.119, 223 (4 pls.), 231 (3 pls.), 232-232a, 251, 148-148a, 394 (3 pls.), 395 (3 pls.), 140 (3 pls.), 224, 317
	T.	Bali	IX.E.205 (4 pls.), 296 (3 pls.), 300, 467 (4 pls.), 513, 517-517a
	T.	S.E. Sulawesi	IX.E.226-226a, 242 (5 pls.), 246-246a
	T.	S.E. Sulawesi	IX.E.399-399a, 400 (6 pls.)
	T.	Gorontalo	IX.E.248-248a-248b
	T.	N. Sulawesi	IX.E.381-381a-381b, 385 (4 pls.), 386-386a-386b-386c, 382 (5 pls.), 389 (3 pls.), 403
	T.	C. Sulawesi	IX.E.177-177a
	T.	W. Nusa Tenggara	IX.E.322-322a, 546-546a
	T.	Papua	IX.E.444-444a-444b
	T.	Maluku	IX.E.504-504a-504b

Cyathula (Amaranthaceae)

<i>prostrata</i> (L.) Blume	Sh.	Bali	X.C.416
-----------------------------	-----	------	---------

Cycas (Cycadaceae)

<i>circinalis</i> L. ^{1-DD}	T.	Florida	XIII.I.8
<i>rumphii</i> Miq.	Sh.	Bali	XIII.I.9, 27, 35-35a-35b-35c-35d-35e

***Cycas* (Cycadaceae) - Contd.**

<i>rumphii</i> Miq.	Sh.	S. Sulawesi	XVIII.A.179-179a-179b
	Sh.	S.E. Sulawesi	XIII.I.45
	Sh.	W. Nusa Tenggara	XIII.I.46-46a
	Sh.	Papua	XIII.I.47-47a

***Cyclea* (Menispermaceae)**

<i>barbata</i> Miers.	Cl.	Bali	X.C.314
-----------------------	-----	------	---------

***Cyclosorus* (Thelypteridaceae)**

sp.	W.	Bali	IX.E.47-47a-47b-47c-47d, 203 (4 pls.)
	W.	Bali	IX.E. 192, 285-285a-285b, 297-297a-297b, 477-477a, 58-58a-58b, 510-510a-510b, 543 (5 pls.)
	W.	W. Nusa Tenggara	IX.E.53-53a-53b-53c-53d, 352-352a, 404-404a, 429, 484-484a, 486-486a, 487-487a-487b, 497-497a, 498, 500-500a, 554-554a-554b
	W.	E. Nusa Tenggara	IX.E.95-95a-95b, 332-332a-332b-332c, 335-335a-335b-335c, 339-339a-339b-339c, 344, 346-346a-346b-346c-346d, 354-354a-354b, 355-355a, 358, 360-360a, 362, 435, 173, 516-516a
	W.	S.E. Sulawesi	IX.E.225-225a

***Cyclosorus* (Thelypteridaceae) - Contd.**

sp.	W.	S. Sulawesi	IX.E.151, 156 (5 pls), 234-234a, 139 (3 pls.)
	W.	C. Sulawesi	IX.E.178-178a-178b
	W.	N. Sulawesi	IX.E.369, 380 (3 pls.)
	W.	Papua	IX.E.440 (5 pls.), 443-443a
	W.	Gorontalo	IX.E.447, 448

***Cylindropuntia* (Cactaceae)**

<i>alcahes</i> (F.A.C. Weber) F. M. Kunth	Sc.	Romania	RK.87
---	-----	---------	-------

***Cymbidium* (Orchidaceae)**

<i>atropurpureum</i> (Lindl.) Rolfe ²⁻ App.II	Hb.	S. Sulawesi	ER.62.183-183a- 183b, 184
	Hb.	C. Sulawesi	ER.62.185
<i>bicolor</i> subsp. <i>pubescens</i> (Lindl.) Du Puy & P.J.Cribb ²⁻ App.II	Hb.	Bali	ER.20.38; ER.45.98; ER.61.180; ER.71.289-289a; ER.76.396-396a- 396b, 397-397a, 398; ER.82.483-483a- 483b, 484-484a-484b, 485-485a-485b, 486- 486a; R.II.106, 107, 124; R.III.255, 256, 257, 258, 262, 263
	Hb.	S. Sulawesi	ER.61.179; R.III.259, 260
	Hb.	N. Sulawesi	ER.71.286- 286a-286b, 287-287a-287b-287c; R.II.109
	Hb.	W. Nusa Tenggara	ER.76.399; R.III.261
	Hb.	E. Kalimantan	R.II.113-113a-113b

***Cymbidium* (Orchidaceae) - Contd.**

<i>chloranthum</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.86.599-599a, 600-600a; R.III.278
<i>ensifolium</i> (L.) S.W. ^{2-App.II}	Hb.	C. Sulawesi	R.III.110-110a, 111-111a
<i>finlaysonianum</i> Lindl. ^{2-App.II}	Hb.	C. Sulawesi	ER.71.271, 272, 274, 279, 284-284a; ER.86.621, 623; R.II.118, 110, 112
	Hb.	S.E. Sulawesi	ER.71.273, 285-285a, 277, 280, 281; R.II.116, 121-121a; R.III.264, 265
	Hb.	N. Sulawesi	ER.71.278; ER.86.622
	Hb.	Bali	R.II.117
	Hb.	E. Kalimantan	ER.71.275
	Hb.	S. Sulawesi	ER.71.276, 283; ER.86.625; R.II.111, 120, 123, 115, 120
	Hb.	S. Sulawesi	ER.71.122
	Hb.	Gorontalo	ER.71.282-282a-282b
<i>lancifolium</i> Hook. ^{2-App.II}	Hb.	Papua	R.I.152-152a-152b-152c
<i>sp.</i> ^{2-App.II}	Hb.	S. Sulawesi	ER.62.186; ER.82.487-487a-487b; R.II.60, 108; R.III.253; ER.86.624-624a
	Hb.	N. Sulawesi	ER.82.488; ER.71.288; ER.82.489; R.III.140
	Hb.	E. Kalimantan	R.I.92, 93; R.III.156
	Hb.	S.E. Sulawesi	R.II.114

***Cymbopogon* (Poaceae)**

<i>citratu</i> s DC. Stapf	Hb.	Bali	X.C.20 (6 pls.)
<i>winterianus</i> Jowitt ex Bor	Hb.	S. Sulawesi	X.C.221-221a-221b-221c-221d

***Cymbopogon* (Poaceae) - Contd.**

<i>winterianus</i> Jowitt ex Bor	Hb.	N. Sulawesi	XI.D.166-166a
sp.	Hb.	Bali	X.C.338-338a-338b-338c; XI.D.27-27a-27b

***Cynometra* (Leguminosae)**

<i>ramiflora</i> L.	T.	E. Nusa Tenggara	VIII.59
sp.	T.	Papua	VIII.175-175a-175b-175c
	T.	E. Nusa Tenggara	VIII.105

***Cyperus* (Cyperaceae)**

<i>haspan</i> L.	Aq.H.	Bali	Aq.10
<i>involutus</i> Rottb.	Aq.H.	Bali	Aq.14, 26
<i>papyrus</i> L.	Aq.H.	Bali	Aq.16
sp.	Aq.H.	E. Nusa Tenggara	Aq.29
	Aq.H.	Papua	Aq.33-33a
	Aq.H.	Bali	Aq.34-34a-34b-34c

***Cyrtanthera* (Acanthaceae)**

<i>carnea</i> (Lindl.) Bremek.	Sh.	Bali	VII.E.133-133a-133b
	Sh.	Brazil	VII.E.134-134a-134b-134c-134d; XII.C.II.13-13a-13b-13c-13d

***Cyrtosperma* (Araceae)**

<i>beccarianum</i> A. Hay	Hb.	Papua	N.175
---------------------------	-----	-------	-------

***Cyrtostachys* (Arecaceae)**

sp.	T.	Papua	XIV.E.148, 149-149a
-----	----	-------	---------------------

***Dacrycarpus* (Podocarpaceae)**

<i>imbricatus</i> (Blume) de Laub.	T.	S. Sulawesi	XIII.J.47
	T.	Bali	XII.A.2; XIII.B.30
	T.	Java	XIII.C.5; XIII.J.8-8a-8b
	T.	E. Nusa Tenggara	XIII.J.27-27a-27b-27c-27d, 30a-30b, 53

***Dacrydium* (Podocarpaceae)**

sp.	T.	Papua	XIII.J.14-14a-14b
	T.	S. Sulawesi	XIII.J.51

***Dacryodes* (Burseraceae)**

<i>rostrata</i> (Blume) H.J. Lam	T.	N. Sulawesi	IX.A.24
sp.	T.	W. Nusa Tenggara	XVIII.A.220

***Dactylis* (Poaceae)**

<i>glomerata</i> L.	Hb.	Germany	XI.D.358-358a-358b-358c-358d
---------------------	-----	---------	------------------------------

***Daemonorops* (Arecaceae)**

sp.	W.Cl.	-	XIV.E.8-8a
	W.Cl.	N. America	XIV.E.16-16a
	W.Cl.	W. Nusa Tenggara	XIV.E.23-23a-23b-23c-23d

***Dalbergia* (Leguminosae)**

<i>latifolia</i> Roxb.	T.	W. Nusa Tenggara	VIII.168
sp.	T.	E. Nusa Tenggara	VIII.92-92a-92b
	T.	W. Nusa Tenggara	VIII.39-39a-39b

***Daphniphyllum* (Daphniphyllaceae)**

<i>griffithianum</i> (Wight) Noltie	T.	W. Nusa Tenggara	XVIII.A.203a
	T.	Bali	XIV.B.III.6, 36-36a; XIX.J.8-8a-8b
	T.	S. Sulawesi	XIV.B.III.43
	T.	E. Nusa Tenggara	XIX.J.1-1a, 2-2a-2b, 4-4a-4b-4c, 7
sp.	T.	E. Nusa Tenggara	XIX.J.9

***Davallia* (Davalliaceae)**

<i>denticulata</i> (Burm. f.) Mett. ex Kuhn	W.	E. Nusa Tenggara	IX.E.357-357a
<i>solida</i> (G. Forst.) Sw.	W.	Bali	N.35-35a-35b; IX.E.273

***Davallia* (Davalliaceae) – Contd.**

	W.	S.E. Sulawesi	IX.E.401
sp.	W.	Bali	IX.E.279 (4 pls.), 301
	W.	E. Nusa Tenggara	IX.E.368-368a
	W.	W. Nusa Tenggara	IX.E.409
	W.	N. Sulawesi	IX.E.376 (4 pls.)

***Decaspermum* (Myrtaceae)**

<i>fruticosum</i> J. R. & G. Forst.	T.	Bali	XII.B.1-1a-1b-1c
	T.	E. Nusa Tenggara	XII.B.84-84a
sp.	T.	S. Sulawesi	XII.B.93-93a-93b, 163
	T.	E. Nusa Tenggara	XII.B.92-92a, 231-231a-231b
	T.	N. Sulawesi	XII.B.132-132a

***Deeringia* (Amaranthaceae)**

<i>amaranthoides</i> (Lam.) Merr.	Cl.	Bali	XVIII.A.111; X.C.448 (5 pls.), 458
sp.	Cl.	Bali	XIII.F.31 (5 pls.)

***Delonix* (Leguminosae)**

<i>regia</i> (Hook.) Raf. ^{1-VU}	T.	W. Nusa Tenggara	VII.A.3-3a-3b-3c- 3d-3e
---	----	---------------------	----------------------------

***Delosperma* (Aizoaceae)**

<i>davyi</i> N.E.Br.	Hb.	Hungary	RK.76-76a-76b-76c
----------------------	-----	---------	-------------------

***Dendrobium* (Orchidaceae)**

<i>acerosum</i> Lindl. ^{2-App.II}	Hb.	Papua	R.III.326, R.I.132
	Hb.	E. Nusa Tenggara	ER.39.77
	Hb.	E. Kalimantan	R.III.26
<i>acuminatissimum</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	ER.27.56, 57, 58; ER.28.59; ER.30.65, 66; ER.31.67-67a; ER.34.72
	Hb.	Bali	ER.38.76-76a-76b; ER.39.78
	Hb.	E. Kalimantan	R.III.190-190a
<i>amboinense</i> Hook. ^{2-App.II}	Hb.	E. Kalimantan	R.III.190-190a
<i>anosmum</i> Lindl. ^{2-App.II}	Hb.	S. Sulawesi	R.I.197
<i>bifalce</i> Lindl. ^{2-App.II}	Hb.	Papua	R.III.325-325a
<i>bilobum</i> Lindl. ^{2-App.II}	Hb.	Papua	R.I.126
<i>branderhorstii</i> J.J. Sm. ^{2-App.II}	Hb.	S. Sulawesi	ER.91.740
	Hb.	Papua	R.I.133-133a-133b
	Hb.	Papua	R.III.331-331a
<i>capituliflorum</i> Rolfe ^{2-App.II}	Hb.	Papua	R.III.331-331a
	Hb.	W. Nusa Tenggara	ER.92.759
	Hb.	Papua	R.III.320-320a
<i>coeloglossum</i> Schltr. ^{2-App.II}	Hb.	Papua	R.III.320-320a
<i>compressicaule</i> J.J. Sm. ^{2-App.II}	Hb.	S. Sulawesi	R.I.203
<i>convexum</i> (Blume) Lindl. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.93.801

Dendrobium (Orchidaceae) - *Contd.*

<i>convexum</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	CG.1.129
<i>convexipes</i> J.J. Sm. ^{2-App.II}	Hb.	Papua	R.III.80-80a
<i>crumenatum</i> Sw. ^{2-App.II}	Hb.	Bali	CG.1.11-11a, 12-12a, 13-13a; CG.3.207
	Hb.	S.E. Sulawesi	CG.1.17
	Hb.	E. Nusa Tenggara	CG.4.280, 287; R.III.77
	Hb.	C. Sulawesi	CG.4.281, 285, 291
	Hb.	S. Sulawesi	CG.4.282, 283, 290, 284, 286
	Hb.	N. Sulawesi	CG.4.288, 289; R.III.134
<i>cymbidioides</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	ER.88.667; ER.93.812, 813; R.III.222
<i>discolor</i> Lindl. ^{2-App.II}	Hb.	Papua	R.III.309 (4 pls.)
<i>erosum</i> (Blume) Lindl. ^{2-App.II}	Hb.	Papua	R.III.9
	Hb.	Papua	R.III.85-85a-85b
<i>fimbriatum</i> Hook. ^{2-App.II}	Hb.	Bali	ER.92.754, 756 (3 pls.)
	Hb.	W. Nusa Tenggara	ER.92.755-755a
<i>gibsonii</i> Paxton ^{2-App.II}	Hb.	W. Java	ER.52.126-126a- 126b, 127 (4 pls.), 128 (4 pls.)
<i>helix</i> P. J. Cribb. ^{2-App.II}	Hb.	Papua	R.III.311
<i>heterocarpum</i> Wall ex Lindl. ^{2-App.II}	Hb.	Bali	R.III.118
<i>hydrophilum</i> J.J.Sm.	Hb.	C. Sulawesi	ER.61.175, 176
	Hb.	Papua	R.III.18
<i>insigne</i> (Blume) Rchb. f. ex Miq. ^{2-App.II}	Hb.	Papua	R.III.306
<i>kauldorumii</i> T. M. Reeve ^{2-App.II}	Hb.	Papua	R.III.3-3a
<i>lamellatum</i> (Blume) Lindl. ^{2-App.II}	Hb.	E. Kalimantan	R.I.62
<i>lasianthera</i> J. J. Sm. ^{2-App.II}	Hb.	Papua	R.III.307, 321

Dendrobium (Orchidaceae) - *Contd.*

<i>leonis</i> (Lindl.) Rchb. f. ^{2-App.II}	Hb.	E. Kalimantan	R.III.173
<i>linearifolium</i> Teijsm. & Binn. ^{2-App.II}	Hb.	E. Nusa Tenggara	ER.88.662
	Hb.	Papua	CG.1.1
	Hb.	Bali	CG.1.2, 3, 14, 15, 16, 18, 19, 20, 21, 22
	Hb.	W. Nusa Tenggara	R.I.2
<i>lineale</i> Rolfe ^{2-App.II}	Hb.	Papua	R.III.281-281a, 315
<i>macrophyllum</i> A. Rich. ^{2-App.II}	Hb.	Bali	ER.23.46; ER.64.194, 195, 196 (5 pls.)
	Hb.	W. Java	ER.63.193
	Hb.	N. Sulawesi	ER.64.197 (3 pls.), 200-200a, 201, 198-198a
	Hb.	Papua	R.I.119; R.III.312
	Hb.	C. Sulawesi	ER.64.202, 199
<i>macrostachyum</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.23.47; ER.88.823-823a
<i>malbrowonii</i> Dockrill ^{2-App.II}	Hb.	Papua	R.I.182-182a
<i>moschathum</i> (Buch.-Ham) Sw. ^{2-App.II}	Hb.	Papua	R.III.319
<i>mutabile</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	CG.3.217, 218, CG.3.219; CG.4.299, 300; R.III.220
<i>palpebrae</i> Lindl. ^{2-App.II}	Hb.	W. Java	ER.53.130; R.I.222 (5 pls.)
<i>platygastrium</i> Rchb. f. ^{2-App.II}	Hb.	Papua	R.III.323
<i>pleianthum</i> Schltr. ^{2-App.II}	Hb.	Papua	R.I.121-121a-121b; R.III.88
<i>plicatile</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.33.70, 71; ER.56.144, 145; ER.81.468; ER.82.504 (3 pls.), 518; ER.93.797; CG.1.4 (5 pls.), 5-5a, 7; CG.2.173, 174; CG.3.229; CG.4.301, 302, 330

***Dendrobium* (Orchidaceae) - Contd.**

<i>plicatile</i> Lindl. ^{2-App.II}	Hb.	Gorontalo	ER.56.143
	Hb.	W. Nusa Tenggara	CG.1.6-6a-6b; CG.3.230
<i>polysema</i> Schltr. ^{2-App.II}	Hb.	S. Sulawesi	R.II.44
	Hb.	Papua	R.I.123 (3 pls.); R.III.86a
<i>purpureum</i> Roxb. ^{2-App.II}	Hb.	N. Sulawesi	ER.68.253
	Hb.	S. Sulawesi	ER.68.255
<i>reflexitapalum</i> J. J. Sm. ^{2-App.II}	Hb.	E. Nusa Tenggara	R.I.176
	Hb.	S. Sulawesi	R.III.240-240a
	Hb.	Papua	R.III.327
<i>rigidum</i> R. Br. ^{2-App.II}	Hb.	Papua	ER.92.742
<i>rugosum</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	CG.3.189
	Hb.	N. Sulawesi	ER.87.637
	Hb.	C. Sulawesi	ER.87.638, 640
	Hb.	S. Sulawesi	R.II.52
	Hb.	W. Nusa Tenggara	ER.92.747
<i>sagittatum</i> J.J. Sm. ^{2-App.II}	Hb.	E. Kalimantan	R.I.105
	Hb.	Bali	R.III.100
	Hb.	S. Sulawesi	R.III.239
	Hb.	Bali	ER.28.60
<i>salaccense</i> (Blume) Lindl. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.88.668
	Hb.	N. Sulawesi	R.III.131, 127
<i>saracense</i> ^{2-App.II}	Hb.	Papua	ER.92.743
<i>secundum</i> (Blume) Lindl. ex Wall. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.25.52
	Hb.	W. Nusa Tenggara	ER.69.266
<i>smilliae</i> F. Muell. ^{2-App.II}	Hb.	Papua	R.III.310-310a
<i>spathilingue</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	CG.1.23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40; CG.3.208

***Dendrobium* (Orchidaceae) - Contd.**

<i>spathilingue</i> J.J. Sm. ^{2-App.II}	Hb.	P. Jaring	CG.1.26
<i>spectabile</i> (Blume) Miq. ^{2-App.II}	Hb.	Papua	R.III.308
<i>spurium</i> (Blume) J. J. Sm. ^{2-App.II}	Hb.	Bali	R.III.94
<i>stelliferum</i> J. J. Sm. ^{2-App.II}	Hb.	Bali	R.III.304
<i>subclausum</i> Rolfe ^{2-App.II}	Hb.	Papua	R.III.81-81a
<i>summerhayesianum</i> A.D. Hawkes A.H. Heller ^{2-App.II}	Hb.	Papua	R.I.129
<i>teretifolium</i> R. Br. ^{2-App.II}	Hb.	Papua	R.I.223
<i>truncatum</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.93.809
<i>sp.</i> ^{2-App.II}	Hb.	Bali	ER.23.44-44a, 45; ER.88.824; CG3.190, 192, 193, 194, 195, 196, 197, 198, 199, 200
	Hb.	W. Nusa Tenggara	ER.25.50; ER.92.757-757a; CG.3.191, 201; R.I.4
	Hb.	N. Sulawesi	ER.51.112-112a, 113, 114; ER.68.263; ER.92.741, 748-748a, 749-749a, 750, 751, 761, 762; ER.93.793-793a; R.II.139; R.III.121, 125-125a
	Hb.	-	R.II.18
	Hb.	C. Sulawesi	ER.51.115, 116; ER.56.141, 142-142a-142b; ER.68.254-254a-254b, 257-257a, 259, 264; ER.89.679; ER.92.744, 745-745a, 746, 760; ER.72.817; R.I.175; R.II.17, 19; R.III.23, 52, 61, 97, 209

***Dendrobium* (Orchidaceae) - Contd.**

sp. ^{2-App.II}	Hb.	S. Sulawesi	ER.68.258, 261-261a, 262, 265; ER.87.651; ER.92.758; R.I.184-184a; R.II.51, 160 169; R.III.71, 243, 244, 245, 248, 249, 250, 289
	Hb.	S.E. Sulawesi	ER.68.260-260a; CG.1.8, 9, 10-10a; R.I.189-189a; R.III.74-74a, 75
	Hb.	Papua	ER.51.124, ER.51.125; R.I.115, 120-120a, 124, 125, 127, 128-128a, 130-130a, 131, 135, 136, 139, 177; R.III.10-10a-10b, 11, 21, 73, 87, 318, 322; ER.68.256-256a
	Hb.	E. Nusa Tenggara	ER.69.267, 268; ER.82.482; CG.3.202, 203, 204, 205, 206
	Hb.	E. Kalimantan	R.I.39, 45, 53, 67, 74, 75, 80-80a, 81, 82, 95, 96, 98, 104, 106; 183-183a-183b, 193; R.III.4, 146, 147-147a, 168, 211, 294

***Dendrocalamus* (Poaceae)**

<i>asper</i> (Schult.) Backer	T.	E. Nusa Tenggara	XI.D.35
	T.	Bali	XI.D.20-20a-20b, 23-23a, 88, 152-152a, 155-155a, 259, 297 (12 pls.); X.C.679 (3 pls.)

***Dendrocalamus* (Poaceae) - Contd.**

<i>asper</i> (Schult.) Backer	T.	W. Nusa Tenggara	XI.D.265
sp.	T.	Bali	XVIII.A.428-428a; XI.D.203, 283-283a, 303-303a, 306

***Dendrochilum* (Orchidaceae)**

<i>celebesense</i> H.A. Pedersen & Gravend. ^{2-App.II}	Hb.	C. Sulawesi	ER.89.670 (4 pls.)
<i>longifolium</i> Rchb. f. ^{2-App.II}	Hb.	Bali	ER.1.1-1a-1b-1c-1d; ER.3.7-7a; ER.5.14 (5 pls.); ER.7.16-16a
<i>longifolium</i> Rchb. f. ^{2-App.II}	Hb.	Bali	ER.8.17; ER.9.18; ER.45.97; CG.4.343, 344; CG.4
sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.1.2
	Hb.	E. Kalimantan	R.I.100, 101
	Hb.	Bali	ER.2.3, 4-4a, 5-5a, 6; ER.6.15; R.III. 221-221a-221b-221c
	Hb.	W. Nusa Tenggara	ER.12.21-21a-21b; ER.13.21c; R.I.187, 201; R.III.107, 108
	Hb.	N. Sulawesi	ER.89.671, 672, 675, 676, 678-678a; R.I.186
	Hb.	E. Nusa Tenggara	ER.89.673; R.I.10; R.III.292
	Hb.	C. Sulawesi	ER.89.674
	Hb.	S. Sulawesi	ER.89.677-677a- 677b; R.II.128-128a; R.III.271;
	Hb.	S.E. Sulawesi	R.III.45
	Hb.	Papua	R.III.89, 90

***Dendrocnide* (Urticaceae)**

<i>microstigma</i> (Gaudich. ex Wedd) Chew	T.	E. Nusa Tenggara	VII.C.3a
sp.	T.	Maluku	VII.C.37 (5 pls.)
	T.	W. Nusa Tenggara	VII.C.39

***Deparia* (Athyriaceae)**

<i>petersenii</i> (Kunze) M. Kato	W.	Bali	IX.E.18
	W.	S. Sulawesi	IX.E.393-393a-393b

***Derris* (Leguminosae)**

<i>elliptica</i> (Wall.) Benth.	W.Cl.	Bali	VIII.164-164a-164b
sp.	W.Cl.	Bali	VIII. 111,148-148a-148b

***Diabelia* (Caprifoliaceae)**

<i>spathulata</i> (Siebold & Zucc.) Landrein	Sh.	Japan	XV.B.68-68a
--	-----	-------	-------------

***Deschampsia* (Poaceae)**

<i>cespitosa</i> (L.) P. Beauv.	Sh.	Germany	XI.D.351 (5 pls.)
---------------------------------	-----	---------	-------------------

***Dialium* (Leguminosae)**

sp.	T.	Bali	VIII.136 (7 pls.)
-----	----	------	-------------------

***Dianella* (Xanthorrhoeaceae)**

<i>ensifolia</i> (L.) DC.	H.	E. Nusa Tenggara	XII.C.II.7-7a-7b, 8
	H.	Bali	XII.C.II.5-5a-5b-5c, 6-6a-6b-6c-6d
<i>tasmanica</i> Hook. f.	H.	Germany	XII.C.II.113-113a- 113b-113c-113d

***Dianthus* (Caryophyllaceae)**

<i>armeria</i> L.	A.	Berlin	XII.C.II.112-112a- 112b-112c-112d
-------------------	----	--------	--------------------------------------

***Dichroa* (Hydrangeaceae)**

<i>febrifuga</i> Lour.	Sh.	Himalaya	XX.G.1-1a-1b-1c-1d
------------------------	-----	----------	--------------------

***Dicksonia* (Dicksoniaceae)**

<i>blumei</i> (Kunze) Moore	T.	Bali	X.C.16; IX.E.5-5a, 540, 542-542a-542b
<i>timorensis</i> Adjie	T.	E. Nusa Tenggara	IX.E.520-520a

***Dicranopteris* (Gleicheniaceae)**

<i>linearis</i> (Burm. f.) Underw.	T.	Bali	IX.E.555-555a
------------------------------------	----	------	---------------

***Didymochlaena* (Hypodematiaceae)**

sp.	W.	N. Sulawesi	IX.E.239
-----	----	-------------	----------

***Dieffenbachia* (Araceae)**

hibrid 1	Hb.	Bali	XIX.K.I.18-18a-18b- 18c-18d
hibrid 2	Hb.	Bali	N.299
hibrid 3	Hb.	Bali	XIX.K.I.19-19a-19b- 19c
sp.	Hb.	Bali	N.207, 208, 209, 210, 211, 306-306a; XIX.K.I.20 (10 pls.)
	Hb.	E. java	N. 232-232a, 233, 234

***Dillenia* (Dilleniaceae)**

<i>pteropoda</i> (Miq.) Hoogland	T.	C. Sulawesi	XII.A.15-15a-15b- 15c-15d, 62
----------------------------------	----	-------------	----------------------------------



Figure 5. *Dicksonia timorense* B. Adjie (Dicksoniaceae), a rare and endemic fern from Timor. Located at Ferns Collection.

***Dillenia* (Dilleniaceae) - Contd.**

	T.	S. Sulawesi	XII.A.40-40a
<i>serrata</i> Thunb.	T.	N. Sulawesi	XII.A.59-59a-59b-59c
sp.	T.	W. Java	XII.A.57-57a
	T.	S.E. Sulawesi	XII.A.66, 65 (4 pls.)
	T.	S. Sulawesi	XII.A.71-71a
	T.	Gorontalo	XII.A.76-76a-76b
	T.	C. Sulawesi	XII.A.72

***Dimocarpus* (Sapindaceae)**

<i>longan</i> Lour.	T.	Bali	XIV.B.I.98, X.C.307
<i>longan</i> subsp. <i>malesianus</i> Leenh. ^{1-LC}	T.	E. Nusa Tenggara	XIV.B.I.25-25a-25b-25c-25d
sp.	T.	N. Sulawesi	XIV.B.I.42 (5 pls.)

***Dimorphanthera* (Ericaceae)**

sp.	Sh.	Papua	XIII.B.85-85a
-----	-----	-------	---------------

***Dinochloa* (Poaceae)**

<i>kostermansiana</i> S. Dranfield	W.Cl.	E. Nusa Tenggara	XI.D.169
<i>sepang</i> Widjaja & Astuti	W.Cl.	Bali	XI.D.290-290a-290b
sp.	W.Cl.	Bali	XI.D.104-104a-104b-104c, 293-293a,
	W.Cl.	N. Sulawesi	XI.D.181
	W.Cl.	S. Sulawesi	XI.D.229



Figure 6. *Dinochloa sepang* Widjaja & Astuti (Poaceae), an endemic bamboo from Bali. Located at Bamboo Collection.

***Dioscorea* (Dioscoreaceae)**

<i>alata</i> L.	Cl.	Bali	XV.B.237-237a; XVIII.A.200; VII.E.1-1a-1b-1c, 22-22a-22b-22c, 23, 24-24a-24b-24c-42d, 25-25a-25b-25-c- 25d, 26-26a-26b-26c, 27-2a7-27b-27c- 27d, 28-28a-28b- 28c, 29-29a-29b, 30-30a-30b-30c-30d, 31, 32-32a-32b-32c, 33-33a-33b-33c, 34, 35-35a-35b-35c- 35d, 36-36a-36b, 37-37a-37b, 38, 39-39a-39b, 40-40a-40b, 78-78a-78b
	Cl.	W. Nusa Tenggara	VII.E.7-7a-7b- 7c-7d, 8-8a-8b, 10-10a, 11-11a-11b, 13-13a-13b-13c- 13d, 14-14a-14b, 15-15a-15b, 80-80a-80b-80c-80d, 82-82a-82b-82c-82d, 83, 85
<i>bulbifera</i> L.	Cl.	S. Sulawesi	XV.B.183
	Cl.	Bali	X.C.502; XVIII.A.568-568a- 568b-568c-568d; VII.E.20-20a-20b
<i>esculenta</i> (Lour.) Burkill	Cl.	W. Nusa Tenggara	VII.E.81-81a-81b- 81c-81d
	Cl.	Bali	VII.E.2-2a, 3-3a-3b- 3c-3d, 19-19a-19b- 19c-19d, 77
	Cl.	W. Nusa Tenggara	VII.E.4, 5-5a-5b-5c- 5d, 6, 17-17a, 86

***Dioscorea* (Dioscoreaceae) - Contd.**

<i>hispida</i> Dennst.	Cl.	Bali	X.C.297-297a-297b-297c-297d-297e-297f-297g-297h; XV.B.236-236a; XVIII.A.508-508a-508b-508c, 542-542a-542b-542c, 569-569a-569b-569c, 570-570a-570b-570c-570d; VII.E.41-41a-41b-41c-41d, 51-51a-51b-51c, 52-52a-52b-52c-52d, 53-53a-53b-53c-53d, 54-54a, 55, 56, 79-79a-79b
	Cl.	W. Nusa Tenggara	VII.E.42, 43-43a-43b-43c-43d, 44-44a-44b-44c-44d, 45-45a, 46-46-46a-46b-46c-46d, 47-47a-47b-47c, 48-48a-48b, 49-49a, 50-50a-50b-50c-50d
<i>pentaphylla</i> L.	Cl.	Bali	XVIII.A.182-182a; XV.B.333; VII.E.18-18a-18b-18c, 21
	Cl.	W. Nusa Tenggara	VII.E.9-9a, 12, 16, 84
sp.	Cl.	Bali	XVIII.A.116-116a, 306; XV.B.268-268a-268b, 269-269a, 252-252a; VII.E.103-103a-103b-103c

***Diospyros* (Ebenaceae)**

<i>discolor</i> Willd.	T.	Philippina	XIII.E.20
<i>kaki</i> L.f.	T.	Bali	IX.B.21-21a-21b-21c-21d

***Diospyros* (Ebenaceae) - Contd.**

<i>korthalsiana</i> Hiern	T.	N. Sulawesi	IX.B.24
<i>lolin</i> Bakh.	T.	Papua	IX.B.18-18a
<i>macrophylla</i> Blume	T.	W. Nusa Tenggara	IX.B.20
sp.	T.	W. Nusa Tenggara	IX.B.2-2a, 3-3a, 4, 13-13a, 10,
	T.	E. Nusa Tenggara	IX.B.6, 10, 15-15a
	T.	C. Sulawesi	XV.C.39; IX.B.19, 26-26a-26b-26c, 27-27a-27b-27c, 28-28a
	T.	N. Sulawesi	IX.B.22-22a, 25-25a-25b-25c-25d
	T.	Bali	IX.B.23-23a-23b-23c-23d

***Diplazium* (Athyriaceae)**

<i>accedens</i> Blume	W.	Bali	IX.E.26-26a-26b-26c-26d
<i>esculentum</i> (Retz.) Sw.	W.	E. Nusa Tenggara	IX.E.320
	W.	W. Nusa Tenggara	IX.E.353
	W.	Bali	IX.E.45 (8 pls.)
<i>pallidum</i> T. Moore	W.	Bali	IX.E.17
<i>proliferum</i> (Lam.) Thouars	W.	W. Nusa Tenggara	IX.E.406-406a
<i>tomentosum</i> Blume	W.	W. Nusa Tenggara	IX.E.210-210a-210b-210c-210d
sp.	W.	S. Sulawesi	IX.E.146-146a
	W.	E. Nusa Tenggara	IX.E.333-333a-333b, 408, 488-488a-488b

***Diplazium* (Athyriaceae) - Contd.**

sp.	W.	W. Nusa Tenggara	IX.E.209-209a-209b-209c-209d, 548 (5 pls.), 571-571a, 54-54a-54b-54c-54d, 55-55a-55b, 211-211a-211b-211c-211d, 501-501a-501b-501c-501d, 67, 134
	W.	S.E. Sulawesi	IX.E.240 (6 pls.), 184
	W.	Bali	IX.E.21, 264 (5 pls.), 474, 509-509a-509b, 176-176a, 185, 196-196a-196b
	W.	Gorontalo	IX.E.460-460a-460b
	W.	E. Nusa Tenggara	IX.E. 350 (7 pls.), 361-361a, 370-370a, 531
	W.	S. Sulawesi	IX.E.111-111a, 269
	W.	S.E. Sulawesi	IX.E.243-243a-243b-243c-243d
	W.	N. Sulawesi	IX.E.383-383a-383b, 384-384a-384b-384c
	W.	Gorontalo	IX.E.446
	W.	E. Kalimantan	IX.E.410-410a-410b-410c

***Diplocaulobium* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	Papua	R.I.181-181a; R.III.19
	Hb.	S. Sulawesi	R.I.180-180a; R.III.242-242a, 15, 16, 29, 30
	Hb.	S.E. Sulawesi	R.III.266, 2
	Hb.	C. Sulawesi	R.III.1

***Dipodium* (Orchidaceae)**

<i>scandens</i> (Blume) J.J. Sm. ^{2-App.II}	Cl.	E. Kalimantan	R.I.37
	Cl.	Papua	R.I.162

***Dipterocarpus* (Dipterocarpaceae)**

<i>hasseltii</i> Blume ^{1-CR}	T.	W. Nusa Tenggara	XIX.I.6
<i>retusus</i> Blume ^{1-VU}	T.	W. Nusa Tenggara	XIX.I.11-11a-11b-11c-11d
sp.	T.	E. Kalimantan	XIX.I.7

***Discospermum* (Rubiaceae)**

<i>abnorme</i> (Korth.) S.J. Ali & Robbr.	T.	W. Nusa Tenggara	X.A.16-16a-16b
sp.	Sh.	E. Nusa Tenggara	X.A.38-38a-38b-38c

***Disporum* (Colchicaceae)**

sp.	Hb.	E. Nusa Tenggara	XII.C.II.83
-----	-----	------------------	-------------

***Dissochaeta* (Melastomataceae)**

<i>reticulata</i> Blume	W.Cl.	S. Sulawesi	X.C.283 (4 pls.)
	W.Cl.	S.E. Sulawesi	X.C.284-284a-284b

***Dodonaea* (Sapindaceae)**

<i>viscosa</i> (L.) Jacq.	T.	Bali	XIV.B.I.2-2a-2b, 54-54a-54b-54c, 9
	T.	E. Nusa Tenggara	XIV.B.I.18
	T.	S. Sulawesi	XIV.B.I.93-93a-93b
	T.	Papua	XIV.B.I.100-100a
	T.	W. Nusa Tenggara	XIV.B.I.21-21a, 19-19a-19b-19c, 20-20a-20b, 116-116a-116b-116c

***Dodonaea* (Sapindaceae) - Contd.**

<i>viscosa</i> subsp. <i>angustifolia</i> (L. f.) J. G. West	T.	E. Nusa Tenggara	XIV.B.I.37-37a-37b-37c-37d
--	----	------------------	----------------------------

***Dolichothele* (Cactaceae)**

<i>longimamma</i> DC.	Sc.	Mexico	RK.52
-----------------------	-----	--------	-------

***Doodia* (Blechnaceae)**

<i>dives</i> Kunze	W.	Bali	IX.E.538-538a-538b
sp.	W.	E. Nusa Tenggara	IX.E.528-528a-528b

***Dracaena* (Asparagaceae)**

<i>angustifolia</i> (Medik.) Roxb.	Sh.	W. Java	VII.D.II.22-22a-22b
	Sh.	E. Nusa Tenggara	VII.D.II.25
	Sh.	Bali	XVIII.A.3-3a, 141-141a, 485, 593-593a-593b-593c-593d, 594-594a-594b-594c-594d, 571-571a-571b-571c; X.C.409 (4 pls.)
<i>draco</i> (L.) L. ^{1-VU}	Sh.	Bali	VII.D.II.18
	Sh.	Canary Island	XIII.B.16
<i>elliptica</i> Thunb. & Dalm.	Sh.	W. Java	VII.D.II.21
<i>fragrans</i> (L.) Ker Gawl.	Sh.	S. Africa	XII.A.8
	Sh.	-	VII.D.II.14-14a-14b-14c-14d
<i>surculosa</i> Lindl. sp.	Sh.	W. Java	VII.D.II.20
	Sh.	Bali	XVIII.A.607-607a
	Sh.	Bali	VII.D.II.6-6a, 26

***Dracontomelon* (Anacardiaceae)**

<i>dao</i> (Blanco) Merr. & Rolfe	T.	E. Nusa Tenggara	IX.A.22
	T.	Bali	IX.A.4-4a-4b-4c-4d
	T.	W. Nusa Tenggara	IX.A.43
	T.	Bali	IX.A.3-3a-3b-3c, 7-7a, 15; X.C.423 (6 pls.)
sp.	T.	W. Nusa Tenggara	X.C.213

***Dregea* (Apocynaceae)**

<i>volubilis</i> (L. f.) Benth. ex Hook. f.	Cl.	E. Nusa Tenggara	XV.B.189-189a-189b-189c-189d
---	-----	------------------	------------------------------

***Drynaria* (Polypodiaceae)**

<i>quercifolia</i> (L.) J. Sm.	W.	S. Sulawesi	IX.E.250-250a
<i>rigidula</i> (Sw.) Bedd.	W.	C. Sulawesi	IX.E.270
	W.	Papua	IX.E.580
sp.	W.	S. Sulawesi	IX.E.257-257a
	W.	Bali	IX.E.423
	W.	E. Nusa Tenggara	IX.E.578-578a
	W.	W. Nusa Tenggara	IX.E.499

***Dryopteris* (Dryopteridaceae)**

<i>uniformis</i> (Makino) Makino	W.	Schweiz	IX.E.51-51a
<i>sparsa</i> (D. Don) Kuntze	W.	W. Nusa Tenggara	IX.E.49-49a-49b-49c-49d-49e, 557
	W.	E. Nusa Tenggara	IX.E.69-69a-69b-69c

***Dryopteris* (Dryopteridaceae) - Contd.**

sp.	W.	E. Nusa Tenggara	IX.E.108-108a-108b, 188-188a-188b-188c-188d, 133, 523-523a-523b, 526-526a-526b-526c-526d, 576-576a
	W.	S. Sulawesi	IX.E.143-143a
	W.	Papua	IX.E.33
	W.	Bali	IX.E.84

***Drypetes* (Putranjivaceae)**

sp.	T.	Bali	XII.C.I.260
	T.	E. Nusa Tenggara	XIX.F.6-6a-6b; XIII.P.44-44a-44b; XII.C.I.194-194a, 217
	T.	S.E. Sulawesi	XII.C.I.279-279a-279b-279c-279d-279e
	T.	Papua	XII.C.I.303-303a

***Duabanga* (Lythraceae)**

<i>mollucana</i> Blume	T.	W. Nusa Tenggara	X.D.2-2a-2b, 3-3a-3b-3c
------------------------	----	------------------	-------------------------

***Duranta* (Verbenaceae)**

<i>erecta</i> L.	Sh.	Bali	X.J.3-3a-3b-3c
	Sh.	Trop. America	XV.B.28
sp.	Sh.	-	XV.B.41

***Durio* (Malvaceae)**

<i>zibethinus</i> L.	T.	Bali	XIII.H.2; XVIII.A.165-165a-165b-165c-165d, 74, 585
----------------------	----	------	--

***Durio* (Malvaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIII.H.8-8a-8b-8c-8d
	T.	Bengkulu	XIII.H.9

***Dysoxylum* (Meliaceae)**

<i>cauliflorum</i> Hiern	T.	E. Nusa Tenggara	XIV.A.96-96a-96b-96c
<i>excelsum</i> Blume	T.	Bali	XIV.A.224-224a-224b
<i>gaudichaudianum</i> (A. Juss.) Miq.	T.	C. Sulawesi	XIV.A.21-21a
<i>nutans</i> (Blume) Miq.	T.	Bali	XIV.D.2; XIV.A.242-242a-242b-242c-242d
	T.	Java	XIV.A.210-210a
<i>parasiticum</i> (Osbeck) Kosterm.	T.	Bali	XIV.A. 13-13a, 16-16a-16b-16c-16d, 30, 137-137a-137b-137c, 138-138a, 173, 222-222a-222b-222c-222d, 233-233a-233b-233c; XVIII.A.12-12a-12b, 66; X.C.711
	T.	Aceh	XIV.A.159-159-159a-159b-159c-159d
	T.	Sumatra	XIV.A.12-12a-12b-12c-12d-12e-12f-12g-12h-12i-12j-12k-12l-12m
	T.	W. Nusa Tenggara	XIV.A.32, 9-9a-9b
	T.	E. Nusa Tenggara	XIV.A.60
sp.	T.	W. Nusa Tenggara	XIV.A. 84, 45, 22, 26-26a-26b-26c-26d, 238-238a-238b-238c-238d, 240; XIV.B.I.10

***Dysoxylum* (Meliaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIV.A.49 (8 pls.), 53a, 77, 93, 152-152a, 122-122a-122b, 127-127a, 175, 112-112a, 201, 91 (4 pls.), 143, 123-123a, 99, 82, 149, 99a, 162
	T.	Bali	XIV.A.78, 139, 110, 144-144a, 187, 188-188a, 39, 211, 218-218-218a-218b-218c-218d, 221-221a, 226-226a-226b, 227-227a-227b, 234-234a, 92-92a-92b, 217-217a-217b-217c-217d, 241; XVIII.A.454-454a
	T.	S. Sulawesi	XIV.A. 52-52a-52b-52c-52d, 100, 163-163a, 181-181a-181b
	T.	Papua	XIV.A.193-193a
	T.	S.E. Sulawesi	XIV.A.197-197a-197b, 163 (5 pls.)
	T.	Gorontalo	XIV.A.202
	T.	C. Sulawesi	XIV.A.161
	T.	N. Sulawesi	XIV.A.165-165a-165b-165c

***Echeveria* (Crassulaceae)**

sp.	Hb.	W. Java	RK.2-2a-2b
-----	-----	---------	------------

***Echinocactus* (Cactaceae)**

<i>grusonii</i> Hildm	Sc.	W. Java	RK.107
	Sc.	Germany	RK.139-139a-139b-139c

***Echinocereus* (Cactaceae)**

<i>subnermis</i> Salm-Dyck ex Scheer	Sc.	New Zealand	RK.106
--------------------------------------	-----	-------------	--------

***Echinopsis* (Cactaceae)**

<i>atacamensis</i> (Phil.) Friedrich & G.D. Rowley	Sc.	Austria	RK.125-125a-125b
<i>mirabilis</i> Speg.	Sc.	Amsterdam	RK.162-162a
<i>oxygona</i> (Link) Zucc. ex Pfeiff. & Otto	Sc.	Italy	RK.123
<i>spinibarbis</i> (Otto) A.E. Hoffm.	Sc.	W. Java	RK.103-103a-103b-103c
<i>subdenudata</i> Cardenas	Sc.	Hungary	RK.126

***Ehretia* (Boraginaceae)**

<i>javanica</i> Blume	T.	Bali	XIV.A.1-1a
<i>microphylla</i> Lam.	T.	Bali	X.C.367, 400-400a-400b-400c, 496-496a-496b-496c, 616, 816-816a-816b-816c; X.G.6-6a-6b-6c-6d
sp.	T.	E. Nusa Tenggara	X.G. 3
	Sh.	W. Nusa Tenggara	X.G.4-4a

***Eichhornia* (Pontederiaceae)**

<i>crassipes</i> (Mart.) Solms	Hb.	Bali	Aq. 7
--------------------------------	-----	------	-------

***Elaeagnus* (Elaeagnaceae)**

<i>conferta</i> Roxb.	W.Cl.	Bali	X.C.90 (3 pls.)
	W.Cl.	E. Nusa Tenggara	XV.B.221 (4 pls.)
sp.	W.Cl.	Bali	VII.E.87-87a-87b

Elaeocarpus (Elaeocarpaceae)

<i>angustifolius</i> Blume	T.	C. Sulawesi	XIII.P.48-48a
<i>bojeri</i> R.E. Vaughan	T.	Bali	X.C.169 (5 pls.); XIII.P.54, 58 (5 pls.), 63-63a; XVIII.A.161 (6 pls.)
<i>floribundus</i> Blume	T.	Bali	XII.C.I.56
<i>glaber</i> Blume	T.	Bali	XVIII.A.271-271a
	T.	W. Nusa Tenggara	XIII.P.65 (5 pls.)
	T.	Java	XIII.B.27
<i>macrocerus</i> (Turcz.) Merr.	T.	S.E. Sulawesi	XIII.P.40
<i>pierrei</i> Koord. & Valetton	T.	W. Nusa Tenggara	XIII.P.43 (6 pls.)
<i>serratus</i> L.	T.	W. Nusa Tenggara	XIII.P.1 (5 pls.), 3-3a, 16 (6 pls.), 47-47a
	T.	Bali	XIII.P.4-4a-4b, 8, 60 (5 pls.)
	T.	E. Nusa Tenggara	XIII.P.46-46a
<i>stipularis</i> Blume	T.	C. Sulawesi	XIII.P.29-29a
sp.	T.	Bali	XIII.P.2-2a, 22, 30- 30a, 51, 52 (4 pls.), 11-11a , 13; XIII.J.10
	T.	E. Nusa Tenggara	XIII.P.15, 17-17a, 19 (6 pls.), 31, 37, 38, 28, 45 (5 pls.), 50- 50a, 14; XII.C.I. 189, 215-215a
	T.	E. Nusa Tenggara	XIII.O.20, 21-21a-21b, 22
	T.	S. Sulawesi	XIII.P.26 (6 pls.), 27- 27a, 32 (5 pls.)
	T.	S. Sulawesi	XIII.P. 33-33a-33b, 34-34a-34b, 36-36a, 39 (3 pls.); XIII.K.56- 56a

***Elaeocarpus* (Elaeocarpaceae) - Contd.**

sp.	T.	N. Sulawesi	XIII.P.20-20a, 24, 55, 35-35a-35b; XIV.B.II.45-45a
	T.	S.E. Sulawesi	XIII.K.62-62a-62b; XIII.P.53-53a-53b- 53c
	T.	W. Nusa Tenggara	XVIII.A.210-210a; XIII.P.59-59a, 66-66a-66b-66c-66d
	T.	Gorontalo	XIII.P.56

***Elephantopus* (Compositae)**

<i>scaber</i> L.	Hb.	Bali	X.C.289 (8 pls.), 726-726a-726b
sp.	Hb.	Bali	X.C.438 (5 pls.)

***Elaphoglossum* (Dryopteridaceae)**

<i>callifolium</i> (Blume) T. Moore	W.	Bali	IX.E.541 (3 pls.), 581
sp.	W.	Bali	IX.E.43
	W.	Papua	IX.E.453, 463
	W.	Maluku	IX.E.472-472a-472b

***Elattostachys* (Sapindaceae)**

<i>verrucosa</i> (Blume) Radlk.	T.	W. Nusa Tenggara	XIV.A.38-38a
---------------------------------	----	---------------------	--------------

***Elsholtzia* (Lamiaceae)**

sp.	Sh.	Bali	X.C.687 (5 pls.)
-----	-----	------	------------------

***Elettaria* (Zingiberaceae)**

<i>cardamomum</i> (L.) Maton	Hb.	Bali	VII.C.I.13; X.C.467, 468
------------------------------	-----	------	-----------------------------

***Elymus* (Poaceae)**

<i>virginicus</i> L.	Sh.	Estonia	XI.D.342-342a- 342b-342c-342d, 347-347a-347b-347c- 347d
----------------------	-----	---------	--

***Embelia* (Primulaceae)**

<i>philippinensis</i> A. DC.	W.Cl.	W. Nusa Tenggara	XX.A.6
sp.	W.Cl.	Bali	XII.C.I.230
	W.Cl.	W. Nusa Tenggara	XII.C.I.270-270a- 270b-270c-279d
	W.Cl.	S. Sulawesi	XX.A.26-26a-26b

***Emilia* (Compositae)**

<i>sonchifolia</i> (L.) DC. ex DC.	Hb.	Bali	X.C.797
------------------------------------	-----	------	---------

***Endiandra* (Lauraceae)**

<i>rubescens</i> (Blume) Miq.	T.	Bali	XIV.B.III.42
-------------------------------	----	------	--------------

***Endospermum* (Euphorbiaceae)**

<i>moluccanum</i> (Teijsm. & Binn.) Kurz	T.	E. Nusa Tenggara	XII.C.I.139-139a
---	----	---------------------	------------------

***Engelhardia* (Juglandaceae)**

<i>spicata</i> Blume	T.	Bali	IX.D.3-3a-3b-3c, 2, 6-6a-6b-6c-6d; XIV.A.8
	T.	W. Nusa Tenggara	IX.D.7-7a-7b-7c-7d
sp.	T.	E. Nusa Tenggara	IX.D.4

***Ensete* (Musaceae)**

<i>superbum</i> (Roxb.) Cheesman	P.H.	E. Nusa Tenggara	VII.C.15-15a-15b
----------------------------------	------	---------------------	------------------

Entada (Leguminosae)

<i>phaseoloides</i> (L.) Merr.	W.Cl.	Bali	VIII.143-143a; X.C.315
	W.Cl.	W. Nusa Tenggara	VIII.176
sp.	W.Cl.	C. Sulawesi	VIII.109
	W.Cl.	E. Nusa Tenggara	VIII.114

Enterolobium (Leguminosae)

<i>cyclocarpum</i> (Jacq.) Griseb.	T.	Hawai	VIII.123 (6 pls.)
<i>timbouva</i> Mart.	T.	Brazil	VIII.34-34a-34b; XIII.E.31 (5 pls.)

Epiblastus (Orchidaceae)

<i>auriculatus</i> Schltr. ^{2-App.II}	Hb.	Papua	R.I.117
<i>basalis</i> Schltr. ^{2-App.II}	Hb.	Papua	R.I.116
<i>montihageni</i> P. Royen ^{2-App.II}	Hb.	Papua	R.I.118
sp. ^{2-App.II}	Hb.	Papua	R.I.114
	Hb.	S. Sulawesi	R.II.88

Epidendrum (Orchidaceae)

<i>ciliare</i> L. ^{2-App.II}	Hb.	W. Java	ER.84.569-569a- 569b-569c-569d
---------------------------------------	-----	---------	-----------------------------------

Epigeneium (Orchidaceae)

sp. ^{2-App.II}	Hb.	E. Kalimantan	R.III.284
-------------------------	-----	---------------	-----------

Epiphyllum (Cactaceae)

<i>angulifer</i> (Lem.) G. Don	Sc.	W. Java	RK.90-90a-90b
<i>crenatum</i> (Lindl.) G. Don.	Sc.	Bali	X.C.181 (5 pls.)
sp.	Sc.	W. Java	RK.48-48a-48b-48c- 48d-48e-48f-48g- 48h-48i

***Epipremnum* (Araceae)**

<i>aureum</i> (Linden ex Andre) G.S. Bunting	Cl.	Bali	XIX.K.I.148-148a- 148b-148c-148d
<i>cv aureum</i> (Andre) Nicolson	Cl.	Bali	XIX.K.I.21-21a-21b- 21c-21d-21e-21f-21g
<i>nobile</i> (Schott) Engl.	Cl.	S.E. Sulawesi	XIX.K.I.100-100a
<i>pinnatum</i> (L.) Engl.	Cl.	Bali	N.310; XVI.B.15-15a; XIX.K.I.128-128a- 128b-128c-128d
	Cl.	W. Nusa Tenggara	XIX.K.I.139-139a- 139b-139c
sp.	Cl.	Bali	XIX.K.I.149-149a- 149b-149c-149d

***Equisetum* (Equisetaceae)**

<i>ramosissimum</i> Desf.	W.	Bali	X.C.245-245a-245b- 245c-245d, 326-326a; Aq.4
	W.	E. Nusa Tenggara	X.C.559-559a
	W.	S. Sumatra	IX.E.195-195a-195b

***Eria* (Orchidaceae)**

<i>albidotomentosa</i> (Blume) Lindl. ^{2-App.II}	Hb.	S. Sumatra	ER.75.385
<i>javanica</i> (Sw.) Blume ^{2-App.II}	Hb.	Bali	ER.50.104; ER.83.558, 559, 561-561a; ER.86. 606, 607, 608, 610, R.I.206; R.II.85
	Hb.	E. Java	ER.86.611, 605, 609; ER.83.560-560a, 562 (5 pls.)
	Hb.	S. Sulawesi	ER.86.601; R.II.57
	Hb.	N. Kalimantan	R.II.58
	Hb.	C. Sulawesi	ER.86.602-602a- 602b; ER.91.717- 717a, 718-718a-718b

***Eria* (Orchidaceae) - Contd.**

<i>javanica</i> (Sw.) Blume ^{2-App.II}	Hb.	Gorontalo	ER.86.603
	Hb.	W. Nusa Tenggara	ER.86.604, 612, 613; CG.1.131, 132, 133, 134
	Hb.	C. Sulawesi	R.III. 194-194a-194b
<i>junghuhnii</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	ER.4.11
<i>lamonganensis</i> Rchb. f. ^{2-App.II}	Hb.	Bali	ER.74.367-367a; ER.82.474 (5 pls.), 480 (4 pls.), 481 (2 pls.); ER.90.693-693a, 694-694a; ER.93.777-777a, 778-778a, 779-779a, 780-780a, 781-781a-781b; CG.1.95; CG.4.337
<i>ornata</i> (Blume) Lindl. ^{2-App.II}	Hb.	S. Sulawesi	R.II.59
	Hb.	S.E. Sulawesi	R.II.82
<i>verruculosa</i> J.J. Smith. ^{2-App.II}	Hb.	Bali	CG.3.224 (3 pls.), 226, 231, 233, 234, 235, 236, 237, 238, 239
sp. ^{2-App.II}	Hb.	C. Sulawesi	ER.67.235; 331, 334, 337, 340, 343; R.III.47, 193
	Hb.	E. Nusa Tenggara	ER.93.769
	Hb.	N. Sulawesi	ER.93.782; R.II.97-97a; ER.61.178; ER.73.346, 347, 321, 323, 324, 329, 330, 333, 336, 338, 339; ER.90.702; R.III.120, 132 ; ER.93.773, 802
	Hb.	-	ER.93.783
	Hb.	S. Sulawesi	ER.73.821, 327, 328-328a; ER.93.771; R.II. 77, 48, 50, 79-79a, 84, 86, 98-98a, 125-125a, 132; R.III.254

***Eria* (Orchidaceae) - Contd.**

sp. ^{2-App.II}	Hb.	S.E. Sulawesi	ER.73.322, 819; R.III.46, 293
	Hb.	Papua	ER.73.332; ER.93.789; R.I.153, 154, 155-155a; R.III.83, 84
	Hb.	E. Nusa Tenggara	ER.73.335-335a; ER.93.798-798a, 799-799a, CG.1.110; CG.2.151; R.I.12, 18, 30-30a, 31; R.III.191- 191a-191b
	Hb.	W. Nusa Tenggara	ER.73.344; ER.92.753; ER.93.800; CG.1.41, 42, 43, 44, 45
	Hb.	E. Kalimantan	ER.75.384; R.I.34, 50, 51, 70, 71, 79-79a-79b, 88, 89, 91 (4 pls.), 97, 103, 107; R.III.7, 37, 42, 159-159a, 160, 161, 162, 183
	Hb.	S. Sumatra	ER.75.387
	Hb.	Bali	CG.1.99; CG.4.275, 276; R.III.223; ER.93.774-774a

***Eriobotrya* (Rosaceae)**

<i>japonica</i> (Thunb.) Lindl.	T.	Rusia	XIII.N.2-2a-2b-2c-2d
	T.	Bali	XIII.N.13-13a-13b- 13c
sp.	T.	S. Sulawesi	XIII.N.10

***Eriocereus* (Cactaceae)**

<i>tortuosus</i> (F.B.Forbes ex Dietr.) Riccob.	Sc.	W. Java	RK.53-53a-53b-53c- 53d
--	-----	---------	---------------------------

***Eriosolena* (Thymelaeaceae)**

<i>composita</i> (L.f.) Merr.	Sh.	E. Nusa Tenggara	XIX.J.5-5a-5b-5c
sp.	Sh.	Bali	X.A.24; XIII.K.33

***Erythrina* (Leguminosae)**

<i>crista-galli</i> L.	T.	E. Java	XIII.E.21-21a
<i>fusca</i> Lour.	T.	-	VIII.49
	T.	Bali	XVIII.A.493-493a-493b-493c-493d-493e-493f-493g-493h
<i>hypaphorus</i> Boerl. ex. Koord.	T.	Bali	X.C.151-151a-151b, 422-422a-422b-422c; XVIII.A.285-285a; XVIII.A.574-574a
<i>subumbrans</i> (Hassk.) Merr.	T.	Bali	VIII.12-12b; XVIII.A.112-112a-112b-112c, 303-303a-303b, 432
<i>variegata</i> L.	T.	W. Nusa Tenggara	VIII.53
sp.	T.	Bali	VIII.128-128a-128b; XVIII.A.441a, 621-621a; VIII.62-62a
	T.	E. Nusa Tenggara	VIII.103-103a, 117
	T.	S. Sulawesi	VIII.126-126a

***Etlingera* (Zingiberaceae)**

<i>elatio</i> (Jack.) R.M. Sm.	Hb.	Bogor	X.C.44 (20 pls.)
	Hb.	Bali	X.C.45 (20 pls.); XVIII.A 33-33a-33b; VII.C.I.9
sp.	Hb.	Bali	VII.C.I.35 (5 pls.), 36 (5 pls.); XVIII.A.445 (5 pls.)
	Hb.	E. Nusa Tenggara	VII.C.I.22-22a

***Etlingera* (Zingiberaceae) - Contd.**

sp.	Hb.	W. Nusa Tenggara	X.C.787-787a
-----	-----	------------------	--------------

***Eucalyptus* (Myrtaceae)**

<i>alba</i> Reinw. ex Blume	T.	Australia	XIV.D.4-4b-4c
	T.	Bali	X.C.384
<i>argoploia</i> Blakely	T.	Australia	XII.B. 57
<i>deglupta</i> Blume	T.	C. Sulawesi	XIV.D.38
<i>globulus</i> subsp. <i>maidenii</i> (F. Muell.) J.B. Kirkp.	T.	China	XIV.D.20-20a-20c
<i>microcorys</i> F. Muell.	T.	Australia	XIV.D.16-16a-16b
<i>robusta</i> Sm.	T.	Australia	XIV.D.21-21a
<i>umbra</i> F. Muell. ex R.T. Baker	T.	Australia	XII.B. 56-56a-56b
<i>urophylla</i> S.T. Blake	T.	E. Nusa Tenggara	XIV.D. 26 (8 pls.), 27 (5 pls.)
	T.	Bali	XII.B.271-271a-271b-271c-271d

***Eucharis* (Amaryllidaceae)**

<i>x grandiflora</i> Planch. & Linden	Hb.	Colombia	VII.E.110-110a-110b-110c-110d
---------------------------------------	-----	----------	-------------------------------

***Euchresta* (Leguminosae)**

<i>horsfieldii</i> (Lesch.) Benn.	Sh.	Bali	X.C.14 (2 pls.), 162-162a
-----------------------------------	-----	------	---------------------------

***Eucomis* (Asparagaceae)**

<i>comosa</i> (Houtt.) Wehrh.	Sh.	Australia	VII.E.139-139a-139b-139c-139d-139e-139f-139g
-------------------------------	-----	-----------	--

***Eugenia* (Myrtaceae)**

<i>cuprea</i> (O. Berg) Nied.	T.	W. Nusa Tenggara	XII.B.53-53a
<i>uniflora</i> L.	T.	Brazil	XII.B.49 (4 pls.), 14a

***Eugenia* (Myrtaceae) - Contd.**

sp.	T.	C. Sulawesi	XII.B.173 (8 pls.)
	T.	Papua	XII.B.272

***Euonymus* (Celastraceae)**

<i>indicus</i> B. Heyne ex Wall.	T.	W. Nusa Tenggara	X.A.17-17a, 18; XIII.D.11-11a-11b-11c
	T.	S. Sulawesi	XIII.D.12-12a
	T.	Bali	XVIII.A.223-223a-223b-223c-223d-223e
sp.	T.	S. Sulawesi	XVII.E.7-7a-7b-7c, 13-13a
	T.	N. Sulawesi	X.A.118-118a-118b
	T.	E. Nusa Tenggara	XVII.E.10-10a; XIX.G.13-13a-13b-13c
	T.	Bali	XVII.E.1-1a-1b; XII.B.69
	T.	W. Nusa Tenggara	XVII.E.23, 24-24a-24b-24c-24d

***Euphorbia* (Euphorbiaceae)**

<i>esula</i> subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov	Sh.	Polandia	VII.E.165-165a-165b-165c-165d
<i>lactea</i> Haw.	Sh.	Bali	X.C.828-828a-828b-828c-828d
<i>pulcherrima</i> Willd. ex Klotzsch	Sh.	Bali	X.C.241-241a
	Sh.	W. Java	XV.B.101
<i>tirucalli</i> L. ^{1-LC}	Sh.	Bali	X.C.242, 605-605a, 608-608a, 740-740a-740b-740c
<i>tithymaloides</i> L.	Sh.	Bali	XII.C.I.51-51a-51b; X.C.662 (5 pls.)
sp.	Sh.	Bali	XVIII.A.366-366a-366b; XIII.K.86

***Eurya* (Pentaphylacaceae)**

<i>roemerii</i> Lauterb.	T.	Bali	XV.A.36-36a-36b-36c-36d
--------------------------	----	------	-------------------------

***Eustrephus* (Asparagaceae)**

<i>latifolius</i> R. Br.	T.	Australia	XV.B.337-337a-337b-337c-337d
--------------------------	----	-----------	------------------------------

***Euthemis* (Ochnaceae)**

<i>leucocarpa</i> Jack.	T.	Bali	XIX.K.4
-------------------------	----	------	---------

***Fagraea* (Gentianaceae)**

<i>blumei</i> G. Don	Sh.	Bali	XV.B.179; XX.H.5
<i>ceilanica</i> Thunb.	W.Cl.	C. Sulawesi	XX.H.3-3a
sp.	Sh.	S. Sulawesi	XX.H.4
	T.	Bali	XX.H.7
	Cl.	W. Nusa Tenggara	XX.H.8-8a-8b

***Falcataria* (Leguminosae)**

<i>moluccana</i> (Miq.) Barneby & J.W. Grimes	T.	Bali	VIII.99-99b-99c
---	----	------	-----------------

***Faradaya* (Lamiaceae)**

sp.	Sh.	Bali	XVIII.A.225-225a
-----	-----	------	------------------

***Ferocactus* (Cactaceae)**

<i>hamatacanthus</i> (Muehlenpf.) Britton & Rose	Sc.	Italy	RK.157
<i>viridescens</i> (Nutt. ex Torr. & A. Gray) Britton & Rose	Sc.	W. Java	RK.105

***Festuca* (Poaceae)**

<i>alpina</i> Suter	Hb.	Germany	XI.D.341 (5 pls.)
---------------------	-----	---------	-------------------

***Ficus* (Moraceae)**

<i>adenosperma</i> Miq.	T	Papua	VII.D.198-198a-198b-198c-198d-198e, 222-222a-222b-222c
	T.	S. Sulawesi	VII.D.186-186a
<i>ampelas</i> Burm. f.	T.	E. Nusa Tenggara	VII.D.105-105a-105b
	T.	Bali	X.C.404-404a-404b
	T.	Taiwan	VII.D.221-221a-221b-221c
<i>aurata</i> (Miq.) Miq.	T.	C. Sulawesi	VII.D.80-80a
<i>balica</i> Miq.	T.	E. Nusa Tenggara	VII.D.66-66a
	T.	Bali	VII.D.86-86a
<i>benghalensis</i> L.	T.	E. Nusa Tenggara	VII.D.115-115a
<i>benamina</i> L.	T.	Bali	VII.D.64; XIV.A.2; XVIII.A.41, 188; X.C.201
	T.	N. Sulawesi	VII.D.124; X.C.200
<i>binnendijkii</i> Miq.	T.	Bali	VII.D.32-32a-32b-32c-32d-32e-32f-32g
<i>callosa</i> Willd.	T.	W. Nusa Tenggara	VII.D.5-5a-5b
	T.	Bali	VII.D.100-100a
<i>carica</i> L. ^{1-LC}	T.	Belanda	VII.D.220-220a
<i>celebensis</i> Corner	T.	E. Nusa Tenggara	VII.D.145
<i>consociata</i> Blume	T.	W. Nusa Tenggara	VII.D.30, 50-50a
	T.	Bali	VII.D.230-230a-230b
<i>depressa</i> Blume	T.	Bali	VII.D.3-3a-3b
<i>drupacea</i> Thunb.	T.	W. Nusa Tenggara	VII.D.26-26a-26b-26c, 72-72a-72b, 73-73a-73b, 98, 27
	T.	E. Nusa Tenggara	VII.D.94, 96-96a-96b

***Ficus* (Moraceae) - Contd.**

<i>drupacea</i> Thunb.	T.	Bali	VII.D.107, 231-231a-231b-231c- 231d, 232-232a-232b
	T.	W. Nusa Tenggara	VII.D.252
<i>elastica</i> Roxb. ex Hornem.	T.	Trop. Asia	VII.D.35-35a-35b
<i>elmeri</i> Merr.	T.	N. Sulawesi	VII.D.152-152a-152b
<i>fistulosa</i> Reinw. ex Blume	T.	W. Nusa Tenggara	VII.D.45, 57-57a-57b-57c, 255
	T.	E. Nusa Tenggara	VII.D.128-128a-128b
<i>fistulosa</i> var. <i>tengerensis</i> (Miq.) Kuntze	T.	E. Nusa Tenggara	VII.D.67-67a-67b
<i>fulva</i> Reinw. ex Blume	T.	E. Nusa Tenggara	VII.D.91
<i>glaberrima</i> Blume	T.	W. Nusa Tenggara	VII.D.36-36a-36b, 38, 49-49a-49b-49c- 49d, 51-51a-51b
<i>heterophylla</i> L. f.	T.	C. Sulawesi	VII.D.81-81a
<i>heteropleura</i> Blume	T.	Bali	VII.B.I.1
<i>hirta</i> Vahl	Sh.	W. Nusa Tenggara	VII.D.24-24a
	Sh.	C. Sulawesi	VII.D.90-90a-90b
<i>hispida</i> L. f.	T.	Irian Jaya	VII.D.11
	T.	W. Nusa Tenggara	VII.D.13-13a-13b, 23
	T.	E. Nusa Tenggara	VII.D.101-101a-101b
	T.	Bali	VII.D.236-236a-236b
<i>lacor</i> Buch.-Ham.	T.	Bali	XVIII.A.281-281a
<i>minahassae</i> (Teijsm. & Vriese) Miq.	T.	Bali	VII.D.1-1a, 234- 234a; X.C.461
	T.	C. Sulawesi	VII.D.202-202a
<i>montana</i> Burm. f.	T.	Bali	X.C.522-522a-522b- 522c
	Sh.	Bali	X.C.78-78a-78b, 348- 348a; VII.D.256

Ficus (Moraceae) - Contd.

<i>nervosa</i> subsp. <i>pubinervis</i> (Blume) C.C.Berg	T.	W. Nusa Tenggara	VII.D.44-44a-44b- 44c, 77
	T.	Bali	VII.D.75
<i>oleifolia</i> subsp. <i>intermedia</i> (Corner) C.C.Berg	Sh.	S. Sulawesi	VII.D.34a , 190-190a-190b
<i>padana</i> Burm. f.	T.	Bali	VII.D.15, 29-29a-29b-29c-29d
	T.	E. Nusa Tenggara	IX.A.14
	T.	W. Nusa Tenggara	VII.D.99
<i>parietalis</i> Blume	T.	Bali	VII.D.18
<i>punctata</i> Thunb.	W.Cl.	Bali	XVI.A.14-14a
<i>racemosa</i> L.	T.	Bali	VII.D.62
	T.	W. Nusa Tenggara	VII.D.28-28a-28b- 28c
<i>religiosa</i> L.	T.	Bali	VII.D.250-250a- 250b-250c-250d
<i>ribes</i> Reinw. ex Blume	T.	E. Nusa Tenggara	VII.D.93-93a
	T.	Bali	VII.D.235-235a
<i>riedelii</i> Teysm. ex Miq.	T.	S. Sulawesi	VII.D.84-84a-84b
<i>septica</i> Burm. f.	Sh.	Papua	VII.D.20
	Sh.	W. Nusa Tenggara	VII.D.22
	Sh.	Malaysia	VII.D.58-58a-58b- 58c-58d
	Sh.	S. Sulawesi	VII.D.129, 136-136a-136b
	Sh.	Bali	X.C.74-74a, 376-376a-376b-376c, 651, 825-825a-825b- 825c; XVIII.A.531- 531a-531b
<i>sinuata</i> Thunb.	W.Cl.	Bali	VII.D.40, 42, 242-242a-242b-242c- 242d

***Ficus* (Moraceae) - Contd.**

<i>sinuata</i> Thunb.	W.Cl.	E. Nusa Tenggara	VII.D.117
<i>sohotonensis</i> C.C. Berg.	T.	Colombia	VII.D.97-97a-97b-97c-97d
<i>submontana</i> C.C. Berg.	W.Cl.	S. Sulawesi	VII.D.14-14a-14b
<i>superba</i> Miq.	T.	E. Nusa Tenggara	VII.D.104-104a-104b-104c-104d
<i>tinctoria</i> G. Forst.	T.	W. Nusa Tenggara	VII.D.39-39a-39b, 41-41a, 71-71a
<i>variegata</i> Blume	T.	Bali	VII.D.31-31a-31d, 59-59a, 60-60a-60b-60c
	T.	W. Nusa Tenggara	VII.D.253, 254
<i>virens</i> Aiton	T.	Bali	XVIII.A.516
<i>wassa</i> Roxb.	T.	W. Nusa Tenggara	VII.D.70-70a
sp.	T.	S.E. Sulawesi	X.C.186-186a-186b; VII.D.156-156a, 175, 180-80a, 189-189a-189b, 192-192a-192b-192c, 193, 197, 200-200a, 213, 215, 150
	T.	Bali	VII.D.61-61a-61b; X.C.391-391a-391b-391c, 19-19a-19b-19c-19d-19e-19f-19g-19h-19i-19j, 21, 63-63a, 85, 151-151a-151b, 181-181a-181b-181c-181d, 201, 206-206a, 233-233a-233b-233c, 240-240a-240b, 241-241a; XIII.N.1; XVIII.A.286-286a;

Ficus (Moraceae) - Contd.

sp.	T.	S. Sulawesi	X.C.196; VII.D.121-121a-121b, 127, 130, 131-131a, 132-132a-132b, 133, 134-134a, 135-135a-135b-135c, 142-142a-142b-142c-142d, 167, 171, 176, 178, 182, 183, 184-184a-184b-184c
	T.	S. Sulawesi	VII.D. 184-184a-184b-184c, 187-187a-187b-187c-187d, 188-188a-188b, 214, 216-216a
	W.Cl.	Bali	XV.C.4
	T.	Papua	VII.D.7-7a-7b, 8, 10, 223, 224-224a-224b
	T.	W. Nusa Tenggara	VII.D.25, 243-243a-243b-243c, 244-244a-244b, 245-245a-245b-245c, 251
	T.	E. Nusa Tenggara	VII.D. 118, 119, 120-120a, 88-88a-88b, 92-92a-92b, 95, 106-106a-106b, 146-146a-146b-146c-146d, 153, 157-157a-157b-157c, 173, 111, 163, 65-65a-65b; X.C.569
	T.	C. Sulawesi	VII.D.174, 207-207a
	T.	N. Sulawesi	VII.D.122, 123, 125-125a, 137a, 140, 141-141a, 162, 164-164a, 165-165a-165b-165c-165d-165e, 199

***Ficus* (Moraceae) - Contd.**

sp.	T.	Hawai	VII.D.166-166a-166b-166c-166d-166e
	Sh.	E. Nusa Tenggara	VII.D.195-195a; XIII.K.85-85a-85b-85c
	T.	Gorontalo	VII.D.228

***Filicium* (Sapindaceae)**

<i>decipiens</i> (Wight & Arn.) Thwaites	T.	India	XIV.B.I.8
sp.	T.	N. Sulawesi	XIV.B.I.29

***Fimbribambusa* (Poaceae)**

sp.	W.Cl.	S. Sulawesi	XI.D.164-164a
-----	-------	-------------	---------------

***Fimbristyllis* (Cyperaceae)**

<i>umbellaris</i> (Lam.) Vahl	P.	Bali	Aq. 24
-------------------------------	----	------	--------

***Firmiana* (Malvaceae)**

<i>malayana</i> Kosterm.	T.	E. Java	XIII.B.25-25a-25b-25c
	T.	Bali	XIII.K.44
<i>simplex</i> (L.) W. Wight	T.	C. Sulawesi	XIII.K.18-18a-18b
sp.	T.	W. Nusa Tenggara	XIII.K.14-14a-14b, 11-11a-11b-11c, 109; XIII.H.10-10a-10b-10c, 113-113a-113b-113c-113d
	T.	S. Sulawesi	XIII.H.11-11a-11b

***Flacourtia* (Salicaceae)**

<i>indica</i> (Burm. f.) Merr.	T.	W. Nusa Tenggara	XIII.I.5
	T.	Bali	XIII.I.49-49a

***Flacourtia* (Salicaceae) - Contd.**

<i>rukam</i> Zoll. & Moritz	T.	Bali	X.C.185; XVIII.A.282-282a- 282b-282c-282d- 282e-282f-282g- 282h-282i-282j; XIII.C.3-3a-3b; XIII.I.2 (5 pls.), 7-7a-7b-7c-7d
sp.	T.	-	XIII.I.11-11a-11c
	T.	C. Sulawesi	XIII.I.41-41a
	T.	E. Nusa Tenggara	XII.C.I.70a; XIII.I.24, 26, 50-50a-50b-50c, 33-33a-33b-33c-33d; VII.D.158-158a-158b
	T.	W. Nusa Tenggara	XIII.I.3, 38; XVIII.A.212-212a
	T.	Bali	XIII.I.6-6a-b, 36-36a-36b, 37-37a-37b, 42, 43- 43a, 44-44a-44b-44c, 48-48a
	T.	N. Sulawesi	XIII.I.34
	T.	S. Sulawesi	XIII.I.31-31a-31b, 39-39a-39b-39c-39d
	T.	Papua	XIII.I.22-22a

***Flagellaria* (Flagellariaceae)**

sp.	Cl.	Bali	XII.C.II.98; VII.E.180
	Cl.	E. Nusa Tenggara	XII.C.II.85-85a
	Cl.	N. Sulawesi	XII.C.II.105-105a- 105b

***Flemingia* (Leguminosae)**

<i>strobilifera</i> (L.) W.T. Aiton	Sh.	W. Nusa tenggara	VIII.174
	Sh.	S. Sulawesi	VIII.134

***Flickingeria* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	Bali	ER.44.92; ER.49.102, 103; CG.1.130; CG.4.331
	Hb.	N. Sulawesi	ER.87.653, ER.93.796, CG.1.100, R.III.119-119a
	Hb.	C. Sulawesi	ER.93.794-794a, 795, R.III.55-55a, ER.92.752
	Hb.	E. Kalimantan	R.I.41, 44, 109-109a; R.III.27-27a, 28, 163a, 185a
	Hb.	S. Sulawesi	ER.93.792-792a

***Foeniculum* (Apiaceae)**

<i>vulgare</i> Mill.	Hb.	Bali	X.C.271-271a-271b- 271c-271d-271e, 369; XVIII.A.468-468a- 468b-468c-468d, 512-512a
----------------------	-----	------	--

***Forsythia* (Oleaceae)**

<i>europaea</i> Deg. et Bald.	Sh.	Hungaria	XX.J.20-20a
-------------------------------	-----	----------	-------------

***Fraxinus* (Oleaceae)**

<i>griffithii</i> C.B. Clarke	T.	Bali	XIV.A.3, 7-7a-7b- 7c-7d, 14-14a-14b- 14c-14d, 36-36a-36b-36c-36d, 145-145a-145b-145c; XX.J.17-17a-17b-17c
	T	E. Nusa Tenggara	XIV.A.57; XX.J.18- 18a-18b
	T.	S. Sulawesi	XIV.B.I.22-22a-22b- 22c-22d-22e
<i>latifolia</i> Benth.	T.	France	XX.J.24-24a-24b-24c

***Fraxinus* (Oleaceae) - Contd.**

<i>ornus</i> L.	T.	Berlin	XX.J.21-21a-21b-21c-21d
-----------------	----	--------	-------------------------

***Freycinetia* (Pandanaceae)**

<i>insignis</i> Blume	Cl.	Bali	XI.C.1
sp.	Cl.	E. Nusa Tenggara	XI.C.9-9a-9b-9c-9d
	Cl.	Gorontalo	XI.C.51

***Fuchsia* (Onagraceae)**

<i>magellanica</i> Lam.	Sh.	W. Java	XII.C.II.26-26a
	Sh.	W. Java	VII.E.174-174a-174b-174c-174d
sp.	Sh.	W. Java	VII.E.169-169a

***Galpinia* (Lythraceae)**

sp.	T.	Bali	XV.B.164
-----	----	------	----------

***Garcinia* (Clusiaceae)**

<i>celebica</i> L.	T.	Bali	XIX.G.5, 46-46a-46b-46c
	T.	E. Nusa Tenggara	XIX.G.12, 40, 41-41a, 60-60a-60b
	T.	C. Sulawesi	XIX.G.27
<i>lateriflora</i> Blume	T.	Bali	XIX.G.6-6a
<i>dulcis</i> (Roxb.) Kurz	T.	Bali	XIX.G.30, 52-52a-52b, 57-57a
× <i>mangostana</i> L.	T.	Bali	XVIII.A.155
<i>parviflora</i> Benth.	T.	Bali	XIX.G.54-54a-54b
sp.	T.	W. Nusa Tenggara	XIX.G.3, 44-44a-44b-44c, 48, 51-51a-51b-51c

Garcinia* (Clusiaceae) - *Contd.

sp.	T.	E. Nusa Tenggara	XIX.G.9, 10, 11-11a-11b, 18-18a, 26-26a-26b, 42-42a-42b-42c-42d, 36-36a, 43, 2-2a, 58-58a-58b, 14-14a
	T.	C. Sulawesi	XIX.G.7, 20, 172
	T.	Bali	XIX.G.22-22a, 23-23a, 24, 33, 34-34a-34b, 37; XVIII.A.491; X.C.444
	T.	S.E. Sulawesi	XIX.G.28a, 31-31a, 55-55a
	T.	Sumatra	XIX.G.32-32a-32b
	T.	N. Sulawesi	XIX.G.45-45a-45b-45c-45d
	T.	-	XIX.G.4
	T.	S. Sulawesi	XIX.G.21a-21b

***Gardenia* (Rubiaceae)**

<i>elata</i> Ridl.	T.	E. Nusa Tenggara	X.A.113
<i>tubifera</i> Wall. ex Roxb.	T.	Irian Jaya	X.A.58
<i>jasminoides</i> J. Ellis	Sh.	Bali	X.C. 152, 219; XVIII.A.113-113a, 552 (4 pls.), 579
	Sh.	China	X.C.66-66a
	Sh.	China	XV.B.22-22a

***Garuga* (Burseraceae)**

<i>floribunda</i> Decne.	T.	Bali	XI.A.39
	T.	W. Nusa Tenggara	XIV.B.I.12-12a-12b-12c
	T.	E. Nusa Tenggara	IX.A.8-8a
	T.	C. Sulawesi	XI.A.18-18a-18b-18c

***Gasteria* (Xanthorrhoeaceae) - Contd.**

<i>brevifolia</i> Haw.		W. Java	RK.28-28a-28b-28c-28d
<i>obliqua</i> (Aiton) Duval		-	RK.29-29a-29b-29c-29d-29e-29f-29g-29h-29i-29j

***Gastonia* (Araliaceae)**

sp.	T.	W. Nusa Tenggara	XIX.A.9-9a-9c-9d
-----	----	------------------	------------------

***Gastrochilus* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	E. Nusa Tenggara	ER.75.369
	Hb.	S. Sulawesi	ER.75.370

***Geitonoplesium* (Xanthorrhoeaceae)**

<i>cymosum</i> (R. Br.) A. Cunn. ex R. Br.	Cl.	Bali	XV.B.342-342a
	Cl.	E. Nusa Tenggara	XV.B.343-343a-343b; VII.E.149-149a; 163-163a-163b- 163c-163d, 164-164a-164b-164c- 164d

***Geniostoma* (Loganiaceae)**

<i>oblongifolium</i> Koord. & Valeton	T.	Bali	XII.B.266-266a- 266b-266c-266d
<i>rupestre</i> J.R. Forst. & G. Forst.	T.	E. Nusa Tenggara	X.A.40-40a

***Gigantochloa* (Poaceae)**

<i>apus</i> (Schult.) Kurz	T.	Bali	XI.D.17-17a-17b, 90, 91, 147, 153, 157-157a, 187, 188a, 210-210a-210b, 213- 213a, 223, 238, 239, 262-262a-262b-262c- 262d, 287 (13 pls.), 304-304a, 307, 325, 194, 204-204a-204b- 204c-204d, 331- 331a-331b-331c; X.C.675-675a-675b- 675c-675d, 682-682a, 686-686a-686b-686c- 686d
<i>atter</i> (Hassk.) Kurz	T.	E. Nusa Tenggara	XI.D.31, 131, 105- 105a, 83-83a-83b, 322
<i>atroviolacea</i> Widjaja	T.	S. Sulawesi	XI.D.183, 192
	T.	Bali	XI.D.37
	T.	Java	XI.D.122-122a-122b- 122c-122d
<i>aya</i> Widjaja & Astuti	T.	S. Sulawesi	XI.D.218-218a-218b
	T.	Bali	XI.D.294-294a- 294b-294c-294d- 294e-294f-294g, 369-369a-369b-369c- 369d; X.C.674-674a- 674b-674c-674d
<i>baliana</i> Widjaja & Astuti	T.	Bali	XI.D.228
<i>hasskarliana</i> (Kurz) Backer	T.	Bali	XI.D.234-234a
<i>kuring</i> Widjaja	T.	Bali	XI.D.59, 99
	T.	Bali	XI.D.55, 68, 71, 72, 75, 89, 94, 114, 123-123a-123b-123c- 123d, 126-126a-126b
	T.	Bali	XI.D.56, 81, 129
<i>luteostriata</i> Widjaja	T.	Bali	XI.D.56, 81, 129

***Gigantochloa* (Poaceae) - Contd.**

<i>magentea</i> Widjaja	T.	Bali	XI.D.93
<i>manggong</i> Widjaja	T.	Bali	XI.D.84-84a-84b-84c-84d-84e, 205-205a, 309-309a
	T.	Bali	XI.D.323-323a
<i>nigrociliata</i> (Buse) Kurz	T.	Bali	XI.D.15-15a-15b, 264; X.C.685-685a-685b-685c-685d
<i>pubinervis</i> Widjaja	T.	Bali	XI.D.53, 107-107a-107b-107c-107d, 111-111a, 113-113a-113b-113c-113d, 121-121a-121b-121c-121d, 298
<i>pubipetiolata</i> Widjaja	T.	Bali	XI.D.57
<i>robusta</i> Kurz	T.	Bali	XI.D.77, 326, 208b
<i>serik</i> Widjaja	T.	Bali	XI.D.70
<i>taluh</i> Widjaja & Astuti	T.	Bali	XI.D.151, 301-301a-301b-301c; X.C.680-680a-680b
<i>thoi</i> K.M. Wong	T.	Bali	XI.D.80
<i>velutina</i> Widjaja	T.	Bali	XI.D.64, 69, 97
sp.	T.	Bali	XI.D.14-14a-14b, 16-16a-16b-16c, 18, 19-19a, 22, 24, 25, 47, 51, 65, 86-86a-86b, 87, 98 - 98a - 98b - 98c, 117-117a-117b-117c-117d, 300-300a, 139 - 139a, 140 - 140a, 141, 144, 146 - 146a, 148, 149, 156-156a-156b-156c, 159-159a, 184, 186, 295-295a-295b-295c-295d, 188, 193, 199-199a, 227, 115-115a, 142, 230-230a, 231-231a, 233, 235-235a

***Gigantochloa* (Poaceae) - Contd.**

sp.	T.	Bali	XI.D. 240, 248, 253, 254, 256-256a, 257-257a, 258-258a, 207-207a-207b, 209, 284-284a, 289-289a-289b-289c- 289d, 302-302a, 305-305a-305b- 305c-305d, 201, 202, 221, 263-263a-263b- 263c-263d, 315-315a, 316-316a, 321-321a; XVIII.A.427-427a
	T.	E. Java	XI.D.337-337a-337b
	T.	E. Nusa Tenggara	XI.D.42
	T.	W. Nusa Tenggara	XI.D.278-278a, 291- 291a

***Gymnocalycium* (Cactaceae)**

<i>monvillei</i> subsp. <i>achirasense</i> (H.Till & Schatzl) H.Till	Sc.	Romania	RK.148-148a-148b- 148c-148d
<i>monvillei</i> (Lem.) Pfeiff. ex Britton & Rose	Sc.	France	RK.133

***Ginkgo* (Ginkgoaceae)**

<i>biloba</i> L.	T.	W. Java	N.143 (22 pls.)
	T.	N. China	XIV.A.11; 70-70a-70b-70c, 71-71a-71b-71c-71d; N.152-152a, 153, 154

***Gleditsia* (Leguminosae)**

<i>assamica</i> Bor	T.	N. Sulawesi	VIII.91-91a-91b-91c- 91d
	T.	S. Sulawesi	VIII.139

***Gleditsia* (Leguminosae) - Contd.**

<i>assamica</i> Bor	T.	India	VII.D.17-17a-17b-17c
<i>fera</i> (Lour.) Merr.	T.	N. Sulawesi	VIII.90
	T.	Taiwan	VIII.166-166a-166b-166c

***Glochidion* (Phyllanthaceae)**

<i>lanceolarium</i> (Roxb.) Voigt	T.	W. Nusa Tenggara	XII.C.I.13-13a-13b-13c
<i>lutescens</i> Blume	T.	S. Sulawesi	XII.C.I. 246a-246b-246c-246d
<i>macrocarpum</i> Blume	T.	W. Nusa Tenggara	XII.C.I.17a-17b-17c-17d
<i>macrostigma</i> Hook.f.	T.	W. Nusa Tenggara	XII.C.I.42-42a
<i>novoguineense</i> K. Schum	T.	Papua	XII.C.I. 268 (5 pls.), 287
<i>obscurum</i> (Roxb. ex Willd.) Blume	T.	Bali	XII.C.I.86-86a-86b-86c-86d
	T.	W. Nusa Tenggara	XII.C.I.15-15a-15b
<i>rubrum</i> Blume	T.	Bali	XII.C.I.7-7a, 46
	T.	E. Nusa Tenggara	XII.C.I.209-209a-209b
	T.	W. Nusa Tenggara	XII.C.I.39, 40-40a, 41
	T.	S. Sulawesi	XII.C.I.25
	T.	N. Sulawesi	XII.C.I.140-140a
<i>sericeum</i> (Blume) Zoll & Moritzi	T.	E. Nusa Tenggara	XII.C.I.71-71a-71b-71c
<i>zeylanicum</i> (Gaertn.) A.Juss.	T.	S. Kalimantan	XIV.G.15-15a-15b-15c
	T.	N. Sulawesi	XII.C.I.131-131a-131b-131c
<i>zollingeri</i> Miq.	T.	N. Sulawesi	XII.C.I.152-152a-152b

***Glochidion* (Phyllanthaceae) - Contd.**

sp.	T.	Bali	XII.C.I.16-16a, 44, 45, 47, 148, 153-153a-153b-153c, 184-184a-184b- 184c-184d, 291-291a-291b-291c, 292-292a
	T.	Bali	X.C.460-460a, 529- 529a
	T.	E. Nusa Tenggara	XII.C.I.155-155a- 155b, 156-156a, 83-83a-83b, 95, 96-96a, 128, 229; XIII.I.14-14a
	T.	W. Nusa Tenggara	XII.C.I.12, 14 , 18-18a, 38, 112, 295-295a-295b-295c
	T.	N. Sulawesi	XII.C.I.216, 227-227a-227b-227c
	T.	S. Sulawesi	XII.C.I.221-221a, 204, 207, 250-250a, 252-252a-252b-252c, 273-273a
	T.	S.E. Sulawesi	XII.C.I.225-225a- 225b-225c, 251, 255, 280-280a
	T.	C. Sulawesi	XII.C.I.226, 274
	T.	Papua	XII.C.I.43-43a-43b- 43c, 200-200a, 288

***Glomera* (Orchidaceae)**

<i>amboinensis</i> (Ridl.) J.J.Sm.	Hb.	E. Kalimantan	R.III.190-190a
------------------------------------	-----	---------------	----------------

***Glottiphyllum* (Aizoaceae)**

<i>depressum</i> (Haw.) N.E. Br.	Sc.	Hungary	RK.79-79a
<i>longum</i> (Haw.) N.E. Br.	Sc.	Hungary	RK.78-78a

Glottiphyllum (Aizoaceae) - Contd.

<i>surrectum</i> (Haw.) L. Bolus	Sc.	Hungary	RK.77-77a-77b-77c-77d
----------------------------------	-----	---------	-----------------------

Gloxinia (Gesneriaceae)

<i>perennis</i> (L.) Druce	P.	Bali	N.33-33a-33b-33c-33d
sp.	H.	Bali	N.348, 349

Glycosmis (Rutaceae)

<i>pentaphylla</i> (Retz.) DC.	T.	W. Nusa Tenggara	X.B.13
sp.	Sh.	Bali	X.C.397-397a-397b-397c-397d
	T.	S.E. Sulawesi	X.B.82

Gmelina (Lamiaceae)

<i>arborea</i> Roxb.	T.	Bali	XII.C.I.113; X.J.40, 44-44a, 46-46a-46b-46c-46d
<i>asiatica</i> L.	T.	Bali	XII.C.II.88-88a
	Sh.	India	XIII.C.4
sp.	T.	S. Sulawesi	X.J.20
	T.	Bali	X.J.45-45a

Gomphandra (Stemonuraceae)

<i>javanica</i> (Blume) Valetton	T.	E. Nusa Tenggara	XV.A.11
sp.	Sh.	Bali	VII.A.46
	T.	E. Nusa Tenggara	VII.A. 48-48a-48b-48c-48d
	T.	S. Sulawesi	XV.C.33a
	Sh.	S. Sulawesi	XIV.B.III.100-100a

Goniophlebium (Polypodiaceae)

<i>persicifolium</i> (Desv.) Presl	W.	Bali	IX.E.36
------------------------------------	----	------	---------

Gonystylus (Thymelaeaceae)

sp.	T.	E. Kalimantan	XIII.K.96-96a-96b-96c, 97
-----	----	---------------	---------------------------

Goniothalamus (Annonaceae)

sp.	T.	W. Java	XV.C.52
-----	----	---------	---------

Goodyera (Orchidaceae)

<i>bifida</i> (Blume) Blume ^{2-App.II}	Hb.	Bali	R.III.224-224a
<i>procera</i> (Ker-Gawl.) Hook. ^{2-App.II}	Hb.	Bali	R.III.225-225a
sp. ^{2-App.II}	Hb.	Bali	R.III. 227-227a-277b-277c-277d

Gordonia (Theaceae)

<i>amboinensis</i> (Miq.) Merr.	T.	Bali	XIV.A.6
<i>axillaris</i> (Roxb. ex Ker Gawl.) Endl.	T.	Taiwan	XV.A.30-30a-30b-30c-30d
<i>excelsa</i> (Blume) Blume	T.	Bali	XV.A.7-7a
sp.	T.	W. Nusa Tenggara	XV.A.8
	T.	S.E. Sulawesi	XV.A.12

Gossypium (Malvaceae)

<i>barbadense</i> L.	Sh.	Bali	XVIII.A.260-260a-260b-260c-260d-260e-260f-260g-260h-260i
<i>herbaceum</i> L.	Sh.	Bali	X.C.821
sp.	Sh.	E. Nusa Tenggara	VII.E.179

Grammatophyllum (Orchidaceae)

<i>speciosum</i> Blume ^{2-App.II}	Sc.	C. Sulawesi	ER.93.791; CG.4.295
	Sc.	S. Sulawesi	CG.4.298
	Sc.	E. Kalimantan	R.I.113
	Sc.	Papua	ER.93.790

***Grammatophyllum* (Orchidaceae) - Contd.**

<i>stapeliiflorum</i> (Teijsm. & Binn.) J.J. Sm. ^{2-App.II}	W.	N. Sulawesi	ER. 91.706-706a-70b- 70c-70d
	W.	C. Sulawesi	ER.91.707-707a, 708, 709, 710; CG.4.296, 297
	W.	E. Kalimantan	R.III.6
sp. ^{2-App.II}	W.	S. Sulawesi	ER.84.568
	W.	N. Sulawesi	R.III.123

***Graptophyllum* (Acanthaceae)**

<i>pictum</i> (L.) Griff.	Sh.	Bali	XVIII.A.77-77a-77b- 77c, 148-148a-148b, 201-201a, 261-261a; X.C.226-226a, 235-235a-235b, 266-266a-266b-266c- 266d, 325-325a, XII.C.II.58-58a-58b- 58c-58d
	Sh.	Bali	XVIII.A.541-541a- 541b,
	Sh.	E. Malesia	VII.E.135-135a-135b
	Sh.	E. Nusa Tenggara	VII.E.140-140a- 140b-140c-140d- 140e
sp.	Sh.	Bali	X.C.330, 177-177a-177b; XVIII.A.455-455a- 455b-455c-455d- 455e-455f-455g

***Grevillea* (Proteaceae)**

<i>papuana</i> Diels	T.	Papua	XII.A.77
----------------------	----	-------	----------

Grewia (Malvaceae)

sp.	T.	E. Nusa Tenggara	XX.E.5-5a
	T.	C. Sulawesi	VII.B.I.16-16a

Guadua (Poaceae)

<i>chacoensis</i> (Rojas Acosta) Londono & P.M. Peterson	Clp.	Bali	XI.D. 124-124a-124b-124c- 124d-124e-124f- 124g, 177-177a
---	------	------	---

Guioa (Sapindaceae)

<i>diplopetala</i> (Hassk.) Radlk.	T.	Bali	XIV.A.18, 29-29a, 215-215a-215b-215c
	T.	W. Nusa Tenggara	XIV.A.28-28a; XIV.B.I.27-27a
<i>waigoensis</i> Welzen	T.	Papua	XIV.B.I.110-110a- 110b-110c-110d
sp.	T.	W. Nusa Tenggara	XIV.B.I.14-14b; XIV.B.I.16, 28, 13- 13a
	T.	E. Nusa Tenggara	XIV.B.I.67-67a-67b- 67c, 70-70a-70b- 70c, 35, 56-56a, 83-83a-83b
	T.	Papua	XIV.B.I.112-112a- 112b

Gouania (Rhamnaceae)

<i>microcarpa</i> DC.	T.	Bali	XV.B.162
-----------------------	----	------	----------

Gymnostoma (Casuarinaceae)

<i>nodiflorum</i> (Thunb.) L.A.S.Johnson	T.	S.E. Sulawesi	XIII.F.22-22a-22b
<i>sumatranum</i> (Jungh. ex de Vriese) L.A.S.Johnson	T.	S. Sulawesi	XIII.D.9-9b
	T.	S.E. Sulawesi	XIII.F.27-27a-27b- 27c-27d

***Gynochthodes* (Rubiaceae)**

sp.	T.	E. Nusa Tenggara	X.A.44-44b-44c-44d
-----	----	------------------	--------------------

***Gynura* (Compositae)**

<i>aurantiaca</i> (Blume) Sch. Bip. ex DC.	Sh.	Bali	X.C.417
<i>procumbens</i> (Lour.) Merr.	Cl.	Bali	X.C.337-337a-337b-337c

***Gyrinops* (Thymelaeaceae)**

<i>verteegii</i> (Gilg) Domke	T.	Bali	XIII.K.38-38a-38b
-------------------------------	----	------	-------------------

***Habenaria* (Orchidaceae)**

sp. ^{2-App.II}	Tr.	E. Nusa Tenggara	R.I.26; R.II.49
-------------------------	-----	------------------	-----------------

***Hakea* (Proteaceae)**

<i>sericea</i> Schrad. & J.C. Wendl.	T.	Australia	XII.A.38
---	----	-----------	----------

***Halopegia* (Marantaceae)**

<i>blumei</i> (Korn.) K. Schum.	Sh.	Bali	VII.E.68-68a
sp.	Sh.	Bali	VII.E.70-70a

***Hamelia* (Rubiaceae)**

<i>patens</i> Jacq.	T.	E. Java Peru	X.A.7-7a-7b-7c XIII.C.7
---------------------	----	-----------------	----------------------------

***Harmsioplanax* (Araliaceae)**

<i>aculeatus</i> (Blume) Warb. ex Boerl.	T.	Bali	XIX.A.43-43a-43b-43c
---	----	------	----------------------

***Harmsioplanax* (Araliaceae) - Contd.**

sp.	T.	Bali	XVIII.A.122-122a-122b-122c, 125, 456-456a-456b-456c-456d-456e-456f-456g-456h-456i-456j-456k, 469 (21 pls.)
	T.	E. Nusa Tenggara	XIX.A. 11, 79
	T.	S. Sulawesi	XIX.A.62

***Harpullia* (Sapindaceae)**

<i>arborea</i> (Blanco) Radlk.	T.	E. Nusa Tenggara	XIV.B.I.82-82a-82b-82c-82d-82e
sp.	T.	E. Nusa Tenggara	XIV.B.I.81-81a-81b

***Harrisia* (Cactaceae)**

<i>bonplandii</i> (Parm.) Britton & Rose	Sc.	Italy	RK.122-122a
<i>tortuosa</i> (J. Forbes ex Otto & A. Dietr.) Britton & Rose	Sc.	Netherlands	RK.120-120a-120b-120c
	Sc.	Italy	RK.121-121a

***Harrisonia* (Rutaceae)**

<i>perforata</i> (Blanco) Merr.	W.Cl.	Bali	XIV.A.206-206a; X.B.104-104a
---------------------------------	-------	------	------------------------------

***Haworthia* (Xanthorrhoeaceae)**

<i>cymbiformis</i> (Haw.) Duval	Sc.	W. Java	RK.1-1a-1b, 8-8a-8b-8c-8d
sp.	Sc.	W. Java	RK.6-6a-6b-6c-6d-6e-6f-6g-6h-6i-6j-6k-6l-6m-6n-6o-6p-6q, 7-7a-7b-7c-7d-7e-7f

***Hedera* (Araliaceae)**

<i>helix</i> L.	Cl.	Bali	N.34-34a-34b-34c-34d
-----------------	-----	------	----------------------

***Hedychium* (Zingiberaceae)**

<i>coronarium</i> J. Koenig	Hb.	Bali	X.C.48-48a-48b-48c-48d-48e-48f-48g-48h-48i-48j-48k-48l-48m-48n-48o-48p-48q-48r-48s, 403-403a-403b-403c-403d-403e, 811-811a-811b-811c-811d; VII.C.I.12
sp.	Hb.	Bali	X.C.541-541a
	Hb.	S. Sulawesi	VII.C.I.25-25a-25b-25c-25d

***Heimia* (Lythraceae)**

<i>myrtifolia</i> Cham. & Schltldl.	Sh.	Brazil	XII.C.II.22-22a-22b
-------------------------------------	-----	--------	---------------------

***Helicia* (Proteaceae)**

<i>excelsa</i> (Roxb.) Blume	T.	Bali	XII.A.13-13a-13b-13c-13d
<i>petiolaris</i> Benn.	T.	Bali	XII.A.32
<i>robusta</i> (Roxb.) R.Br. ex Blume	T.	Bali	XII.A.18-18a-18b
sp.	T.	Bali	XII.A.17, 31, 45a-45b-45c, 70-70a, 79, 80-80a-80b-80c-80d
	T.	E. Nusa tenggara	XII.A.55-55a-55b
	T.	E. Nusa Tenggara	XII.A.47
	T.	S.E. Sulawesi	XII.A.64-64a
	T.	Gorontalo	XII.A.78-78a

***Heliconia* (Heliconiaceae)**

<i>bihai</i> (L.) L.	Hb.	Hawai	XVI.A. 19-19a-19b-19c-19d
<i>collinsiana</i> Griggs	Hb.	Hawai	XVI.A. 21-21a-21b-21c-21d
<i>dasyantha</i> K. Koch & C.D. Bouche	Hb.	Brazil	17-17a-17b-17c-17d
<i>hirsuta</i> L. f.	Hb.	Australia	XVI.A.39-39a
<i>psittacorum</i> L. f.	Hb.	-	XVI.A. 43-43a-43b-43c-43d
<i>rostrata</i> Ruiz & Pav.	Hb.	W. Java	XVI.A.40-40a
<i>stricta</i> Huber	Hb.	W. Java	XVI.A.41-41a-41b
<i>wagneriana</i> Petersen	Hb.	Hawai	XVI.A.20-20a-20b-20c-20d

***Hermannia* (Malvaceae)**

<i>incana</i> Cav.	Sh.	Germany	XIII.K. 106-106a-106b-106c
--------------------	-----	---------	-------------------------------

***Heritiera* (Malvaceae)**

sp.	T.	W. Nusa Tenggara	XIII.K.36a-36b
	T.	N. Sulawesi	XIV.B.I.85-85a-85b-85c-85d
	T.	S. Sulawesi	XIV.B.I.86-86a
	T.	C. Sulawesi	XIII.H.12-12a-12b-12c-12d

***Hemigraphis* (Acanthaceae)**

<i>alternata</i> (Burm. f.) T. Anderson	Hb.	Bali	X.C.663
sp.	Hb.	Papua	X.C.672-672a-672b
	Hb.	Bali	X.C.795-795a, 817-817a-817b-817c-817d

***Heterospathe* (Arecaceae)**

<i>delicatula</i> H.E. Moore	T.	Hawai	XIV.E.145-145a-145b
<i>elata</i> Scheff.	T.	Maluku	XIV.E.5

***Hibiscus* (Malvaceae)**

<i>hybridus</i> F. Dietr.	Sh.	Bali	XVIII.A.471
<i>macrophyllus</i> Roxb. ex Hornem ^{1-VU}	T.	E. Nusa Tenggara	XII.C.I.99-99a-99b
<i>mutabilis</i> L.	Sh.	Bali	XV.A.23; X.C.449-449a-449b
	Sh.	Japan	XII.C.II.92
	Sh.	Japan	X.C.147
<i>pedunculatus</i> L. f.	Sh.	S. Africa	X.C.148-148a-148b
<i>rosa-sinensis</i> L.	Sh.	Bali	X.C.2-2a-2d, 7-7a, 64-64a; XV.B.195; XV.A.19-19a-19b-19c, 20-20a-20b, 21, 25-25a-25b-25c-25d; XVIII.A.292-292a-292b, 336-336a-336b-336c-336d
	Sh.	Bali	XVIII.A. 337-337a-337b-337c, 338-338a-338b-338c, 339-339a-339b-339c, 340-340a-340b-340c, 472-472a-472b-472c, 473 (8 pls.), 475(17 pls.), 497-497a, 591-591a-591b-591c, 622-622a-622b-622c-622d; VII.E.95-95a-95b-95c-95d; X.C.585-585a, 586-586a
	Sh.	E. Nusa Tenggara	X.C.142-142a-142b-142c
	Sh.	S. Sulawesi	XII.C.II.87-87a

***Hibiscus* (Malvaceae) - Contd.**

<i>rosa-sinensis</i> L.	Sh.	C. Sulawesi	XV.B.233
<i>sabdariffa</i> L.	Sh.	Bali	X.C.829-829a-829b-829c-829d
<i>schizopetalus</i> (Dyer) Hook. f.	Sh.	Bali	XVIII.A.352, 540-540a-540b-540c; X.C.373-373a-373b-373c
<i>tilliaceus</i> L.	T.	Bali	X.C.81 (2 pls.), 489-489a; VII.E.152-152a-152b, 153-153a-153b
<i>vitifolius</i> L.	Sh.	Bali	XV.B.283
sp.	Sh.	Bali	X.C.3a, 5-5a-5b, 587, 652, 652; XV.A.16-16a-16b, 17-17a-17b-17c, 18, 22, 24-24a; XVIII.A.143-143a, 589-589a-589b-589c-589d, 590-590a-590b-590c, 628-628a-628b-628c-628d, 643-643a-643b
	Sh.	E. Java	N.76-76a-76b-76c, 77-77a-77b-77c, 78-78a-78b-78c, 79-79a-79b-79c
	T.	E. Nusa Tenggara	XII.C.I.73-73a
	T.	W. Nusa Tenggara	XII.C.I.53-53a-53c

***Hildewintera* (Cactaceae)**

<i>aureispina</i> (F.Ritter) F.Ritter ex G.D.Rowley	Sc.	Romania	RK.127
--	-----	---------	--------

***Hippeastrum* (Amaryllidaceae)**

<i>x hibidrum</i> Hort.	Hb.	S.E. America	VII.E.116-116a-116b-116c-116d
-------------------------	-----	--------------	-------------------------------

***Hippeophyllum* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	R.I.3
-------------------------	-----	------------------	-------

***Hippobroma* (Campanulaceae)**

<i>longiflora</i> (L.) G. Don	Hb.	Bali	X.C.386-386a, 301, 732-732a, 815-815a-815b-815c- 815d
-------------------------------	-----	------	--

***Hiptage* (Malpighiaceae)**

<i>benghalensis</i> (L.) Kurz	W.Cl.	Bali	XVIII.A.239-239a- 239b-239c
	W.Cl.	E. Nusa Tenggara	XII.B.97-97a-97b
	W.Cl.	W. Nusa Tenggara	VII.E.99-99a-99b- 99c
	W.Cl.	N. Sulawesi	XII.A.69-69a-69b
sp.	W.Cl.	Bali	VII.E.66-66a-66b- 66c-66d

***Holmskioldia* (Lamiaceae)**

<i>sanguinea</i> Retz.	W.Cl.	Himalaya	XV.B.38-38a-38b
------------------------	-------	----------	-----------------

***Holochlamys* (Araceae)**

sp.	Hb.	Maluku	N.421-421a-421b- 421c-421d
	Hb.	Papua	N.417-417a-417b- 417c

***Homalanthus* (Euphorbiaceae)**

<i>giganteus</i> Zoll. & Moritz	T.	E. Nusa Tenggara	XII.C.I.101
<i>populneus</i> (Geiseler) Pax	T.	E. Nusa Tenggara	XII.C.I. 293-293a-293b-293c
sp.	T.	S. Sulawesi	XII.C.I.211-211a
	T.	Papua	XII.C.I.253

***Homalium* (Salicaceae)**

sp.	T	E. Nusa Tenggara	X.J.13
	T	N. Sulawesi	XIII.I.40-40a-40b-40c-4d-40e

***Homalocladium* (Polygonaceae)**

<i>platycladum</i> (F.Muell.) L.H.Bailey	Sh.	W. Nusa Tenggara	VII.E.173-173a-173b
---	-----	------------------	---------------------

***Homalomena* (Araceae)**

<i>agens</i> Kurniawan & P.C. Boyce	Hb.	E. Kalimantan	N.178-178a-178b-178c-178d
<i>cordata</i> Schott	Hb.	Bali	XVIII.A.56, 629; X.C.259-259a-259b-259c-259d-259e-259f, 260-260a-260b-260c-260d, 285-285a, 408-408a-408b-408c-408d; XIX.K.I.22-22a-22b-22c-22d
	Hb.	Bali	XIX.K.I. 23-23a-23b, 29-29a-29b, 141-141a-141b
<i>pendula</i> (Blume) Bakh. f.	Hb.	Bali	XIX.K.I.142-142a-142b-142c-142d
	Hb.	E. Nusa Tenggara	XIX.K.I.5-5a
<i>humilis</i> (Jack) Hook.f.	Hb.	S.E. Sulawesi	N.381-381a, 386-386a-386b-386c-386d
sp.	Hb.	Bali	XVIII.A.57-57a-57b-57c; N.296; XIX.K.I. 4-4a-4b-4c-4d, 10-10a-10b-10c-10d, 124-124a-124b-124c, 151-151a, 156-156a-156b, 157-157a-157b, 164-164a-164b-164c-164d; X.C.320-320a-320b-320c

***Homalomena* (Araceae) - Contd.**

sp.	Hb.	W. Nusa Tenggara	XIX.K.I.13, 176-176a-176b-176c, 179-179a
	Hb.	E. Nusa Tenggara	N.419
	Hb.	E. Kalimantan	N.183-183a-183b- 183c, 182-182a-182b- 182c-182d
	Hb.	S.E. Sulawesi	N.382-382a, 413-413a-413b-413c- 413d
	Hb.	Gorontalo	XIX.K.I.42-42a-42b- 42c

***Horsfieldia* (Myristicaceae)**

sp.	T.	S.E. Sulawesi	XV.C.50
	T.	S. Sulawesi	XV.C.40

***Hoya* (Apocynaceae)**

sp.	Cl.	Bali	XVIII.A.535-535a; X.C.576
	Cl.	Bali	X.C. 577-577a-577b- 577c-577d
	Cl.	C. Sulawesi	XIV.C.87

***Huperzia* (Lycopodiaceae)**

sp.	Hb.	E. Nusa Tenggara	N.405-405a-405b, 406
-----	-----	------------------	-------------------------

***Hyptis* (Lamiaceae)**

<i>capitata</i> Jacq.	Cl.	Bali	X.C.553-553a-553b- 553c-553d
-----------------------	-----	------	---------------------------------

***Hydnocarpus* (Achariaceae)**

sp.	T.	W. Nusa Tenggara	XV.C.36-36a
-----	----	------------------	-------------

***Hydrangea* (Hydrangeaceae)**

<i>macrophylla</i> (Thunb.) Ser.	Sh.	Japan	XII.C.II.55-55a-55b-55c-55d
----------------------------------	-----	-------	-----------------------------

***Hydriastele* (Arecaceae)**

<i>rostrata</i> Burret	T.	Papua	XIV.E. 106-106a-106b-106c
sp.	T.	S.E. Sulawesi	XIV.E.72-72a
		C. Sulawesi	XIV.E.104-104a
	T.	Papua	XIV.E. 150-150a-150b-150c, 152-152a-152b-152c

***Hygrophila* (Acanthaceae)**

sp.	Sh.	Bali	X.C.28 (10 pls.)
-----	-----	------	------------------

***Hymenocallis* (Amaryllidaceae)**

<i>littoralis</i> (Jacq.) Salisb.	Hb.	Trop. America	VII.E.119-119a-119b-119c-119d
-----------------------------------	-----	---------------	-------------------------------

***Hymenophyllum* (Hymenophyllaceae)**

sp.	Hb.	Bali	IX.E.574-574a-574b-574c-574d
-----	-----	------	------------------------------

***Hymenosporum* (Pittosporaceae)**

<i>flavum</i> (Hook.) F. Muell.	Hb.	Australia	XIV.G.45
---------------------------------	-----	-----------	----------

***Hypericum* (Hypericaceae)**

<i>annulatum</i> Moris	Sh.	Hungaria	XII.C.II.71
<i>calycinum</i> L.	Sh.	S.E. Europe	XII.C.II. 73-73a-73b-73c-73d
<i>hookerianum</i> Wight & Arn.	Sh.	Germany	XII.C.II. 72-72a-72b-72c-72d
sp.	Sh.	Bali	XII.C.II.100
	Sh.	W. Nusa Tenggara	XII.E.94

***Hypobathrum* (Rubiaceae)**

<i>frutescens</i> Blume	Sh.	Bali	XIII.F.10; X.A.34-34a-34b-34c
<i>racemosum</i> (Roxb.) Kurz	Sh.	Bali	X.A.21-21a-21b
sp.	Sh.	Bali	X.A.173, 178-178a-178b-178c
	Sh.	E. Nusa Tenggara	X.A.109, 119
	Sh.	W. Nusa Tenggara	X.C.719-719a
	Sh.	S. Sulawesi	X.A.134
	Sh.	C. Sulawesi	X.A.110-110a-110b
	Sh.	S.E. Sulawesi	X.A.143

***Hypoestes* (Acanthaceae)**

<i>floribunda</i> R. Br.	Sh.	Bali	VII.E. 128-128a-128b-128c-128d
--------------------------	-----	------	-----------------------------------

***Ilex* (Aquifoliaceae)**

<i>odorata</i> Buch.-Ham. ex D. Don	T.	W. Nusa Tenggara	XII.A.41-41a-41b; XVIII.A. 233-233a-233b-233c-233d
<i>rotunda</i> Thunb.	T.	Taiwan	XVII.E.12-12a

***Illicium* (Schisandraceae)**

<i>religiosum</i> Sieb. & Zucc.	Sh.	Bali	XIII.O.37-37a-37b-37c
	Sh.	Japan	XIII.C.32

***Imperata* (Poaceae)**

<i>cylindrica</i> (L.) Raeusch.	Hb.	Bali	X.C.462
---------------------------------	-----	------	---------

***Indigofera* (Leguminosae)**

<i>tinctoria</i> L.	Sh.	E. Nusa Tenggara	VIII.173-173a-173b
---------------------	-----	------------------	--------------------

Inga (Leguminosae)

<i>laurina</i> (Sw.) Willd.	T.	E. India	VIII.4-4a-4b-4c; XIII.J.5-5a-5b
-----------------------------	----	----------	------------------------------------

Inocarpus (Leguminosae)

<i>fagifer</i> (Parkinson) Fosberg	T.	Bali	XVIII.A.653
	T.	Bali	VIII.145-145a

Intsia (Leguminosae)

<i>bijuga</i> (Colebr.) Kuntze ^{1-VU}	T.	E. Nusa Tenggara	VIII.88
sp.	T.	Papua	VIII.125a

Ipomoea (Convolvulaceae)

<i>batatas</i> (L.) Lam.	Cl.	Bali	X.C. 744-744a-744b- 744c-744d, 745-745a-745b-745c- 745d
	Cl.	Bali	X.C. 746-746a-746b- 746c-746d, 747-747a-747b- 747c-747d, 748-748a-748b-748c- 748d
<i>fistulosa</i> Mart. ex Choisy	Sh.	Bali	XVI.A. 24-24a-24b- 24c-24d, 45

Iresine (Amaranthaceae)

<i>herbstii</i> Hook.	Hb.	Brazil	VII.E.172
-----------------------	-----	--------	-----------

Itea (Iteaceae)

<i>macrophylla</i> Wall.	Sh.	Bali	XIV.B.III.8, 133
--------------------------	-----	------	------------------

Ixora (Rubiaceae)

<i>chinensis</i> Lam.	Sh.	Bali	XVIII.A.650
<i>coccinea</i> L.	Sh.	Bali	XVIII.A.119-119a

***Ixora* (Rubiaceae) - Contd.**

<i>nigricans</i> R.Br. ex Wight & Arn.	Sh.	Bali	X.A.2
sp.	Sh.	Bali	X.C.239, 700, 619-619a; X.A. 8-8a-8b-8c-8d-8e,174; X.A.62-62a, 28-28a-28b-28c, 32-32a; XVIII.A.603-603a-603b-603c-603d, 637, 647 (5pls.), 651, 652-652a-652b
	Sh.	E. Nusa Tenggara	X.A.92-92a, 93-93a
	Sh.	W. Nusa Tenggara	X.A.117-117a
	Sh.	N. Sulawesi	X.A.159, 169-169a-169b-169c

***Jacaranda* (Bignoniaceae)**

<i>caucana</i> Pittier	T.	Colombia	X.K.17-17a-17b-17c-17d
<i>obtusifolia</i> Bonpl.	T.	Bali	X.K.27-27a-27b

***Jacobinia* (Acanthaceae)**

sp.	Sh.	Bali	VII.E.132-132a
	Sh.	S. Sulawesi	VII.E.131-131a-131b-131c-131d

***Jacquinia* (Primulaceae)**

sp.	Sh.	Hawai	XIII.J.50
-----	-----	-------	-----------

***Jasminum* (Oleaceae)**

<i>acuminatum</i> (Lam.) Pers.	Cl.	Bali	XX.J.26
<i>sambac</i> (L.) Aiton	Cl.	Bali	X.C.220,360-360a-360b-360c; XVIII.A.156-156a-156b, 31, 597-597a-597b-597c

***Jasminum* (Oleaceae) - Contd.**

<i>sambac</i> (L.) Aiton	Cl.	C. Sulawesi	XX.J.15-15a
<i>multiflorum</i> (Burm. f.) Andrews	Cl.	Bali	X.C.313-313a-313b- 313c
	Cl.	S. Sumatra	XII.C.II.34
sp.	Cl.	E. Nusa Tenggara	XX.J.12-12a-12b- 12c-12d
	Cl.	W. Nusa Tenggara	XVIII.A.229-229a- 229b; XX.J.27-27a- 27b

***Jatropha* (Euphorbiaceae)**

<i>curcas</i> L.	Sh.	Bali	X.C.69a-69b, 173, 514-514a-514b-514c- 514d; XII.C.I.23-23b- 23c, 563-563a-563b
	Sh.	E. Nusa Tenggara	XII.C.I.222-222a- 222b
<i>gossypifolia</i> L.	Sh.	Bali	X.C.295a-295b-295d- 295e, 412-412a-412b- 412c-412d
<i>integerrima</i> Jacq.	Sh.	Bali	X.C.655-655a-655b- 655c
<i>multifida</i> L.	Sh.	Bali	XII.C.I.37, 133; X.C.515-515a-515b- 515c, 822
	Sh.	Trop. America	XII.C.I.234
<i>podagrica</i> Hook.	Sh.	Bali	X.C.357-357a-357b
	Sh.	Trop. America	XII.C.I.5

***Joannesia* (Euphorbiaceae)**

<i>princeps</i> Vell.	T.	Brazil	XIII.M.4
-----------------------	----	--------	----------

***Juniperus* (Cupressaceae)**

<i>procera</i> Hochst. ex Endl. 1-LC	T.	Somali, Kenya	XIII.B.1-1a; XIII.E.9- 9a-9b-9c, 14-14a-14b
---	----	---------------	--

***Justicia* (Acanthaceae)**

<i>brandegeana</i> Wassh. & L. B. Sm.	P.H.	Trop. America	VII.E.130-130a
<i>gendarussa</i> Burm. f.	Sh.	Bali	X.C.562-562a-562b
	Sh.	Bali	X.C.109, 495-495a-495b- 495c-495d, 351-351a-351b-351c, 725-725a-725b- 725c-725d; XV.B. 49-49a-49b-49c-49d
	Sh.	Papua	X.C. 222-222a-222b- 222c
sp.	Sh.	Bali	X.C.544-544a-544b
	Sh.	S.E. Sulawesi	X.A. 141-141a-141b- 141c

***Kaempferia* (Zingiberaceae)**

<i>galanga</i> L.	Hb.	Bali	X.C. 834-834a-834b- 834c
<i>rotunda</i> L.	Hb.	Bali	X.C. 433-433a-433b- 433c, 477-477a
	Hb.	Bali	X.C. 760-760a, 781-781a-781b

***Kibara* (Monimiaceae)**

<i>macrophylla</i> (A. Cunn.) Benth.	T.	C. Sulawesi	XIV.B.III.112 (13 pls.)
---	----	-------------	----------------------------

***Kitaibelia* (Malvaceae)**

<i>vitifolia</i> Willd.	T.	Estonia	XV.A.31, 33
-------------------------	----	---------	-------------

***Knema* (Myristicaceae)**

<i>cinerea</i> Warb.	T.	Bali	X.C.17, 712-712a-712b
sp.	T.	E. Nusa Tenggara	XV.C.42-42a-42b, 36

***Knema* (Myristicaceae) - Contd.**

sp.	T.	N. Sulawesi	XV.C.66-66a, 67
	T.	S.E. Sulawesi	XV.C.49
	T.	Papua	XV.C.68-68a-68b

***Kniphofia* (Xanthorrhoeaceae)**

<i>ensifolia</i> Baker	Hb.	Inggris	VII.E.170-170a-170b-170c-170d
------------------------	-----	---------	-------------------------------

***Koelreuteria* (Sapindaceae)**

<i>elegans</i> subsp. <i>formosana</i> (Hayata) F.G.Mey.	T.	Taiwan	XIV.B.I.108-108a-108b-108c-108d
--	----	--------	---------------------------------

***Koeleria* (Poaceae)**

<i>vallesiana</i> (Honck.) Bertol. ex Schult.	Hb.	Estonia	XI.D.339-339a-339b
--	-----	---------	--------------------

***Kolkwitzia* (Caprifoliaceae)**

<i>amabilis</i> Graebn.	Sh.	Berlin	XVII.A.5-5a-5b-5c-5d
-------------------------	-----	--------	----------------------

***Koordersiodendron* (Anacardiaceae)**

sp.	T	E. Nusa Tenggara	XIV.A.146-146a
-----	---	------------------	----------------

***Kopsia* (Apocynaceae)**

<i>arborea</i> Blume	T.	Bali	XIV.C. 3-3a-3b-3c-3d-3e-3f-3g, 35-35a; X.C. 501-501a-501b-501c-501d-501e, 624-624a-624b-624c, 833
sp.	T.	S. Sulawesi	XIV.C.93-93a-93b

***Lagerstroemia* (Lythraceae)**

<i>floribunda</i> Jack.	T.	E. Java	XIII.E.4
<i>indica</i> L.	T.	China	XIII.B.37-37a; X.H.7

***Lansium* (Meliaceae)**

<i>parasiticum</i> (Osbeck) K.C.Sahni & Bennet	T.	Bali	X.C.602-602a-602b- 602c, 618-618a; XIV.A.225-225a- 225b-225c
---	----	------	---

***Lantana* (Verbenaceae)**

<i>camara</i> L.	Sh.	W. Nusa Tenggara Papua	X.C.234 XV.B.51-51a, 52-52a-52b-52c-52d
	Sh.	Trop. America	XV.B.37-37a-37b, 53-53a-53b-53c-53d
× <i>aculeata</i> L.	Sh.	-	XV.B.55-55a-55b- 55c-55d
<i>canescens</i> Kunth sp.	Sh.	Trop. America -	XV.B.54-54a XV.B.57

***Laplacea* (Theaceae)**

sp.	T.	Bali	XV.A.36-36a-36b- 36c-36d
	T.	S. Sulawesi	XV.A.13-13a-13b- 13c-13d
	T.	S.E. Sulawesi	XV.A.39-39a

***Laportea* (Urticaceae)**

sp.	T.	Bali	XIII.K.4-4a-4b-4c-4d
	T.	E. Nusa Tenggara	VII.C.4

***Lasia* (Araceae)**

<i>spinosa</i> (L.) Thwaites	Hb.	Papua	N.176-176a
------------------------------	-----	-------	------------

***Lasianthus* (Rubiaceae)**

sp.	T.	E. Nusa Tenggara	X.A.103-103a
-----	----	------------------	--------------

***Lathyrus* (Leguminosae)**

<i>latifolius</i> L.	P.	Germany	VIII.169
----------------------	----	---------	----------

***Leea* (Vitaceae)**

<i>aculeata</i> Blume ex Spreng.	Sh.	Bali	XIX.A.72-72a; XVIII.A.244
	Sh.	E. Nusa Tenggara	XIX.A.55-55a-55b- 55c-55d-55e-55f, 63-63a
<i>angulata</i> Korth. ex Miq.	Sh.	Bali	XVIII.A.245, 479-479a-479b- 479c-479d, 558-558a-558b-558c,
<i>indica</i> (Burm. f.) Merr.	Sh.	Bali	XVI.A.47-47a-47b
	Sh.	E. Nusa Tenggara	XIX.A.53-53a-53b- 53c
sp.	Sh.	Bali	XVIII.A.263
	Sh.	E. Nusa Tenggara	XIX.A.14-14a-14b- 14c-14d, 56-56a-56b- 56c
	Sh.	S. Sulawesi	XIX.A.23, 47
	T.	S.E. Sulawesi	XIX.A.38-38a-38b- 38c-38d
	T.	N. Sulawesi	XIX.A. 80-80a-80b- 80c-80d
	T.	Gorontalo	XIX.A.88

***Lepiniopsis* (Apocynaceae)**

sp.	T.	Papua	XIV.C.115-115a- 115b-115c
-----	----	-------	------------------------------

***Lepisanthes* (Sapindaceae)**

<i>alata</i> (Blume) Leenh.	T.	E. Nusa Tenggara	XIV.B.I.43-43a-43b
-----------------------------	----	------------------	--------------------

***Lepisanthes* (Sapindaceae) - Contd.**

sp.	T.	Bali	XIV.B.I.114-114a-114b, 115
	T.	E. Nusa Tenggara	XIV.B.I.66-66a-66c-66d, 68-68a-68b, 71-71a-71b-71c, 46-46a-46b, 97, 118-118a-118b-118c-118d
	T.	E. Kalimantan	XIV.B.I.111-111a
	T.	S. Sulawesi	XIV.B.I.45-45a-45b
	T.	S.E. Sulawesi	XIV.B.I. 3-3b, 44-44a-44b

***Leptochilus* (Polypodiaceae)**

<i>decurrens</i> Blume	W.	E. Nusa Tenggara	IX.E.533-533a
------------------------	----	------------------	---------------

***Leptospermum* (Myrtaceae)**

<i>brachyandrum</i> (F. Muell.) Druce	T.	Bali	XII.B.213
	T.	Australia	XII.B.20-20a-20b
<i>polygalifolium</i> subsp. <i>polygalifolium</i>	T.	E. Nusa Tenggara	XII.B.245-245a
	T.	S. Sulawesi	XII.B.188-188a-188b-188c
	T.	Australia	XII.B.12-12a-12b, 22-22a-22b
<i>javanicum</i> Blume	T.	E. Nusa Tenggara	XII.B.98-98a-98b-98c-98d-98f, 85-85a-85b-85c-85d
<i>scoparium</i> J.R. Forst. & G. Forst.	T.	Bali	XII.B.238-238a
<i>wooroonooran</i> F.M. Bailey	T.	Bali	XII.B.218-218a-218b-218c-218d
	T.	Australia	XII.B.21
sp.	T.	S. Sulawesi	XII.B.236

***Leucaena* (Leguminosae)**

<i>pulverulenta</i> (Schltdl.) Benth.	T.	S. Sulawesi	VIII.129-129a
sp.	T.	W. Nusa Tenggara	VII.A.41-41a-41b

***Libocedrus* (Cupressaceae)**

sp.	T.	Papua	XVI.A.62
-----	----	-------	----------

***Licania* (Chrysobalanaceae)**

<i>tomentosa</i> (Benth.) Fritsch	T.	Guiana	XIII.N.3
-----------------------------------	----	--------	----------

***Licuala* (Arecaceae)**

<i>spinoso</i> Wurm	T.	Cuba, S.E.Asia	XIV.E.2
sp.	T.	S. Sumatra	XIV.E.63
	T.	S.E. Sulawesi	XIV.E.102

***Ligustrum* (Oleaceae)**

<i>glomeratum</i> Blume	T.	Bali	XX.J.9 (5 pls.), 5, 25, 7-7a, 13-13a-13b- 13c, 19-19a-19b
	T.	W. Nusa Tenggara	XX.J.6-6a-6b
	T.	S. Sulawesi	XX.J.11-11a-11b- 11c-11d
<i>ibota</i> Siebold	Sh.	Berlin	XX.J.23-23a-23b-23c
<i>obtusifolium</i> Siebold & Zucc.	Sh.	Berlin	XX.J.22-22a-22b
<i>ovalifolium</i> Hassk.	T.	Japan	XX.J.1-1a-1b
<i>quihoui</i> Carriere	T.	France	XX.J.4
<i>vulgare</i> L.	Sh.	France	XX.J.3-3a-3b
sp.	Sh.	Bali	XVIII.A. 631-631a-631b-631c- 631d-631e
	Sh.	E. Nusa Tenggara	XX.J.8-8a

***Lilium* (Liliaceae)**

<i>longiflorum</i> Thunb.	Sh.	Japan	VII.E.109
---------------------------	-----	-------	-----------

***Lindera* (Lauraceae)**

<i>polyantha</i> (Blume) Boerl.	T.	Bali	XIV.B.III.34-34a-34b, 155-155a
sp.	T.	Bali	XIV.B.III.2-2a, 78- 78a, 80, 8-8a-8b-8c, 134, 136, 139-139a, 157-157a
	T.	W. Nusa Tenggara	XIV.B.III.52, 1-1a-1b-1c-1d, 144
	T.	E. Nusa Tenggara	XIV.B.III.76,149- 149a-149b
	T.	C. Sulawesi	XIV.B.III.75-75a
	T.	S. Sulawesi	XIV.B.II.62a
	T.	Gorontalo	XIV.B.III.129

***Lindsaea* (Lindsaeaceae)**

<i>regularis</i> Rosenst.	W.Cl.	Bali	IX.E.314
sp.	W.Cl.	W. Nusa Tenggara	IX.E.558

***Liparis* (Orchidaceae)**

<i>caespitosa</i> (Thunb.) Lindl. ^{2-App.II}	Hb.	Bali	CG.1.111, 112, 113, 114, 115, 116, 117, 118, 119, 120
	Hb.	W. Nusa Tenggara	CG.4.352, 353
	Hb.	S. Sulawesi	R.II.46
<i>condylobulbon</i> Rchb. f. ^{2-App.II}	Hb.	Bali	ER.74.362-362a- 362b; ER.79.419- 419a, 420, 421, 422, 423-423a, 424, 425- 425a, 426-426a, 427- 427a, 428-428a-428b, 429-429a-429b-429c- 429d; ER.83.563, 564, 565, 566-566a, 567-567a; CG.1.101

***Liparis* (Orchidaceae) - Contd.**

<i>condylobulbon</i> Rchb. f. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.79.430-430a
	Hb.	S. Sulawesi	ER.86.595-595a; R.II.78-78a
<i>elliptica</i> Wight ^{2-App.II}	Hb.	Bali	CG.4.321; R.III.228- 228a-228c-228d
<i>hirundo</i> Holttum ^{2-App.II}	Hb.	Bali	ER.4.12; R.I.219- 219a; R.II.62
<i>pallida</i> (Blume) Lindl. ^{2-App.II} sp. ^{2-App.II}	Hb.	S. Sulawesi	ER.85.581
	Hb.	S.E. Sumatra	ER.85.582
	Hb.	Bali	ER.85.583, 584, 585, 586, 590, 591, 592, 593; R.II.73
	Hb.	E. Java	ER.85.594
	Hb.	W. Nusa Tenggara	ER.85.587
	Hb.	E. Nusa Tenggara	ER.85.589
	Hb.	N. Sulawesi	ER.85.588; R.II.72
	Hb.	Bali	ER.79.434-434a- 434b; R.III.189-189a- 189b-189c-189d
	Hb.	E. Kalimantan	R.I.43, 94; R.III.145- 145a-145b
	Hb.	S. Sulawesi	ER.72.314-314a- 314b; ER.74.366; ER.85.572-572a, 573- 573a, 574; R.II.24, 74
	Hb.	S.E. Sulawesi	ER.74.361-361a- 361b; R.II.76
	Hb.	C. Sulawesi	ER.74.365; ER.85.580
	Hb.	Papua	R.I.163

***Lithocarpus* (Fagaceae)**

<i>bennettii</i> (Miq.) Rehder	T.	Bali	XI.B.18-18a-18b- 18c-18d
sp.	T.	E. Nusa Tenggara	XI.B.13, 12, 3-3a-3b
	T.	S. Sulawesi	XI.B.8, 7-7a

***Lithocarpus* (Fagaceae) - Contd.**

sp.	T.	Papua	XI.B.22-22a-22b-22c, 23-23a-23b-23c-23d
	T.	Hawai	XI.B.16

***Litsea* (Lauraceae)**

<i>confusa</i> Koord. & Valetton	T.	N. Sulawesi	XV.B. 222-222a-222b-222c
<i>firma</i> (Blume) Hook. f.	T.	C. Sulawesi	XIV.B.III.47
<i>glutinosa</i> (Lour.) C.B. Rob.	T.	Philippina	XIII.E.3
<i>hypophaea</i> Hayata	T.	Taiwan	XIV.B.III.122-122a- 122b
<i>resinosa</i> Blume	T.	Bali	VII.A.2
	T.	Bali	XIV.B.III.156-156a
<i>subumbelliflora</i> (Blume) Ng	T.	Bali	XIV.B.III.4, 5-5a, 25-25a-25b-25c-25d, 13-13a-13b-13c-13d, 26
	T.	W. Nusa Tenggara	XIV.B.III.20-20a
<i>timoriana</i> Span.	T.	E. Nusa Tenggara	XIV.B.III.70
<i>tomentosa</i> Blume	T.	E. Nusa Tenggara	XIV.B.III.54-54a- 54b-54c
sp.	T.	Bali	XIV.B.III.27-27a-27b, 35-35a, 59-59a-59b, 83-83a, 41, 135-135a, 138-138a-138b-138c- 138d, 140-140a, 146- 146a, 148, 155-155a; VII.A.10, 19-19a, 20, 33-33a-33b , 21, 7; XVIII.A.422
	T.	W. Nusa Tenggara	XIV.B.III. 3-3a-3b- 3c-3d, 15-15a-15b- 15c, 19, 49-49a-49b, 38, 141, 147-147a, 150; VII.A.29

***Litsea* (Lauraceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIV.B.III.87-87a, 88-88a, 92-92a, 91, 58, 68, 98, 63-63a-63b-63c-63d, 124, 125-125a-125b, 57-57a-57c-57d, 48a, 153-153a-153b-153c- 153d; VII.A.15c, 12-12a, 13-13a-13b- 13c, 18, 4, 25-25a; X.B.70-70a
	T.	S. Sulawesi	VII.A. 27-27a-27b- 27c, 28-28a-28b- 28c-28d, 32-32a-32b-32c-32d; XIV.B.III.102-102a, 109
	T.	C. Sulawesi	XIV.B.III.116
	T.	N. Sulawesi	VII.A.17
	T.	S.E. Sulawesi	XIV.B.III. 126 (4 pls.)
	T.	Gorontalo	XIV.B.III.130
	T.	Philippina	XIV.B.III.29

***Livistona* (Arecaceae)**

<i>rotundifolia</i> (Lam.) Mart.	T.	S.E. Asia	XIV.E.6
	T.	N. Sulawesi	XIV.E.155-155a- 155b-155c

***Lobelia* (Asparagaceae)**

<i>laxiflora</i> Kunth	P.	Mexico	XII.C.II.74-74a
------------------------	----	--------	-----------------

***Lomandra* (Juncaginaceae)**

<i>longifolia</i> Labill.	Sh.	Australia	XII.C.II.114-114a- 114b-114c-114d
---------------------------	-----	-----------	--------------------------------------

***Lophopetalum* (Celastraceae)**

<i>javanum</i> Turcz.	T.	Bali	X.J.4-4a-4b; XVII.E.18, 19-19a-19b-19c, 20-20a-20b
	T.	W. Nusa Tenggara	X.J.5, 8-8a-8b-8c-8d
	T.	E. Nusa Tenggara	X.J.10-10a, 11
	T.	Gorontalo	X.J.35-35a
	T.	Papua	X.J.32
sp.	T.	W. Nusa Tenggara	XVII.E.22-22a-22b

***Lophostemon* (Myrtaceae)**

<i>confertus</i> (R. Br.) Peter G. Wilson & J.T. Waterh.	T.	S. Sulawesi	XIV.B.III. 104-104a-104b-104c- 104d
---	----	-------------	---

***Loxogramme* (Polypodiaceae)**

<i>avenia</i> C. Presl	W.	Bali	IX.E.280
------------------------	----	------	----------

***Luisia* (Orchidaceae)**

<i>javanica</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	ER.83.537, 538
	Hb.	W. Nusa Tenggara	ER.24.48
<i>tristis</i> (G. Forst.) Hook. f. ^{2-App.II}	Hb.	Papua	R.I.141
sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.93.803
	Hb.	E. Nusa Tenggara	R.III.50
	Hb.	S. Sulawesi	ER.93.805

***Lunasia* (Rutaceae)**

<i>amara</i> Blanco	T.	Bali	XIII.K.25-25a
	T.	E. Nusa Tenggara	XII.C.I.121-121b
	T.	Irian Jaya	X.B.84-84a

***Luzuriaga* (Alstroemeriaceae)**

sp.	Cl.	E. Nusa Tenggara	XV.B.332-332a, 145; XII.C.II.99-99a-99b- 99c
-----	-----	------------------	--

***Lycopodium* (Lycopodiaceae)**

sp.	Tr.	Bali	N.217
	Tr.	W. Nusa Tenggara	N.388
	Tr.	S. Sulawesi	N.214, 215
	Tr.	Maluku	N.389
	Tr.	Papua	N.216

***Lygodium* (Lygodiaceae)**

<i>circinnatum</i> (Burm. f.) Sw.	W.Cl.	Bali	IX.E.252-252a-252b- 252c, 411-411a-411b- 411c-411d-411e-411f
	W.Cl.	Bali	IX.E. 473-473a-473b- 473c-473d
	W.Cl.	S. Sulawesi	IX.E.255-255a-255b
	W.Cl.	N. Sulawesi	IX.E.375-375a- 375b-375c-375d, 430-430a-430b-430c- 430d
<i>microphyllum</i> (Cav.) R. Br.	W.Cl.	N. Sulawesi	IX.E. 573-573a-573b- 573c
	W.Cl.	Gorontalo	IX.E.449-449a-449b
	W.Cl.	W. Nusa Tenggara	IX.E. 471-471a-471b- 471c
	W.Cl.	Bali	IX.E.397-397a

***Macadamia* (Proteaceae)**

<i>hildebrandii</i> Steenis	T.	Bali	XII.A.4, 75-75a-75b, 54
	T.	S. Sulawesi	XII.A.14-14a-14b
<i>ternifolia</i> F. Muell.	T.	Australia	XIII.C.22-22a-22b
sp.	T.	E. Nusa Tenggara	XII.A.67

***Macadamia* (Proteaceae)**

sp.	T.	Papua	XII.A.81-81a
-----	----	-------	--------------

***Macaranga* (Euphorbiaceae)**

<i>hispidula</i> (Blume) Mull. Arg.	T.	S. Sulawesi	XII.C.I.100
<i>tanarius</i> (L.) Mull. Arg.	T.	W. Nusa Tenggara	XII.C.I.19-19a
sp.	T.	Bali	XII.C.I.21-21a
	T.	W. Nusa Tenggara	XII.C.I.50, 296-296a, 305-305a
	T.	E. Nusa Tenggara	XII.C.I.78, 231
	T.	S.E. Sulawesi	XII.C.I.150, 245-245a-245b-245c-245d, 249-249a-249b-249c-249d
	T.	S. Sulawesi	XII.C.I.208
	T.	C. Sulawesi	XII.C.I.162
	T.	Gorontalo	XII.C.I.289-289a-289b

***Machilus* (Lauraceae)**

<i>thunbergii</i> Siebold & Zucc.	T.	Taiwan	XIV.B.III.121
-----------------------------------	----	--------	---------------

***Maclura* (Moraceae)**

<i>cochinchinensis</i> (Lour.) Corner	W.Cl.	E. Nusa Tenggara	VII.D. 87-87a-87b-87c-87d-87e
sp.	W.Cl.	E. Nusa Tenggara	VII.D.161-161a, 110, 218, 114-114a-114b, 160-160a
	W.Cl.	W. Nusa Tenggara	VII.D.217, 211
	W.Cl.	S. Sulawesi	VII.D.83-83a-83b, 172
	W.Cl.	C. Sulawesi	VII.D. 168-168a-168b-168c
	W.Cl.	Gorontalo	VII.D.229-229a-229b

Macodes (Orchidaceae)

<i>sanderiana</i> (Kraenzl.) Rolfe ² -App.II	Hb.	Bali	R.III.229
--	-----	------	-----------

Macropanax (Araliaceae)

<i>dispermus</i> (Blume) Kuntze	Sh.	Bali	XIX.A.10-10a-10b-10c
---------------------------------	-----	------	----------------------

Macrosolen (Primulaceae)

sp.	Sh.	-	XV.B.274
-----	-----	---	----------

Maesa (Primulaceae)

<i>junghuhniana</i> Scheff.	Sh.	E. Nusa Tenggara	XX.A.48-48a-48b-48c-48d
-----------------------------	-----	------------------	-------------------------

Maesopsis (Rhamnaceae)

<i>eminii</i> Engl.	T.	Bali	XVIII.A.584-584a-584b
	T.	Trop. Africa	XIV.D.6
sp.	T.	S.E. Sulawesi	X.C.209-209a-209b

Magnolia (Magnoliaceae)

<i>champaca</i> (L.) Baill. ex Pierre	T.	Bali	X.C.714-714a-714b, 210-210a-210b- 210c-210d-210e- 210f; XIII.O.5, 8-8a; XVIII.A.115-115a, 14-14a-14b-14c-14d- 14e-14g, 357
	T.	S. Sulawesi	XIII.O.39
<i>grandiflora</i> L.	T.	Texas	XIII.O.13-13a-13b- 13c ; XIV.D.3

***Magnolia* (Magnoliaceae)**

<i>lilifera</i> (L.) Baill.	Sh.	Bali	XIII.O. 4-4a-4b-4c, 12-12a-12b-12c-12d, 25, 30-30a-30b-30c, 41; XVIII.A.138- 138a-138b-138c- 138d
<i>montana</i> (Blume) Figlar	T.	Bali	XIII.O.10-10a
<i>obovata</i> Thunb.	T.	Japan	XIII.O.40-40a-40b
<i>sumatrana</i> var. <i>glauca</i> (Blume) Figlar & Noot.	T.	Bali	X.C.163-163a-163b- 163c-163d, 713-713a
	T.	Java	XIII.O.1
sp.	T.	Bali	XIII.O.15-15a-15b- 15c16-16a-16b, 17-17a
	T.	E. Nusa Tenggara	XIII.O.14-14a- 14b, 28-28a, 29, 33-33a-33b, 38-38a-38b-38c, 42-42a-42b-42c
	T.	N. Sulawesi	XIII.O.31-31a

***Malaxis* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	Bali	ER.88.826; R.III.230- 230a-230b
	Hb.	E. Nusa Tenggara	R.I.14
	Hb.	W. Nusa Tenggara	R.III.201
	Hb.	E. Kalimantan	R.III.273-273a-273b
	Hb.	N. Sulawesi	R.III.296-296a-296b

***Malacocarpus* (Cactaceae)**

<i>macracanthus</i> (Arechav.) Herter	Sc.	Austria	RK.151-151a-151b- 151c-151d-151e
<i>tetracanthus</i> (Lem.) Rud. Mey.	Sc.	Hungary	RK.156

***Malleola* (Orchidaceae)**

<i>baliensis</i> J.J. Sm. ^{2-App.II}	Hb.	Bali	ER.75.377, 381; CG.4.316, 317, 318, 320
	Hb.	W. Nusa Tenggara	ER.75.379, 389-389a-389b; CG.4.319
	Hb.	N. Sulawesi	ER.75.382,
sp. ^{2-App.II}	Hb.	Bali	ER.75.378-378a-378b
	Hb.	W. Nusa Tenggara	ER.75.380, 391; R.I.6
	Hb.	E. Kalimantan	R.I.77
	Hb.	N. Sulawesi	ER.75.383-383a

***Mallotus* (Euphorbiaceae)**

<i>barbatus</i> Muell. Arg.	T.	S.E. Sulawesi	XII.C.I.254
<i>mollissimus</i> (Geiseler) Airy Shaw	T.	E. Nusa Tenggara	XII.C.I.22
<i>paniculatus</i> (Lam) Muell. Arg.	T.	W. Nusa Tenggara	XII.C.I.52
	T.	S. Sulawesi	XII.C.I.197-197a
sp.	T.	Bali	XII.C.I.76-76b-76c, 151-151a
	T.	E. Nusa Tenggara	XII.C.I.67-67b-67c, 104-104a-104b- 104c-104e, 195-195a-195b, 82- 82a, 304-304a-304b
	T.	S. Sulawesi	XII.C.I.243, 277, 297-297a-297b-297c, 205-205a-205b-205c
	T.	S.E. Sulawesi	XII.C.I.265
	T.	-	XIII.K.39

***Malvaviscus* (Malvaceae)**

<i>arboreus</i> Cav.	Sh.	Bali	XV.B.193
sp.	Sh.	-	X.C.4-4a-4b

***Malvaviscus* (Malvaceae) - Contd.**

sp.	Sh.	Bali	VII.E.89-89a-89b-89c
-----	-----	------	----------------------

***Mammillaria* (Cactaceae)**

<i>bocasana</i> Poselger	Sc.	Hungary	RK.136-136a-136b-136c-136d
<i>elongata</i> DC.	Sc.	Mexico	RK. 24-24a-24b
<i>haageana</i> subsp.	Sc.	Suisse	RK.132-132a
<i>acultzingensis</i> (Linzen & et al.) D.R. Hunt			
<i>heyderi</i> subsp. <i>meiacantha</i> (Engelm.) D.R. Hunt	Sc.	Texas	RK.14 (11 pls.)
<i>mystax</i> Mart.	Sc.	W. Java	RK.32
<i>neocoronaria</i> F.M. Kunth.	Sc.	Schweiz	RK.20 (15 pls.)
<i>parkinsonii</i> Ehrenb.	Sc.	W. Java	RK.30
<i>polythele</i> subsp. <i>durispina</i> (Boed.) D.R. Hunt	Sc.	W. Java	RK. 9-9a-9b-9c-9d
<i>prolifera</i> (Mill.) Haw.	Sc.	Schweiz	RK.23 (4 pls.)
<i>prolifera</i> subsp. <i>haitiensis</i> (K. Schum.) D.R. Hunt	Sc.	Haiti	RK.25
<i>prolifera</i> subsp. <i>multiceps</i> (Salm-Dyck) U. Guzmán	Sc.	Switzerland	RK. 27-27a-27b
			RK. 21 (5 pls.)
<i>rhodantha</i> Link & Otto	Sc.	Italy	RK.154
<i>rossiana</i> Heinr.	Sc.	W. Java	RK.91
<i>wiesingeri</i> Boed.	Sc.	-	RK.16
sp.	Sc.	W. Java	RK. 18-18a-18b-18c-18d

***Mangifera* (Anacardiaceae)**

<i>caesia</i> Jack ^{1-LC}	T.	Bali	X.C.205-205a; 45, 48
<i>indica</i> L. ^{1-DD}	T.	Bali	X.C.441, 648
<i>odorata</i> Griff. ^{1-VU}	T.	Bali	XVIII.A.293-293a; IX.A.49-49a-49b-49c-49d

***Mangifera* (Anacardiaceae) - Contd.**

sp.	T.	Bali	IX.A.2, 5-5a-5b-5c; X.C.625, 583-583a-583b, 668-668a
	T.	E. Nusa Tenggara	IX.A.16-16b-16c-16d, 31, 34-34a, 33, 52-52a
	T.	C. Sulawesi	IX.A.13-13a-13b, 18, 36-36a
	T.	S. Sulawesi	X.C.206-206a
	T.	N. Sulawesi	IX.A.44-44a

***Manihot* (Euphorbiaceae)**

<i>esculenta</i> Crantz	Sh.	Bali	XVIII.A. 159-159a-159b-159c-159d; X.C.450-450a-450b
sp.	Sh.	Bali	X.C.71-71b-71c

***Manilkara* (Sapotaceae)**

<i>kauki</i> (L.) Dubard	T.	Bali	XIV.B.II.6-6a-6b-6c
	T.	E. Nusa Tenggara	XIV.B.II.78

***Maniltoa* (Leguminosae)**

sp.	T.	C. Sulawesi	VIII.104
-----	----	-------------	----------

***Maranta* (Marantaceae)**

<i>arundinacea</i> L.	Sh.	Bali	X.C.40-40a-40b-40c-40d-40e-40f-40g-40h-40i-40j-40k, 133-133a-133b-133c-133d-133e-133f-133g, 321-321a-321b-321c, 812-812a-812b-812c-812d; XVIII.A.184-184a; VII.C.I.15; VII.E.67-67a-67b-67c-67d, 69-69a
	Sh.	-	VII.E.111-111a-111b-111c-111d
<i>lietzei</i> (E. Morren) C.H.Nelson, Sutherl. & Fern.Casas	Hb.	Brazil	VII.E.113-113a-113b
sp.	Sh.	S.E. Sulawesi	VII.C.I.41-41a-41b-41c
	Sh.	Bali	VII.E.71-71a-71b-71c, 74-74a

***Marattia* (Marattiaceae)**

sp.	W.	E. Nusa Tenggara	IX.E.412-412a-412b-412c-412d-412e-412f, 329-329a-329b, 527-527a-527b
	W.	S. Sulawesi	IX.E.262-262a-262b
	W.	Papua	IX.E.451

***Matthaea* (Monimiaceae)**

<i>sancta</i> Blume	T.	C. Sulawesi	XVIII.A.232-232a-232b
sp.	T.	C. Sulawesi	XII.C.I.275-275a-275b

Maxillariella (Orchidaceae)

<i>tenuifolia</i> (Lindl.) M.A. Blanco & Carnevali ^{2-App.II}	Ep.	Mexico	ER.70.270-270a-270b-270c-270d
--	-----	--------	-------------------------------

Medinilla (Melastomataceae)

<i>alpestris</i> Blume	Sh.	Bali	XVIII.A.160-160a
<i>speciosa</i> Blume	Sh.	Bali	XVIII.A.146-146a-146b-146c-146d; XV.B.290
	Sh.	S. Sulawesi	X.C.233-233a-233b-233c
	Sh.	S.E. Asia	XV.B.310
<i>tapetemagicum</i> Camara Leret & Veldk.	Sh.	S. Sulawesi	XV.B.242-242a
sp.	Sh.	Bali	XVIII.A.224; 61-61a-61b-61c,62-62a-62b-62c, 63-63a-63b-63c, 145-145a-145b, 146, 147, 148, 150
	Sh.	W. Nusa Tenggara	XV.B.259, 176-176a-176b-176c-176d
	Sh.	S. Sulawesi	XII.C.II.89-89a-89b-89c-89d; XV.B.319, 320, 322, 316-316a-316b-316c
	Sh.	Gorontalo	XV.A.38
	Sh.	Papua	VII.E.58, 59

Mediocalcar (Orchidaceae)

<i>decoratum</i> Schuit. ^{2-App.II}	Sh.	Papua	R.I.170
<i>uniflorum</i> Schltr. ^{2-App.II}	Sh.	Papua	R.I.166

Megistostigma (Euphorbiaceae)

sp.	T.	N. Sulawesi	XII.C.I.278-278a-278b
-----	----	-------------	-----------------------

Melaleuca (Myrtaceae)

<i>armillaris</i> (Sol. ex Gaertn.) Sm.	T.	Bali	XII.B.214-214a
	T.	Australia	XII.B.80
<i>elliptica</i> Labill.	T.	California	XII.B.16
<i>lanceolata</i> Otto	T.	California	XII.B.17-17a
<i>leucadendra</i> (L.) L.	T.	Australia	XII.B.24-24a
<i>quinquenervia</i> (Cav.) S.T. Blake	T.	Australia	XII.B.19-19a-19b-19c
<i>styphelioides</i> Sm.	T.	Australia	XII.B.25-25a XII.B.73 (7 pls.)

Melastoma (Melastomataceae)

<i>malabathricum</i> L.	Sh.	Bali	VII.E.97-97a-97b; VII.B.I.19
	Sh.	E. Nusa Tenggara	XV.B.149
	Sh.	S.E. Sulawesi	X.C.229-229a-229b
<i>sanguineum</i> Sims	Sh.	W. Nusa Tenggara	VII.E.159-159a-159b
<i>setigerum</i> Blume	Sh.	W. Nusa Tenggara	XV.B.150
sp.	Sh.	Bali	VII.E.151-151a
	Sh.	E. Kalimantan	XV.B.321

Melia (Meliaceae)

<i>azedarach</i> L.	T.	Bali	XIV.A.15-15a-15b
	T.	E. Nusa Tenggara	XIV.A.65a
sp.	T.	E. Nusa Tenggara	XIV.A.171-171a
	T.	S.E. Sulawesi	XIV.A.205-205a- 205b
	T.	E. Kalimantan	XIV.A.214
	T.	Gorontalo	XIV.A.230

Melicope (Rutaceae)

<i>latifolia</i> (DC.) T.G. Hartley	T.	Bali	X.B.40-40a-40b, 7-7a-7b-7c-7d; X.C.590-590a, 558, 557-557a-557b
-------------------------------------	----	------	--

Melicope (Rutaceae) - Contd.

<i>latifolia</i> (DC.) T.G. Hartley	T.	W. Nusa Tenggara	X.B.2-2a-2b-2c-2d
	T.	E. Nusa Tenggara	X.B.60-60a, 9-9a-9b
sp.	T.	C. Sulawesi	X.B.74
	T.	N. Sulawesi	X.B.88
	T.	Bali	X.B.55a-55b-55c, 42, 39
	T.	E. Nusa Tenggara	X.B.61, 32, 34, 45
	T.	W. Nusa Tenggara	XVIII.A.218-218a
	T.	E. Kalimantan	X.B.97
	T.	S. Sulawesi	X.B.56, 62-62a-62b, 65-65a-65b
	T.	C. Sulawesi	X.B.22
	T.	S.E. Sulawesi	X.B.86
	T.	N. Sulawesi	X.B. 81-81a-81b-81c-81d-81e

Meliosma (Sabiaceae)

<i>ferruginea</i> Blume	T.	Bali	XIV.B.II.11; XX.B.8
	T.	W. Nusa Tenggara	XX.B.9-9a-9b, 2-2a-2b
<i>nitida</i> Blume	T.	C. Sulawesi	XIV.B.I.3-3b-3c
<i>simplicifolia</i> (Roxb.) Walp.	T.	E. Nusa Tenggara	XII.A.43
sp.	T.	S. Sulawesi	XI.A.34-34a
	T.	Gorontalo	XX.B.7-7a-7b-7c-7d

Melocactus (Cactaceae)

<i>concinus</i> Buining & Brederoo	Sc.	Suisse	RK.131-131a-131b
<i>curvispinus</i> subsp. <i>caesius</i> (H.L. Wendl.) N.P.Taylor	Sc.	Romania	RK. 163-163a-163b-163c-163d-163e-163f
<i>intortus</i> (Mill.) Urb.	Sc.	Hungary	RK.140

***Melochia* (Malvaceae)**

<i>umbellata</i> (Houtt.) Stapf	T.	Bali	X.C.452, 556-556a, 575, 634-634a
---------------------------------	----	------	----------------------------------

***Melodinus* (Apocynaceae)**

<i>orientalis</i> Blume	W.Cl.	Bali	XIV.C.8-8a-8b, 100-100a-100b-100c-100d, 7-7a-7b-7c, 73-73a
sp.	W.Cl.	E. Nusa Tenggara	XIV.C.40-40a-40b
	W.Cl.	Papua	XIV.C.121-121a

***Mentha* (Lamiaceae)**

<i>arvensis</i> L.	Hb.	Bali	X.C.34-34a-34b-34c-34d-34e, 36-36a-36b-36c-36d-36e
--------------------	-----	------	--

***Mesua* (Calophyllaceae)**

<i>ferrea</i> L.	T.	Bali	XIX.G.53
	T.	C. Sulawesi	XIX.G.47

***Metrosideros* (Myrtaceae)**

sp.	T.	S.E. Sulawesi	XII.B.197-197c-197d
-----	----	---------------	---------------------

***Michelia* (Magnoliaceae)**

<i>alba</i> DC.	T.	Bali	XIII.O.32-32a-32b-32c-32d; XVIII.A.97-97a, 275-275a-275b
sp.	T.	Bali	XIII.O.9, 26-26a, 27, 34-34a; XVIII.A.598
	T.	W. Nusa Tenggara	XIII.O.6, 11-11a-11b-11c
	T.	E. Nusa Tenggara	XIII.O.36 (5 pls.)
	T.	S. Sulawesi	XIII.O.35-35a-35b
	T.	N. Sulawesi	XIII.O.23

***Microcos* (Malvaceae)**

<i>hirsuta</i> (Korth.) Burret	T.	Bali	VII.B.I.14
	T.	W. Nusa Tenggara	VII.B.I.3-3a
	T.	China	VII.B.I.4-4a-4b-4c-4d
<i>paniculata</i> L.	T.	Bali	XX.E.1-1a

***Microlepia* (Dennstaedtiaceae)**

<i>speluncae</i> (L.) T. Moore	W.	W. Nusa Tenggara	IX.E.213-213a-213b-213c-213d-213e
sp.	W.	Bali	IX.E.39
	W.	W. Nusa Tenggara	IX.E.218-218a

***Micromelum* (Rutaceae)**

sp.	T.	Bali	X.B.80-80a-80b
-----	----	------	----------------

***Microsorium* (Polypodiaceae)**

<i>punctatum</i> (L.) Copel	W.	W. Nusa Tenggara	IX.E.483-483a-483b, 290-290a-290b-290c-290d-290e
	W.	S.E. Sulawesi	IX.E.286-286a-286b-286c
	W.	N. Sulawesi	IX.E.387-387a-387b-387c
sp.	W.	Bali	IX.E.160-160a, 272-272a
	W.	W. Nusa Tenggara	IX.E.415-415a-415b, 416-416a
	W.	Papua	IX.E.452

***Mimusops* (Sapotaceae)**

<i>elengi</i> L.	T.	Bali	X.C.715-715a-715b; XIV.B.II.5-5a-5b-5c-5d
------------------	----	------	---

***Mirabilis* (Nyctaginaceae)**

<i>jalapa</i> L.	Hb.	Bali	X.C.666
------------------	-----	------	---------

***Mycaranthes* (Orchidaceae)**

<i>latifolia</i> Blume	Hb.	N. Sulawesi	ER.66.232
	Hb.	C. Sulawesi	ER.66.233
<i>monostachya</i> (Lindl.) Rauschert	Hb.	Bali	CG.3.220, 248, 249, 250, 251, 252, 253, 256, 257, 258
<i>oblitterata</i> Blume	Hb.	Bali	CG.1.128, 135, 136, 137, 138, 139, 140; CG.3.240, 241, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269

***Myrtillocactus* (Cactaceae)**

<i>geometrizans</i> (Mart. ex Pfeiff.) Console	Sc.	W. Java	RK. 10-10a-10b
---	-----	---------	----------------

***Mischocarpus* (Sapindaceae)**

<i>pentapetalus</i> (Roxb.) Radlk.	T.	W. Nusa Tenggara	XI.A.2-2a, 3a-3b, 4
	T.	S.E. Sulawesi	XIV.A. 183-183a-183b-183c- 183d
	T.	Irian Jaya	XI.A.6
<i>sundaicus</i> Blume	T.	W. Nusa Tenggara	XIV.A.79-79a-79b- 79c, 75-75a-75b-75c- 75d-75e
	T.	E. Nusa Tenggara	XIV.B.I.63-63a-63b- 63c
sp.	T.	Bali	XI.A.5
	T.	E. Nusa Tenggara	XIV.A.209- 209a-209b-209c, 24-24a-24b

***Mischocarpus* (Sapindaceae) - Contd.**

sp.	T.	W. Nusa Tenggara	XI.A.1; XIV.B.I.117-117a
	T.	S. Sulawesi	XI.A.17-17a-17b; XIV.B.I.103-103a; 96-96a-96b
	T.	S.E. Sulawesi	XIV.A.98

***Molineria* (Hypoxidaceae)**

<i>capitulata</i> (Lour.) Herb.	Hb.	Bali	VII.D.II.16
---------------------------------	-----	------	-------------

***Montanoa* (Compositae)**

<i>mollissima</i> Brongn. ex Brongn.	Sh.	Mexico	XIX.C.8-8a-8b
--------------------------------------	-----	--------	---------------

***Monstera* (Araceae)**

<i>deliciosa</i> Liebm.	Sh.	Bali	N.308-308a-308b-308c
-------------------------	-----	------	----------------------

***Morina* (Caprifoliaceae)**

<i>longifolia</i> Wall. ex DC.	Sh.	France	XII.C.II.110-110a
--------------------------------	-----	--------	-------------------

***Morinda* (Rubiaceae)**

<i>citrifolia</i> L.	T.	Bali	X.A.183-183a; IX.DI.4-4a-4b
	T.	S.E. Sulawesi	X.A.142-142a-142b
	T.	S. Sulawesi	X.A.74
	T.	N. Sulawesi	X.A.77

***Morus* (Moraceae)**

<i>alba</i> L.	Sh.	Bali	X.C. 252-252a-252b-252c-252d, 317-317a-317b; XVIII.A.480-480a, 481-481a-481b-481c-481d
----------------	-----	------	---

***Muntingia* (Muntingiaceae)**

<i>calabura</i> L.	T.	Bali	X.C.347-347a; XIII.P.61
--------------------	----	------	----------------------------

***Murraya* (Rutaceae)**

<i>paniculata</i> (L.) Jack	T.	Bali	X.C.361, 407-407a, 531-531a-531c, 572, 604; X.B.1-1a
	T.	Bali	X.B. 12-12a-12b, 102-102a-102b-102c- 102d
	T.	Bali	XVIII.A.489, 649- 649a
	T.	E. Nusa Tenggara	X.B.79-79a-79b
	T.	-	X.B.37-37a
sp.	Sh.	Sumatra	X.B.31
		E. Nusa Tenggara	X.B.47-47a-47b

***Musa* (Musaceae)**

<i>balbisiana</i> Colla	Hb.	Bali	X.C.102, 103 (2 pls.)
<i>balbisiana</i> var.	Hb.	Bali	VII.C.8
<i>brachycarpa</i> (Backer) Häkkinen			
<i>x paradisiaca</i> L.	Hb.	Bali	VII.C.12; XVIII.A.107- 107a, 102, 105- 105a, 106-106a, 532-532a-532b-532c, 641-641a; X.C.802, 803, 804, 805, 806, 807, 808
<i>velutina</i> H. Wendl. & Drude	Hb.	Papua Nugini	XVI.A.23-23a
sp.	Hb.	Bali	VII.C.5, 6-6a, 11-11a, 10-10a, 17-17a, 18; XVIII.A.69, 82, 84, 104, 300-300a-300b- 300c, 319, 71, 624, 640

***Musa* (Musaceae) - Contd.**

sp.	Hb.	W. Nusa Tenggara	VII.C.14, 38
	Hb.	E. Nusa Tenggara	X.C.104

***Mussaenda* (Rubiaceae)**

<i>frondosa</i> L.	Sh.	W. Nusa Tenggara	X.A.57-57a
	Sh.	Papua	X.A.61-61a
sp.	Sh.	Bali	X.A. 179 (5 pls.)
	Sh.	E. Nusa Tenggara	X.A.85, 104-104a, 129, 39-39a-39b

***Myrmecophila* (Orchidaceae)**

<i>tibicinis</i> (Bateman ex Lindl.) Rolfe ^{2-App.II}	Hb.	W. Java	R.III.313
--	-----	---------	-----------

***Myrica* (Myricaceae)**

<i>esculenta</i> Buch.-Ham. ex D. Don	T.	W. Nusa Tenggara	XII.A.19-19a-19b
<i>californica</i> Cham. & Schltdl.	T.	France	IX.C.2-2a-2b
<i>rubra</i> (Lour.) Sieb. & Zucc.	T.	China, Japan	XIII.E.26-26b
sp.	T.	Bali	IX.C.3-3a-3b
	T.	E. Nusa Tenggara	XIII.E.70-70a-70b-70c-70d

***Myriophyllum* (Haloragaceae)**

<i>aquaticum</i> (Vell.) Verdc.	P.	Bali	Aq. 22
---------------------------------	----	------	--------

***Myristica* (Myristicaceae)**

<i>rumphii</i> (Blume) Kosterm.	T.	E. Nusa Tenggara	XV.C.15-15a-15b-15c-15d
sp.	T.	E. Nusa Tenggara	IX.A.38-38a-38b-38c-38d; XV.C.26
	T.	W. Nusa Tenggara	XV.C.71-71a-71b

***Myristica* (Myristicaceae) - Contd.**

sp.	T.	S. Sulawesi	XV.C.61
	T.	Maluku	XV.C.70-70a-70b

***Nageia* (Podocarpaceae)**

sp.	T.	S. Sulawesi	XIII.J.55-55a-55b
	T.	Gorontalo	XIII.J.58-58a

***Nandina* (Berberidaceae)**

<i>domestica</i> Thunb.	Sh.	Japan	XII.C.II.80-80a-80b-80c
-------------------------	-----	-------	-------------------------

***Napaea* (Malvaceae)**

<i>dioica</i> L.	Sh.	Hungary	XV.A.32
------------------	-----	---------	---------

***Nauclea* (Rubiaceae)**

sp.	T.	Bali	X.A.5, 15, 29, 35, 36, 56
	T.	N. Sulawesi	X.C.198; X.A.87-87a-87b-87c, 101, 158-158a-158b
	T.	W. Nusa Tenggara	X.A.12, 14-14a, 27-27a-27b-27c-27d, 51-51a-51b-51c-51d, 54, 175-175a
	T.	E. Nusa Tenggara	X.A. 80, 95-95a-95b, 120-120a, 123-123a-123c-123d, 128-128a
	T.	S. Sulawesi	X.A.31, 121
	T.	S.E. Sulawesi	X.A.144 (4 pls.), 145-145a, 124-124a-124b
	T.	C. Sulawesi	X.A.71, 147-147a
	Sh.	Gorontalo	X.A.167
	T.	Papua	X.A.162

***Neolitsea* (Lauraceae)**

<i>javanica</i> (Blume) Backer	T.	W. Nusa Tenggara	XIV.B.III.18-18a-18b-18c, 162-162a
<i>sericea</i> (Blume) Koidz.	T.	Japan	XIV.B.III.131
sp.	T.	Bali	XIV.B.III. 22-22a-22b
	T.	W. Nusa Tenggara	XIV.B.III.37a-37b, 51, 145-145a-145b, 159-159a-159b-159c, 32-32a-32b-32c
	T.	E. Nusa Tenggara	XIV.B.III.152-152a-152b
	T.	N. Sulawesi	XIV.B.III. 118-118a-118b-118c-118d

***Neololeba* (Poaceae)**

<i>atra</i> (Lindl.) Widjaja	Sh.	Papua	XI.D.182-182a
------------------------------	-----	-------	---------------

***Neonauclea* (Rubiaceae)**

sp.	T.	Bali	X.A.23
	T.	W. Nusa Tenggara	X.A.126-126a

***Neoregelia* (Bromeliaceae)**

sp.	Hb.	E. Java	RK.142-142a, 144-144a
-----	-----	---------	-----------------------

***Nepenthes* (Nepenthaceae)**

<i>bellii</i> K. Kondo ^{1-EN}	Cl.	S. Sulawesi	N.25-25a-25b
<i>tomoriana</i> Danser ^{1-VU}	Cl.	S. Sulawesi	N.24
sp.	Cl.	S. Sulawesi	N.26-26a-26b, 212

***Nephrolepis* (Nephrolepidaceae)**

<i>auriculata</i> Trimen	W.	E. Nusa Tenggara	IX.E. 142-142a-142b-142c-142d
<i>cordifolia</i> (L.) C. Presl	W.	Bali	IX.E.198-198a

***Nephrolepis* (Nephrolepidaceae) - Contd.**

<i>duffii</i> T. Moore	W.	Bali	IX.E.74-74a-74b-74c
<i>falcata</i> (Cav.) C. Chr.	W.	Bali	IX.E.305-305a
<i>hirsutula</i> (G. Forst.) C. Presl	W.	Bali	IX.E.38
	W.	E. Nusa Tenggara	IX.E. 336-336a-336b-336c-336d
	W.	W. Nusa Tenggara	IX.E.402
	W.	N. Sulawesi	IX.E. 145-145a-145b-145c
sp.	W.	Bali	IX.E.189, 283, 284-284a-284b-284c, 288, 289-289a, 73-73a
	W.	W. Nusa Tenggara	IX.E. 489-489a-489b-489c, 490
	W.	S.E. Sulawesi	IX.E. 244-244a-244b-244c, 245-245a-245b-245c-245d
	W.	N. Sulawesi	IX.E.388-388a-388b-388c, 434, 454
	W.	S. Sulawesi	IX.E. 392-392a-392b-392c
	W.	Papua	IX.E.441

***Nerium* (Apocynaceae)**

<i>oleander</i> L.	Sh.	Bali	XVIII.A.492, 646
	Sh.	Japan	XV.B.26-26a

***Neyraudia* (Poaceae)**

<i>reynaudiana</i> (Kunth.) Keng & Hitchc.	Hb.	W. Nusa Tenggara	XI.D.26a-26b
--	-----	------------------	--------------

***Nothofagus* (Nothofagaceae)**

sp.	T.	Papua	XI.B. 9-9a-9b-9c-9d-9e, 19-19a-19b
-----	----	-------	------------------------------------

Nothopanax (Araliaceae)

sp.	P.	Bali	XVIII.A.121-121a-121b, 123-123a, 470-470a-470b-470c-470d-470e-470f-470g-470h; XIX.A.13-13a
-----	----	------	--

Nopalea (Cactaceae)

<i>cochenillifera</i> (L.) Salm-Dyck	Sc.	Bali	X.C.296-296a-296b-296c-296d, 414-414a-414b-414c-414d, 656-656a-656b-656c
--------------------------------------	-----	------	--

Nymphaea (Nymphaeaceae)

<i>elleniae</i> S. W. L. Jacobs	P.	Bali	Aq.2
	P.	Bali	Aq.3
<i>pubescens</i> Willd. ^{1-LC}	P.	Bali	Aq.18

Nymphoides (Menyanthaceae)

<i>indica</i> (L.) Kuntze ^{1-LC}	P.	Bali	Aq.19, 25
---	----	------	-----------

Nyssa (Cornaceae)

sp.	T.	E. Nusa Tenggara	XII.A.74
-----	----	------------------	----------

Oberonia (Orchidaceae)

<i>lycopodioides</i> (J. Koneig) Ormerod ^{2-App.II}	Hb.	Papua	R.I.144-144a
<i>similis</i> (Blume) Lindl. ^{2-App.II}	Hb.	S. Sulawesi	CG.4.274; R.III.287
	Hb.	Bali	CG.4.273
sp. ^{2-App.II}	Hb.	Bali	R.III.231-231a-231b-231c-231d
	Hb.	E. Nusa Tenggara	R.I.25-25a-25b

Oberonia (Orchidaceae) - Contd.

sp. ^{2-App.II}	Hb.	S. Sulawesi	R.I.220-220a; R.II.89-89a
	Hb.	S.E. Sulawesi	R.III.67
	Hb.	Papua	R.I.147

Ochna (Ochnaceae)

sp.	T.	E. Java	XV.B.35
	T.	Bali	VII.E.155-155a- 155b-155c-155d

Ochrosia (Apocynaceae)

<i>acuminata</i> Trimen ex Valeton	T.	C. Sulawesi	XIV.C.48-48a-48b
sp.	T.	C. Sulawesi	XIV.C.46
	T.	Bali	XIV.C.123-123a- 123b-123c-123d

Octamyrtus (Myrtaceae)

<i>pleiopetala</i> Diels	T.	Papua	XII.B.254-254a, 255- 255a
--------------------------	----	-------	------------------------------

Octomeles (Datiscaceae)

<i>sumatrana</i> Miq.	T.	C. Sulawesi	XIX.H.3-3a-3b
-----------------------	----	-------------	---------------

Oenothera (Onagraceae)

<i>biennis</i> L.	Sh.	America	VII.E.138
-------------------	-----	---------	-----------

Oncidium (Orchidaceae)

"Americanum" ^{2-App.II}	Hb.	W. Java	ER.63.190 (5pls.)
"Golden Shower" ^{2-App.II}	Hb.	N. Sulawesi	ER.63.191
	Hb.	E. Kalimantan	ER.63.192
<i>spacelatum</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.63.187-187a- 187b-187c-187d

Oncidium (Orchidaceae) - Contd.

<i>sphacelatum</i> Lindl. ^{2-App.II}	Hb.	W. Java	ER.63.188-188a-188b-188c-188d, 189-189a-189b-189c-189d
---	-----	---------	--

Ophioglossum (Ophioglossaceae)

<i>costatum</i> R. Br.	W.	Bali	IX.E.587
<i>pendulum</i> L.	W.	Bali	IX.E.422-422a-422b
sp.	W.	S. Sulawesi	IX.E.157-157a

Ophiopogon (Asparagaceae)

<i>jaburan</i> (Siebold) Lodd.	Sh.	Japan	VII.E.120 (5 pls.)
<i>japonicus</i> (Thunb.) Ker Gawl.	Sh.	Bali	X.C.247-247a-247b-247c-247d

Ophiorrhiza (Rubiaceae)

sp.	Sh.	Bali	X.C.504-504a-504b-504c
-----	-----	------	------------------------

Opuntia (Cactaceae)

<i>crassa</i> Haw.	Sc.	Jerma	RK.84-84a
<i>cubensis</i> Britton & Rose	Sc.	Hungary	RK.129-129a-129b
<i>ficus-indica</i> (L.) Mill.	Sc.	W. Java	RK.58-58a-58b-58c-58d
<i>hanburyana</i> F.A.C. Weber ex A. Berger	Sc.	Italy	RK.119-119a-119b-119c-119d
<i>microdasys</i> (Lehm.) Pfeiff.	Sc.	Romania	RK.86
<i>microdasys</i> subsp. <i>rufida</i> (Engelm.) U. Guzmán & Mandujano	Sc.	Mexico	RK.71 (30 pls.)
<i>robusta</i> J.C. Wendl.	Sc.	Mexico	RK.66-66a-66b-66c-66d
<i>stricta</i> (Haw.) Haw.	Sc.	Italy	RK.130-130a
<i>tomentosa</i> Salm-Dyck	Sc.	Mexico	RK.65 (12 pls.)

***Opuntia* (Cactaceae) - Contd.**

sp.	Sc.	W. Java	RK.62-62a-62b-62c-62d
-----	-----	---------	-----------------------

***Ormosia* (Leguminosae)**

<i>calavensis</i> Blanco	T.	E. Nusa Tenggara	VIII.96-96a-96b-96c
<i>penangensis</i> Ridl.	T.	E. Nusa Tenggara	VIII.63-63a-63b-63c

***Oroxylum* (Bignoniaceae)**

<i>indicum</i> (L.) Kurz	T.	Trop. Asia	X.K.6-6a-6b
--------------------------	----	------------	-------------

***Orthosiphon* (Lamiaceae)**

<i>aristatus</i> (Blume) Miq.	Sh.	Bali	X.C.15, 364-364a-364b-364c, 539-539a-539b, 635-635a-635b; VII.E.126-126a-126b
sp.	Sh.	Bali	X.C.319-319a

***Osmoxylon* (Araliaceae)**

<i>celebicum</i> Philipson	T.	C. Sulawesi	XIX.A.26-26a-26b-26c-26d-26e
sp.	Sh.	S. Sulawesi	XIX.A.74-74a-74b-74c-74d-74e
	Sh.	Bali	XIX.A.5-5a-5b

***Osmunda* (Osmundaceae)**

sp.	W.	C. Sulawesi	IX.E.103
-----	----	-------------	----------

***Otatea* (Poaceae)**

<i>acuminata</i> (Munro) C.E.Calderón ex Soderstr.	Sh.	Mexico	XI.D.136-136a-136b-136c-136d-136e-136f-136g-136h-136i-136j-136k-136l-136m-136n
---	-----	--------	--

***Oxalis* (Oxalidaceae)**

<i>corniculata</i> L.	P.	Bali	X.C.582-582a-582b
<i>debilis</i> var. <i>corymbosa</i> (DC.) Lourteig	P.	Bali	X.C.309-309a-309b- 309c-309d
sp.	Sh.	Bali	X.C.695-695a-695b- 695c-695d

***Oxystelma* (Apocynaceae)**

<i>esculentum</i> (L. f.) Sm.	Cl.	Bali	X.C.126
sp.	Cl.	Bali	XVIII.A.202-202a- 202b

***Paederia* (Rubiaceae)**

<i>foetida</i> L.	Cl.	Bali	X.C.306-306a-306b- 306c-306d
-------------------	-----	------	---------------------------------

***Paeonia* (Paeoniaceae)**

<i>officinalis</i> subsp. <i>microcarpa</i> Nyman	Sh.	Germany	VII.E.171-171a- 171b-171c-171d
--	-----	---------	-----------------------------------

***Palaquium* (Sapotaceae)**

<i>gutta</i> (Hook.) Baill.	T.	Bali	XIV.B.II.22-22a-22b- 22c-22d, 83-83a
<i>obovatum</i> (Griff.) Engl.	T.	S. Sulawesi	XIV.B.II.38-38a-38b- 38c
	T.	C. Sulawesi	XIV.B.II.36a
sp.	T.	Bali	XIV.B.II.7, 10-10a-10b-10c, 17-17a; 42-42a-42b, 55, 64-64a, 65, 79-79a-79b

***Palaquium* (Sapotaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIV.B.II. 18, 27-27a-27b-27c- 27d, 28, 29-29a, 33-33a-33b-33c, 37-37a, 41-41a-41b- 41c-41d, 43-43a-43b, 48-48a, 56-56a, 57-57a-57b-57c-57d, 58, 70-70a-70b-70c,
	T.	W. Nusa Tenggara	XIV.B.II.23-23a-23b- 23c, 80-80a-80b
	T.	S.E. Sulawesi	XIV.B.II.39-39a- 39b, 69-69a-69b, 73-73a-73b
	T.	S. Sulawesi	XIV.B.II.77-77a-77b

***Pandanus* (Pandanaeae)**

<i>amaryllifolius</i> Roxb.	Sh.	Bali	XI.C.24; XVIII.A.9- 9a-9b-9c, 139, 524-524a, 553-553a-553b-553c- 553d
<i>conoideus</i> Lam.	T.	Papua	XI.C.39-39a, 40, 42-42a, 43-43a, 44, 48-48a-48b-48c
<i>marginatus</i> H. St. John	Sh.	Bali	XVIII.A.582-582a
<i>tectorius</i> Parkinson ex Du Roi	Sh.	Bali	X.C.18-18a-18b, 331-331a-331b-331c- 331d; XI.C.37-37a; XVIII.A.268-268a
	Sh.	Bali	XVIII.A. 302-302a-302b-302c
sp.	Sh.	Bali	XI.C.2-2a-2b-2c, 3-3a, 4-4a-4b, 5, 6-6a-6b-6c, 30- 30a, 22, 23, 52-52a; XVIII.A. 140-140a, 343-343a

Pandanus (Pandanaceae) - Contd.

sp.	Sh.	E. Nusa Tenggara	XI.C.17-17a-17b, 19, 27, 36-36a
	Sh.	S. Sulawesi	XI.C.7-7a-7b-7c-7d, 38-38a
	Sh.	C. Sulawesi	XI.C.8-8a-8b-8c
	Sh.	N. Sulawesi	XI.C.20-20a, 28-28a-28b-28c-28d, 31-31a-31b-31c-31d, 35-35a
	Sh.	Gorontalo	XI.C.50-50a
	Sh.	S.E. Sulawesi	XI.C. 21-21a-21b, 25-25a-25b-25c, 26-26a-26b, 32, 33-33a, 34-34a-34b, 45-45a-45b
	T.	Papua	XI.C.46, 47-47a-47b, 49-49a

Pangium (Achariaceae)

<i>edule</i> Reinw.	T.	Bali	XVIII.A.13
---------------------	----	------	------------

Panicum (Poaceae)

<i>auritum</i> J. Presl ex Nees	Hb.	E. Nusa Tenggara	XI.D.285
---------------------------------	-----	------------------	----------

Paphiopedilum (Orchidaceae)

<i>javanicum</i> (Reinw. ex Lindl.) Pfitzer ^{2-App.II}	Hb.	Bali	R.III.104-104a-104b-104c-104d, 269-269a-269b, 270-270a-270b
<i>lowii</i> var. <i>richardianum</i> (Asher & Beaman) O. Gruss ^{2-App.II}	Hb.	E. Kalimantan	R.III.112-112a
<i>schoseri</i> Braem & H. Mohr ^{2-App.II}	Hb.	E. Nusa Tenggara	R.III.267-267a-267b-267c, 268 (4 pls.)
<i>victoria-regina</i> (Sander) M.W.Wood ^{2-App.II}	Hb.	W. Java	R.III.272-272a-272b

***Parartocarpus* (Moraceae)**

<i>venenosus</i> (Zoll. & Moritzi) Becc.	T.	S.E. Sulawesi	VII.D.185a
--	----	---------------	------------

***Parkia* (Leguminosae)**

sp.	T.	W. Nusa Tenggara	VII.A.34-34a-34b-34c-34d
-----	----	------------------	--------------------------

***Parmentiera* (Bignoniaceae)**

<i>cereifera</i> Seem.	T.	Panama	X.K.5; XIII.B.26-26a-26b-26c
------------------------	----	--------	------------------------------

***Passiflora* (Passifloraceae)**

<i>edulis</i> f. <i>flavicarpa</i> O. Deg.	Cl.	Bali	X.C.733-733a-733b
<i>ligularis</i> Juss.	Cl.	Bali	VII.E.108 (5pls.)

***Pavetta* (Rubiaceae)**

<i>montana</i> Reinw. ex Blume	T.	Bali	X.A.112
sp.	T.	Bali	X.A. 9-9a-9b, 11-11a-11c, 84-84a-84b-84c, 111-111a-111b-111c
	T.	E. Nusa Tenggara	X.A.45 (5 pls.), 48-48a, 73-73a-73b-73c, 83-83a-83b, 91-91a, 99-99a, 116 (3 pls.)
	T.	W. Nusa Tenggara	X.C.703-703a-703b; 5-5a-5b-5c-5d
	T.	S. Sulawesi	X.A.132-132a-132b-132c-132d, 133-133a, 140 (5 pls.)

***Payena* (Sapotaceae)**

<i>leerii</i> (Teijsm. & Binn.) Kurz	T.	Bengkulu	XIV.B.II.26
--------------------------------------	----	----------	-------------

***Pelargonium* (Geraniaceae)**

zonale (L.) L'Hér. ex Aiton P. E. Java N.70-70a-70b

***Pellaea* (Pteridaceae)**

sp. Hb. W. Nusa Tenggara IX.E.480-480a-480b-480c
Hb. E. Nusa Tenggara IX.E.496-496a-496b-496c

***Pellionia* (Urticaceae)**

repens (Lour.) Merr. P. Papua VII.C.40-40a-40b-40c-40d

***Pennisetum* (Poaceae)**

alopecuroides (L.) Spreng. Hb. Japan XI.D.348-348a-348b-348c-348d
sp. Hb. Bali XI.D.311-311a-311b-311c-311d

***Pentas* (Rubiaceae)**

lanceolata (Forssk.) Deflers Sh. Bali XVIII.A.625-625a-625b-625c

***Peperomia* (Piperaceae)**

sp. P. E. Java N.65-65a

***Pereskia* (Cactaceae)**

sp. Sc. Bali XII.C.I.290-290a-290b-290c-290d

***Peronema* (Lamiaceae)**

canescens Jack P. Jambi X.J.9-9a-9b

***Persea* (Lauraceae)**

<i>americana</i> Mill.	T.	Bali	X.C.155-155a; XIV.B.III.40-40a
	T.	C. America	XII.A.10-10a-10b
<i>rimosa</i> Zoll. ex Meisn.	T.	Bali	XIV.B.III.7-7a-7b-7c

***Persicaria* (Polygonaceae)**

<i>chinensis</i> (L.) H. Gross	Cl.	Bali	X.C.796
--------------------------------	-----	------	---------

***Petrea* (Verbenaceae)**

<i>volubilis</i> L.	W.Cl.	Trop. America	XV.B.92-92a-92b- 92c-92d
---------------------	-------	---------------	-----------------------------

***Pfeiffera* (Cactaceae)**

<i>ianthothele</i> (Monv.) F.A.C. Weber	Sc.	Suisse	RK.124
	Sc.	Romania	RK.153

***Phaius* (Orchidaceae)**

<i>amboinensis</i> Blume ^{2-App.II}	Hb.	Bali	CG.1.149, 150, 151
<i>flavus</i> (Blume) Lindl. ^{2-App.II}	Hb.	C. Java	CG.1.152
	Hb.	Bali	CG.1.153, 154, 155, 156, 157, 158, 159
	Hb.	E. Nusa Tenggara	R.III.301-301a-301b
<i>tankervilleae</i> (Banks) Blume ^{2-App.II}	Hb.	Bali	ER.88.827-827a- 827b; CG.1.160, 161, 162, 163
	Hb.	Papua	ER.71.815

***Phalaenopsis* (Orchidaceae)**

<i>amabilis</i> (L.) Blume ^{2-App.II}	Hb.	S. Sulawesi	R.II.162, 164, 165
	Hb.	N. Sulawesi	R.II.163, 166, 168
<i>amboinensis</i> J.J. Sm. ^{2-App.II}	Hb.	E. Java	R.II.152-152a
<i>celebensis</i> H.R. Sweet ^{2-App.II}	Hb.	E. Java	R.II.145-145a
	Hb.	C. Sulawesi	R.II.173

***Phalaenopsis* (Orchidaceae) - Contd.**

<i>corningiana</i> Rchb. f. ^{2-App.II}	Hb.	E. Java	R.II.148
<i>fimbriata</i> J.J. Sm. ^{2-App.II}	Hb.	E. Java	R.II.149
<i>gigantea</i> J.J. Sm. ^{2-App.II}	Hb.	E. Java	R.II.153-153a
<i>schilleriana</i> Rchb. f. ^{2-App.II}	Hb.	E. Java	R.II.144-144a-144b-144c
<i>tetraspis</i> Rchb. f. ^{2-App.II}	Hb.	E. Java	R.II.146-146a
<i>violacea</i> H. Witte ^{2-App.II}	Hb.	E. Java	R.II.151-151a-151b-151c
sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	R.I.8
	Hb.	C. Sulawesi	R.II.156
	Hb.	S. Sulawesi	R.II.161

***Phaleria* (Thymelaeaceae)**

<i>capitata</i> Jack	T.	C. Sulawesi	X.A.102-102a-102b
<i>macrocarpa</i> (Scheff.) Boerl.	T.	Papua	XIII.K.64
	T.	Bali	X.C.275-275a-275b, 346-346a-346b-346c-346d, 440 (95 pls.), 629-629a-629b-629c-629d, 664-664a-664b, 697-697a-697b
<i>octandra</i> (L.) Baill.	T.	Bali	XVIII.A.45-45a-45b-45c-45e
	T.	W. Nusa Tenggara	X.C.704
	T.	S. Sulawesi	X.A.94-94a-94b-94c
sp.	Sh.	Bali	XIII.K.24
	T.	Papua	XIII.K.105

***Phanera* (Leguminosae)**

sp.	W. Cl.	Bali	VIII.147-147a-147b-147c-147d
	W. Cl.	S. Sulawesi	VIII.116-116a-116b, 137-137a

***Philodendron* (Araceae)**

<i>bipinnatifidum</i> Schott ex Endl.	Cl.	W. Nusa Tenggara	N.239-239a-239b-239c
“Black Cardinal”	Cl.	E. Java	N.316
<i>gloriosum</i> André	Cl.	C. Sulawesi	XIX.K.I.2-2a-2b-2c-2d
“Hybrid 1”	Cl.	Bali	N.336-336a
<i>pinnatifidum</i> (Jacq.) Schott	Cl.	Brazil	XIII.B.33
<i>rugosum</i> Bogner & G.S. Bunting ^{1-NT}	Cl.	E. Java	N.315
sp.	Cl.	W. Java	N.309
	Cl.	E. Java	N.50, 51, 53
	Cl.	Bali	XIX.K.I.126-126a-126b

***Phoebe* (Lauraceae)**

sp.	T.	S.E. Sulawesi	XIV.B.I.94-94a
-----	----	---------------	----------------

***Phoenix* (Arecaceae)**

<i>roebelenii</i> O'Brien	T.	Laos	XIII.B.3
---------------------------	----	------	----------

***Pholidota* (Orchidaceae)**

<i>carnea</i> (Blume) Lindl. ²⁻ App.II	Sc.	E. Nusa Tenggara	ER.66.234
	Sc.	Bali	ER.82.475 (3 pls.), 476 (3 pls.), 477 (4 pls.); CG.1.93, 147; CG.2.158, 159, 160, 161, 162, 163, 164, 166, 167; CG.4.303, 305
	Sc.	Bali	R.III.232
	Sc.	-	CG.2.165; CG.4.304, 306
	Sc.	S.E. Sulawesi	CG.3.210

Pholidota (Orchidaceae)

<i>gibbosa</i> (Blume) Lindl. ex de Vriese ^{2-App.II}	Sc.	Bali	ER.66.228, 230, 231; ER.82.473; CG.1.87, 89, 90, 91; R.III.233- 233a
	Sc.	C. Sulawesi	ER.66.229
	Sc.	W. Nusa Tenggara	CG.1.86, 88
	Sc.	S. Sulawesi	R.III.17
<i>imbricata</i> Lindl. ^{2-App.II}	Sc.	Bali	ER.82.498 (3 pls.), 499 (3 pls.), 500; CG.2.170, 171; CG.4.346, 348, 355, 356, 357, 358; R.III. 205-205a
	Sc.	S. Sulawesi	ER.66.223 (4 pls.), 224-224a, 226; ER.77.401-401a, 403, 404-404a; ER.86.597; CG.4.347
	Sc.	N. Sulawesi	ER.66.225, 227- 227a; ER.77.400; ER.86.598; R.III.136- 136a-136b
	Sc.	C. Sulawesi	ER.77.402
<i>ventricosa</i> (Blume) Rchb. f. ^{2-App.II}	Sc.	Bali	ER.80.449 (5 pls.), 450 (5 pls.), 451 (5 pls.), 452 (5 pls.); ER.91.738 (5 pls.), 739 (5 pls.)
	Sc.	S. Sulawesi	ER.80.453 (4 pls.), 454 (4 pls.)
sp. ^{2-App.II}	Sc.	C. Sulawesi	ER.91.737 (5 pls.)
	Sc.	Bali	ER.82.501; R.III.234- 234a
	Sc.	S. Sulawesi	R.II.47, 83-83a
	Sc.	S.E. Sulawesi	CG.3.211, 212
	Sc.	E. Kalimantan	R.I.60, 68; R.III.32, 141
	Sc.	Papua	R.I.156-156a

***Photinia* (Rosaceae)**

<i>integrifolia</i> Lindl.	Sh.	E. Nusa Tenggara	XV.A.9-a-9b-9c-9d-9e-9f
sp.	T	E. Nusa Tenggara	XIII.N.12-12a-12b-12c

***Phreatia* (Orchidaceae)**

<i>elongata</i> Schltr. ^{2-App.II}	Sc.	Papua	R.I.143-143a, 190-190a-190b
<i>plantaginifolia</i> (J. Koenig) Ormerod ^{2-App.II}	Sc.	Bali	R.II.61
<i>plexauroides</i> Rchb. f. ^{2-App.II}	Sc.	Bali	CG.3.185, 186; R.II.28
<i>sulcata</i> (Blume) J.J. Sm. ^{2-App.II}	Sc.	Papua	R.II.63-63a; R.III.82
sp. ^{2-App.II}	Sc.	Bali	ER.58.153, 154, 155, 156
	Sc.	W. Nusa Tenggara	ER.58.152
	Sc.	C. Sulawesi	ER.61.181; ER.86.627; R.II.25- 25a; R.III.58
	Sc.	S.E. Sulawesi	ER.61.182; R.III.49
	Sc.	S. Sulawesi	R.II.31
	Sc.	N. Sulawesi	ER.86.626-626a; R.II.30; R.III.130- 130a
	Sc.	E. Kalimantan	R.I.110, 111, 112- 112a
	Sc.	Papua	ER.58.157

***Phrynium* (Marantaceae)**

sp.	Hb.	Bali	X.C.43 (6 pls.)
-----	-----	------	-----------------

***Phyllanthus* (Phyllanthaceae)**

<i>acidus</i> (L.) Skeels	T.	Bali	X.C.204, 394; XII.C.I.132, 177-177a-177b ; XVIII.A.114-114a
---------------------------	----	------	--

***Phyllanthus* (Phyllanthaceae) - Contd.**

<i>affinis</i> Müll. Arg.	Sh.	E. Nusa Tenggara	XII.C.I.106-106b-106c
<i>buxifolius</i> (Blume) Mull. Arg.	Sh.	Bali	X.C.356-356a-356b-356c-356d; XVIII.A.270-270a-270b-270c-270d, 299, 341, 509-509a-509b-509c, 537- 537a, 595-595a-595b, 596-596a-596b-596c, 654-654a
	Sh.	E. Java	XII.C.I.4-4a-4b
<i>juglandifolius</i> Willd.	Sh.	Belanda	XII.C.I.284-284a-284b-284c-284d
<i>lamprophyllus</i> Mull. Arg.	Sh.	C. Sulawesi	XII.C.I.144
<i>niruri</i> L.	Sh.	Bali	X.C.387 (5 pls.)
<i>urinaria</i> L.	Sh.	Bali	X.C.831 (5 pls.)
sp.	Sh.	Bali	XII.B.3-3a
	Sh.	E. Nusa Tenggara	XIX.F.4 (8 pls.)
	Sh.	W. Nusa Tenggara	XII.C.I.294 (5 pls.)
	Sh.	N. Sulawesi	XII.C.I.199
	Sh.	S.E. Sulawesi	XII.C.I.244 (4 pls.)

***Phyllostachys* (Poaceae)**

<i>aurea</i> Rivière & C. Rivière	Sh.	-	XI.D.2-2a
	Sh.	-	XI.D.4-4a
<i>nigra</i> (Lodd. ex Lindl.) Munro	Sh.	China	XI.D.1-1a-1b
sp.	Sh.	S. Sulawesi	XI.D.217-217a

***Phymatodes* (Dipteridaceae)**

sp.	W.	Bali	IX.E.436-436a-436b
-----	----	------	--------------------

***Phymatosorus* (Polypodiaceae)**

<i>longissimus</i> (Blume) Pic. Serm.	Hb.	Bali	IX.E.28
---------------------------------------	-----	------	---------

***Phymatosorus* (Polypodiaceae) - Contd.**

<i>membranifolium</i> (R. Br.) S.G. Lu	W.	Bali	IX.E.276-276a-276b
<i>scolopendria</i> (Burm. f.) Pic. Serm.	W.	E. Nusa Tenggara	IX.E.561-561a

***Phytolacca* (Phytolaccaceae)**

<i>dioica</i> L.	T.	S. America	XIII.F.29-29a-29b; XX.D.1-1a-1b-1c-1d
------------------	----	------------	--

***Picrasma* (Simaroubaceae)**

<i>javanica</i> Blume	T.	Bali	XI.A. 21-21a-21b, 23-23a-23b, 32
	T.	E. Nusa Tenggara	XI.A.10-10a, 22
	T.	W. Nusa Tenggara	XVIII.A.206 -206a -206b-206c; XI.A.13, 1-1a-1b-1c-1d
	T.	C. Sulawesi	XI.A.36; XIV.A.104- 104a

***Pigafetta* (Arecaceae)**

<i>elata</i> (Mart.) H. Wendl.	T.	C. Sulawesi	XIV.E.75-75a-75b- 75c-75d
<i>filaris</i> (Giseke) Becc.	T.	S. Sulawesi	XIV.E.57
	T.	-	XIV.E.4

***Pimelodendron* (Euphorbiaceae)**

sp.	T.	W. Nusa Tenggara	XIII.P.5-5a-5b
-----	----	------------------	----------------

***Pinalia* (Orchidaceae)**

<i>bractescens</i> (Lindl.) Kuntze	Hb.	Papua	R.I.149-149a
<i>multiflora</i> (Blume) Kuntze	Hb.	Bali	ER.17.28; ER.32.68

***Pinalia* (Orchidaceae) - Contd.**

<i>multiflora</i> (Blume) Kuntze	Hb.	Bali	ER.33.69; ER.67. 242, 243; ER.82.521, 522; ER.93.775-775a, 776-776a, 786 (3 pls.); CG.1.58, 84, 85, 96, 97, 98, 127, 141, 142, 143, 144; CG.4.338, 339; ER.93.785 (3 pls.)
	Hb.	E. Nusa Tenggara	CG.4.340; CG.3.270; CG.4.341
	Hb.	N. Sulawesi	ER.93.784; CG.4.342
	Hb.	W. Nusa Tenggara	ER.82.520; CG.1.49
	Hb.	S. Sulawesi	CG.1.48; R.II.87-87a-87b; R.III.252
<i>rhynchostyloides</i> (O'Brien) Y.P.Ng & P.J.Cribb	Hb.	S. Sulawesi	ER.75.386

***Pinanga* (Arecaceae)**

<i>arinasae</i> Witono	T.	Bali	XIV.E.32 (4 pls.) , 61
	T.	Java	XIV.E.9
<i>caesia</i> Blume	T.	C. Sulawesi	XIV.E.77-77a-77b-77c, 92-92b
	T.	N. Sulawesi	XIV.E.79 , 105 (6 pls.), 118-118a
	T.	S.E. Sulawesi	XIV.E.135-135a
	T.	C. Sulawesi	XIV.E.114 (4 pls.)
<i>celebica</i> Scheff.	T.	N. Sulawesi	XIV.E.120 (3pls.)
	T.	C. Sulawesi	XIV.E.132
<i>coronata</i> (Blume ex Mart.) Blume	Sh.	Bali	XIV.E.44 (7 pls.); XVIII.A.291-291a
	Sh.	W. Nusa Tenggara	XIV.E.35 (6 pls.), 39 (4 pls.), 43 (3 pls.)
	Sh.	E. Nusa Tenggara	XIV.E.40 (5 pls.)
	Sh.	N. America	XIV.E.15-15a-15b

***Pinanga* (Arecaceae) - Contd.**

sp.	T.	Bali	XIV.E.45-45a-45b, 46-46-46a-46b-46c- 46d, 47-47a-47b- 47c-47d, 174-174a, 178-178a-178b
	T.	W. Nusa Tenggara	XIV.E.91-91a, 167-167a-167b-167c
	T.	E. Nusa Tenggara	XIV.E.90-90a,119
	T.	S.E. Sulawesi	XIV.E.142-142a, 144-144a-144b-144c- 144d, 172-172a-172b
	T.	S. Sulawesi	XIV.E.81, 85-85a-85b, 160-160a-160b
	T.	N. Sulawesi	XIV.E.157- 157a-157b, 158-158a-158b- 158c-158d-158e, 168-168a-168b-168c- 168d
	T.	C. Sulawesi	XIV.E.161-161a- 161b-161c-161d
	T.	Gorontalo	XIV.E.173-173a, 175-175a-175b-175c- 175d

***Pinus* (Pinaceae)**

<i>armandii</i> Franch.	T.	China	XIII.G.12-12a
<i>canariensis</i> C. Sm. ^{1-LC}	T.	Italy	XIII.G.19
<i>caribaea</i> Morelet ^{1-LC}	T.	C. America	XIII.G.2-2a
<i>echinata</i> Mill. ^{1-LC}	T.	America	XIII.G.10
<i>kesiya</i> var. <i>langbianensis</i> (A.Chev.) Gaussen ex Bui	T.	S.E. Asia	XIII.B.11-11a-11b
<i>massoniana</i> Lamb.	T.	China	XIII.E.7-7a; XIII.G.5
<i>merkusii</i> Jungh. & de Vriese ^{1-LC}	T.	S. Sulawesi	XIII.G.18
<i>nigra</i> J.F. Arnold ^{1-LC}	T.	Belanda	XIII.G.4

***Pinus* (Pinaceae) - Contd.**

<i>radiata</i> D. Don ^{1-LC}	T.	America	XIII.G.6
<i>serotina</i> Michx. ^{1-LC}	T.	America	XIII.G.3
<i>taeda</i> L. ^{1-LC}	T.	America	XIII.G.7
<i>thunbergii</i> Parl. ^{1-LC}	T.	Japan	XIII.G.20-20a-20b-20c
sp.	T.	S.E. Asia	XIII.A.5-5a-5b

***Piper* (Piperaceae)**

<i>aduncum</i> L.	Cl.	N. Sulawesi	XV.B.229-229a
<i>betle</i> L.	Cl.	Bali	X.C.88-88a-88b-88c, 159-159a-159b-159c-159d, 374; XVIII.A.46-46a
<i>caninum</i> Blume	Cl.	Papua	VII.E.64
<i>nigrum</i> L.	Cl.	Bali	X.C.339-339a-339b-339c-339d; XVIII.A.147-147a
sp.	Cl.	Bali	VII.E. 90,142, 144-144a-144b; X.C.503-503a-503b-503c-503d; XVIII.A.305-305a-305b-305c-305d
	Cl.	E. Nusa Tenggara	XVIII.A.446
	Cl.	W. Nusa Tenggara	VII.E.143
	Cl.	Papua	VII.E.65-65a

***Pipturus* (Urticaceae)**

<i>argenteus</i> (G. Forst.) Wedd.	Sh.	W. Nusa Tenggara	XII.C.I.57
------------------------------------	-----	------------------	------------

***Pisonia* (Nyctaginaceae)**

<i>cauliflora</i> Scheff.	T.	E. Nusa Tenggara	XV.C. 47-47a-47b, 48-48a
<i>umbellifera</i> (J.R. Forst. & G. Forst.) Seem.	T.	E. Nusa Tenggara	XV.C.46

***Pisonia* (Nyctaginaceae) - Contd.**

sp.	T.	Bali	XVIII.A.434
	T.	E. Nusa Tenggara	XV.C.45-45a-45b

***Pistia* (Araceae)**

<i>stratiotes</i> L. ^{1-LC}	P.	Bali	Aq. 8
--------------------------------------	----	------	-------

***Pithecellobium* (Leguminosae)**

<i>dulce</i> (Roxb.) Benth.	T.	Trop. America	XIII.E.60
sp.	T.	Bali	VIII.101
	T.	E. Nusa Tenggara	VIII.112-112a, 110-110a-110b-110c- 110d
	T.	S.E. Sulawesi	X.C.208
	T.	E. Kalimantan	VIII.161-161a-161b- 161c

***Pittosporum* (Pittosporaceae)**

<i>crassifolium</i> Banks & Sol. ex A. Cunn.	T.	France	XIV.G.50-50a-50b
<i>ferrugineum</i> W.T. Aiton	T.	Bali	XIV.G.37
	T.	S. Sulawesi	XIV.G.25-25a-25b
<i>heterophyllum</i> Franch.	T.	France	XIV.G.5
<i>moluccanum</i> Miq.	T.	Bali	XIV.G.6, 7-7a, 8, 9-9a, 10a, 13- 13a, 21-21a-21b, 28-28a-28b
	T.	E. Nusa Tenggara	XIV.G. 16-16a, 18a-18b-18c,19-19a, 24
<i>pentandrum</i> (Blanco) Merr.	T.	Bali	XIV.G.44-44a-44b
	T.	E. Nusa Tenggara	XIV.G.23-23a
<i>ramiflorum</i> Zoll. ex Miq.	T.	Papua	XIV.G.48-48a
<i>tobira</i> (Thunb.) W.T. Aiton	T.	France	XIV.G.3-3b-3c
	T.	China	XIV.G.11-11a

***Pittosporum* (Pittosporaceae) - Contd.**

<i>tobira</i> (Thunb.) W.T. Aiton	T.	Japan	XIV.G.47-47a-47b
sp.	T.	Bali	XIV.G. 27-27a-27b-27c, 32-32a-32b-32c
	T.	E. Nusa Tenggara	XIV.G. 22-22a, 29
	T.	E. Nusa Tenggara	XIV.G.30-30a-30b-30c-30d-30e-30f-30g-30h, 38, 40-40a-40b
	T.	W. Nusa Tenggara	XIV.G.61-61a-61b-61c, 62, 63-63a-63b-63c-63d
	T.	S. Sulawesi	XIV.G. 31-31a, 34-34a-34b-34c-34d, 36-36a-36b-36c
	T.	N. Sulawesi	XIV.G.35-35a
	T.	S.E. Sulawesi	XIV.G.41-41a
	T.	Papua	XIV.G.55-55a-55b

***Pityrogramma* (Pteridaceae)**

<i>calomelanos</i> (L.) Link	W.	Bali	IX.E.315
	W.	W. Nusa Tenggara	IX.E.553-553a

***Plagiostachys* (Zingiberaceae)**

<i>crocydocalyx</i> (K. Schum.) B. L. Burt & R. M Sm.	Hb.	W. Nusa Tenggara	X.C.270-270a-270b
---	-----	------------------	-------------------

***Planchonella* (Sapotaceae)**

<i>duclitan</i> (Blanco) Bakh. f.	T.	Bali	XIV.B.II.8-8a-8b-8c-8d, 19-19a
<i>obovata</i> (R. Br.) Pierre	T.	E. Nusa Tenggara	XIV.B.II.74-74a-74b
sp.	T.	Bali	XIV.B.II.63
	T.	W. Nusa Tenggara	XIV.B.II.21-21a-21b-21c, 24-24a-24b, 81-81a

***Planchonella* (Sapotaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XIV.B.II. 30-30a-30b-30c, 31-31a, 49, 59-59a, 60-60a, 82-82a-82b-82c-82d
	T.	S.E. Sulawesi	XIV.B.II.71-71a
	T.	S. Sulawesi	XIV.B.II.66-66a, 67-67a-67b, 68-68a-68b-68c-68d

***Planchonia* (Lecythidaceae)**

<i>valida</i> (Blume) Blume sp.	T.	Bali	XIX.K.19
	T.	E. Nusa Tenggara	XIX.K.3-3a-3b-3c-3d; X.C.190
	T.	C. Sulawesi	XIX.K.22
	T.	Bali	XIX.K.7-7b-7c
	T.	S. Sulawesi	XIX.K.2-2a-2b
	T.	S.E. Sulawesi	XIX.K.13-13a-13b-13c-13d; X.C.189-189a-189b
	T.	W. Nusa Tenggara	XIX.K.25-25a-25b

***Plantago* (Plantaginaceae)**

<i>major</i> L.	P.	Bali	X.C.278-278a-278b-278c-278d
-----------------	----	------	-----------------------------

***Platea* (Icacinaceae)**

<i>excelsa</i> Blume sp.	T.	Bali	XIV.B.III.31
	T.	W. Nusa Tenggara	VII.A.49-49a
	T.	Bali	VII.A. 31, 45-45a; XI.A.7; XVIII.A.241
	T.	E. Nusa Tenggara	VII.A. 6, 16, 24-24a-24b-24c
	T.	W. Nusa Tenggara	VII.A.30
	T.	N. Sulawesi	VII.A.40

***Platyserium* (Polypodiaceae)**

<i>bifurcatum</i> (Cav.) C. Chr	W.	E. Nusa Tenggara	IX.E.582, 583-583a
<i>coronarium</i> (Mull.) Desv.	W.	Bali	N.213

***Platykladus* (Cupressaceae)**

<i>orientalis</i> (L.) Franco ^{1-NT}	T.	Bali	XVI.B.22, 24
	Sh.	Portugal	XIII.E.64-64a, 68-68a
	T.	China	XIII.E.41
	T.	France	XIII.E.42
	T.	Japan	XIII.E.43
	T.	R.S.Romania	XVI.B.5-5a-5b-5c-5d-5e-5f-5g-5h
	T.	Jugoslavia	XVI.B.6a-6b-6c-6d-6e
	T.	China, Japan	XV.C.5
	T.	Germany	XIII.E.67
	T.	Romania	XIII.E.69-69a-69b

***Plectocomia* (Arecaceae)**

sp.	T.	W. Sumatra	XIV.E.88-88a-88b
-----	----	------------	------------------

***Plectranthus* (Lamiaceae)**

<i>amboinicus</i> (Lour.) Spreng.	Sh.	Bali	X.C.729-729a-729b-729c
<i>scutellarioides</i> (L.) R.Br.	Sh.	Bali	X.C.437; XVIII.A.506
sp.	Sh.	W. Nusa Tenggara	VII.E.157

***Pleiogynium* (Anacardiaceae)**

<i>timoriense</i> (A. DC.) Leenh.	T.	E. Nusa Tenggara	XIV.A.66, 67
-----------------------------------	----	------------------	--------------

***Pleocnemis* (Tectariaceae)**

sp.	W.	Bali	IX.E.470-470a-470b-470c-470d, 475-475a
-----	----	------	--

***Plinia* (Myrtaceae)**

<i>edulis</i> (Vell.) Sobral	T.	W. Java	XII.B.70-70a-70b-70c-70d
------------------------------	----	---------	--------------------------

***Plocoglottis* (Orchidaceae)**

<i>plicata</i> (Roxb.) Ormerod ²⁻ App.II	Hb.	E. Kalimantan	R.I.102a
--	-----	---------------	----------

***Pluchea* (Compositae)**

<i>indica</i> (L.) Less.	Sh.	Bali	X.C.738-738a-738b-738c-738d
--------------------------	-----	------	-----------------------------

***Plumbago* (Plumbaginaceae)**

<i>zeylanica</i> L.	Sh.	Bali	X.C.76-76a-76b, 291, 292-292a-292b-292c-292d, 532-532a-532b, 814-814a-814b-814c
sp.	Sh.	Bali	X.C.508-508a-508b-508c

***Plumeria* (Apocynaceae)**

<i>alba</i> L.	T.	Bali	X.C.160; XVIII.A.18-18a
<i>rubra</i> L.	T.	Bali	X.C.491-491a; XVIII.A.17-17a-17b, 134-134a, 494-494a, 632-632a
sp.	T.	Bali	XIV.C.62-62a; XVIII.A.620-620a-620b-620c-620d

***Pneumatopteris* (Thelypteridaceae)**

<i>callosa</i> (Blume) Nakai	W.	E. Nusa Tenggara	IX.E.349-349a-349b-349c-349d
<i>truncata</i> (Poir.) Holttum	W.	S. Sulawesi	IX.E.373

***Podocarpus* (Podocarpaceae)**

<i>neriifolius</i> D. Don ^{1-LC}	T.	Bali	XIII.J.18, 20-20a-20b-20c-20d, 59-59a
	T.	E. Nusa Tenggara	XIII.J.41-41a, 36-36a, 60-60a-60b-60c
	T.	C. Sulawesi	XIII.J.37-37a-37b- 37c-37d-37e
	T.	S. Sulawesi	XIII.J.42, 43-43a-43b
	T.	S.E. Sulawesi	XIII.J.44-44a-44b- 44c
	T.	Gorontalo	XIII.J.57-57a
	T.	India	XIII.B.8-8a-8b; XIII.J. 16b-16c
	T.	Bali	XIII.J.7-7a
	T.	E. Nusa Tenggara	XIII.J.24-24a, 25, 33- 33a, 34-34a-34b
	T.	S. Sulawesi	XIII.J.19
sp.	T.	Papua	XIII.J.35-35a-35b, 49

***Podochilus* (Orchidaceae)**

<i>lucescens</i> Blume ^{2-App.II}	Hb.	C. Sulawesi	ER.72.291-291a
	Hb.	S. Sulawesi	R.III.247
<i>serpyllifolius</i> (Blume) Lindl. ^{2-App.II}	Hb.	Bali	CG.2.149, 150; CG.4.307
	Hb.	C. Sulawesi	CG.4.334; R.II.15- 15a
sp. ^{2-App.II}	Hb.	E. Kalimantan	R.I.57; R.III.176
	Hb.	N. Sulawesi	R.III.129

***Pogostemon* (Lamiaceae)**

<i>cablin</i> (Blanco) Benth.	Sh.	Bali	X.C.37 (8 pls.), 305; XVIII.A.150-150a- 150b-150c-150d
-------------------------------	-----	------	--

***Poikilospermum* (Cecropiaceae)**

<i>cordifolium</i> (Barg.-Petr.) Merr.	Cl.	N. Sulawesi	VII.D.147-147a
---	-----	-------------	----------------

***Polyalthia* (Annonaceae)**

sp.	T.	Bali	XV.C.58, 62
	T.	W. Nusa Tenggara	XV.C.72-72a-72b-72c-72d
	T.	C. Sulawesi	XV.C.34
	T.	Papua	XV.C.53

***Polygonum* (Polygonaceae)**

sp.	Cl.	Bali	X.C.799
-----	-----	------	---------

***Polyosma* (Escalloniaceae)**

<i>integrifolia</i> Blume	T.	Bali	XIV.B.II.12
---------------------------	----	------	-------------

***Polypodium* (Polypodiaceae)**

sp.	W.	E. Nusa Tenggara	IX.E.348-348a-348b-348c
	W.	S. Sulawesi	IX.E.112-112a
	W.	Papua	IX.E.445

***Polyscias* (Araliaceae)**

<i>diversifolia</i> (Blume) Lowry & G.M.Plunkett	T.	Bali	XIX.A.6-6a
	T.	C. Sulawesi	XIX.A.7-7a
<i>javanica</i> Koord. & Valetton	Sh.	Bali	XIX.A.1
<i>nodosa</i> (Blume) Seem.	T.	Bali	XIX.A.4-4a-4c
	T.	E. Nusa Tenggara	XIX.A.52-52a-52b
<i>serratifolia</i> (Miq.) Lowry & G.M.Plunkett	T.	E. Nusa Tenggara	XIX.A.35, 44-44a, 61-61a, 45-45a-45b,
	T.	S.E. Sulawesi	XIX.A. 37-37a-37b, 75-75a
	T.	S. Sulawesi	XIX.A. 24, 36-36a-36b, 39-39a-39b, 40-40a-40b-40c-40d, 41-41a, 42, 50-50a

***Polyscias* (Araliaceae) - Contd.**

<i>serratifolia</i> (Miq.) Lowry & G.M.Plunkett	T.	N. Sulawesi	XIX.A.59-59a
	T.	C. Sulawesi	XIX.A.48
sp.	Sh.	Bali	X.C. 410-410a, 498; XVIII.A.120-120a- 120b-120c-120d; XIX.A.12-12a
	T.	W. Nusa Tenggara	XIX.A.70
	T.	E. Nusa Tenggara	XIX.A.18, 46-46a-46c-46d- 46e-46f-46g-46h, 51-51a-51b-51c-51d- 51e-51f, 54-54a-54b- 54c, 57, 86-86a-86b- 86c-86d
	T.	S.E. Sulawesi	XIX.A.76-76a
	Sh.	S. Sulawesi	XIX.A.21-21a-21b- 21c-21d-21e
	Sh.	USA	XII.C.I.137

***Polystachya* (Orchidaceae)**

<i>concreta</i> (Jacq.) Garay & H.R. Sweet ^{2-App.II}	Hb.	E. Nusa Tenggara	R.III.102
	Hb.	S. Sulawesi	R.II.100-100a

***Polystichopis* (Dryopteridaceae)**

sp.	W.	Bali	IX.E.48-48a-48b-48c- 48d-48e
-----	----	------	---------------------------------

***Polystichum* (Dryopteridaceae)**

<i>aculeatum</i> (L.) Roth ex Mert.	W.	W. Nusa Tenggara	IX.E.56-56a
sp.	W.	Bali	IX.E.537-537a-537b- 537c-537d

***Pomatocalpa* (Orchidaceae)**

<i>diffusum</i> Breta ^{2-App.II}	Hb.	E. Java	ER.72.308-308a
	Hb.	Bali	ER.72.307-307a, 310-310a, 311-311a, 312-312a
	Hb.	E. Nusa Tenggara	ER.86.633
	Hb.	N. Sulawesi	ER.72.309-309a
	Hb.	E. Kalimantan	ER.72.313
<i>spicatum</i> Breda, Kuhl & Hasselt ^{2-App.II}	Hb.	Papua	ER.72.316-316a-316b
	Hb.	N. Sulawesi	R.III.188-188a-188b
sp. ^{2-App.II}	Hb.	N. Sulawesi	ER.72.315-315a- 315b, 320
	Hb.	C. Sulawesi	ER.72.318, 319; R.I.215

***Pongamia* (Leguminosae)**

<i>pinnata</i> (L.) Pierre	Sh.	Bali	VIII.42-42a-42b- 42c-42d-42e-42f- 42g-42h-42i-42j, 187-187a
----------------------------	-----	------	--

***Pontederia* (Pontederiaceae)**

<i>cordata</i> L.	Hb.	Bali	Aq.6, 15
-------------------	-----	------	----------

***Pothos* (Araceae)**

<i>junghuhnii</i> de Vriese	Cl.	S.E. Sulawesi	N.383-383a
-----------------------------	-----	---------------	------------

***Premna* (Lamiaceae)**

<i>oblongata</i> Miq.	W.Cl.	Bali	X.C.95
sp.	W.Cl.	Bali	X.C.492

***Procris* (Urticaceae)**

<i>ruhlandii</i> H. Schroet.	Sh.	Bali	XIX.F.11 (5 pls.)
------------------------------	-----	------	-------------------

***Protium* (Burseraceae)**

<i>javanicum</i> Burm. f.	T.	Bali	X.C.607-607a
---------------------------	----	------	--------------

***Prunus* (Rosaceae)**

<i>campanulata</i> Maxim.	T.	California	XIII.N.4-4a
<i>cerasoides</i> Buch.-Ham. ex D. Don	T.	Himalaya	XII.A.3; XIII.B.17, 32; XIII.N.6a
sp.	T.	Bali	XII.C.I.2; XIII.N.16-16a-16b-16c; XVIII.A.213-213a, 215-215a-215b
	T.	E. Nusa Tenggara	VII.A.26-26a; XIII.P.25, 23; XII.C.I.94-94a-94b-94c-94d
	T.	W. Nusa Tenggara	XIII.N.20, 21-21a-21b-21c-21d
	T.	S. Sulawesi	XIV.B.III.71-71a
	T.	Japan	XIII.N.11-11a-11b-11c

***Pseuderanthemum* (Acanthaceae)**

sp.	Sh.	Bali	XV.B.121-121a-121b-121c; VII.E.22; XII.C.II.14-14a-14b-14c, 108; XVIII.A.129-129a, 264-264a
-----	-----	------	---

***Pseudoclausena* (Meliaceae)**

sp.	T.	E. Nusa Tenggara	XIV.A.63-63a-63b-63c-63d
-----	----	------------------	--------------------------

***Pseudolobivia* (Cactaceae)**

<i>kermesina</i> Krainz	Sc.	W. Java	RK.102
-------------------------	-----	---------	--------

***Pseudomussaenda* (Rubiaceae)**

<i>flava</i> Verdc.	Sh.	E. Java	N.71-71a-71b
	Sh.	Trop. Asia	X.C.698

***Psidium* (Myrtaceae)**

<i>cattleianum</i> Afzel. ex Sabine	T.	France	XII.B.251-251a-251b-251c-251d
	T.	Japan	XII.B.252-252b
<i>guajava</i> L.	T.	Bali	X.C. 136, 153-153a-153b, 826; XIV.D.15-15a
	T.	E. Nusa Tenggara	XII.B.162-162a-162b-162c-162d, 274
	T.	S. Sulawesi	XII.B.165-165a-165b-165c; XIV.D.28-28a
	T.	S.E. Sulawesi	XII.B.181-181a-181b-181c-181d
	T.	C. Sulawesi	XIV.D.37-37a-37b-37c-37d

***Psilotum* (Psilotaceae)**

<i>nudum</i> (L.) P. Beauv.	W.	E. Nusa Tenggara	IX.E.569-569a-569b-569c
-----------------------------	----	------------------	-------------------------

***Psophocarpus* (Leguminosae)**

<i>tetragonolobus</i> (L.) DC.	H.	Bali	XVIII.A.618-618a-618b-618c-618d
--------------------------------	----	------	---------------------------------

***Psychotria* (Rubiaceae)**

<i>rostrata</i> Blume	Sh.	S.E. Sulawesi	X.A.137-137-137b-137c
sp.	Sh.	Bali	X.C.612-612a-612b; XVIII.A.482-482a
	Sh.	E. Nusa Tenggara	X.A.47, 43-43a
	Sh.	W. Nusa Tenggara	XIV.C.20-20a-20b-20c-20d

***Psychotria* (Rubiaceae) - Contd.**

sp.	Sh.	N. Sulawesi	X.A.86
	Sh.	S. Sulawesi	X.A.153
	Sh.	Gorontalo	X.A.165-165a-165b-165c-165d, 170
	Sh.	S.E. Sulawesi	X.A.115-115a
	T.	Papua	X.A.163-163a-163b-163c-163d

***Psydrax* (Rubiaceae)**

<i>dicoccos</i> Gaertn. ^{1-LC}	T.	Bali	X.C.706-706a-706b
	T.	W. Nusa Tenggara	X.A.19
	T.	E. Nusa Tenggara	X.A.65-65a-65b

***Pteridium* (Dennstaedtiaceae)**

<i>aquilinum</i> (L.) Kuhn.	W.	Bali	IX.E.506-506a-506b-506c-506d
sp.	W.	Bali	IX.E.199-199a-199b-199c

***Pteris* (Pteridaceae)**

<i>biaurita</i> L.	W.	Bali	IX.E.200-200a-200b, 201-201a-201b
	W.	W. Nusa Tenggara	IX.E.217-217a-217b, 323
	W.	E. Nusa Tenggara	IX.E.328-328a
	W.	S.E. Sulawesi	IX.E.319-319a
<i>cretica</i> L.	W.	Bali	IX.E.14
	W.	E. Nusa Tenggara	IX.E.492-492a
<i>cretica</i> "Albo-Lineata"	W.	Germany	IX.E.7
<i>ensiformis</i> Burm. f.	W.	Bali	IX.E.307-307a-307b-307c
	W.	W. Nusa Tenggara	IX.E.298-298a-298b, 324

***Pteris* (Pteridaceae) - Contd.**

<i>longipinnula</i> Wall. ex J. Agardh.	W.	Bali	IX.E.456-456a-456b-456c-456d, 31-31a-31b-31c
	W.	E. Nusa Tenggara	IX.E.191
<i>tripartita</i> Sw.	W.	Bali	IX.E.29-29a-29b-29c-29d
	W.	S. Sulawesi	IX.E.118-118a
sp.	W.	Bali	IX.E.294-294a-294b-294c
	W.	W. Nusa Tenggara	IX.E.212-212a-212b-212c, 479
	W.	E. Nusa Tenggara	IX.E.94-94a
	W.	N. Sulawesi	IX.E.181
	W.	S. Sulawesi	IX.E.124a, 266-266a

***Pterocarpus* (Leguminosae)**

<i>indicus</i> Willd. ^{1-VU}	T.	S. Sulawesi	VIII.124-124a-124b-124c-124d
---------------------------------------	----	-------------	------------------------------

***Pterocarya* (Juglandaceae)**

<i>fraxinifolia</i> (Poir.) Spach	T.	Germany	IX.D.5
<i>stenoptera</i> C. DC.	T.	China	IX.D.1-1a-1b

***Pteroceras* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	E. Kalimantan	R.I.212
	Hb.	C. Sulawesi	R.II.64
	Hb.	S.E. Sulawesi	R.II.141
	Hb.	N. Sulawesi	R.II.140

***Pterospermum* (Sterculiaceae)**

<i>celebicum</i> Miq.	T.	C. Sulawesi	XIII.K.71-71a-71b
<i>diversifolium</i> Blume	T.	Bali	XIII.K.30-30a-30b
	T.	Bali	XIII.K. 31-31a-31b, 48-48a-48b-48c

***Pterospermum* (Sterculiaceae) - Contd.**

<i>javanicum</i> Jungh.	T.	E. Nusa Tenggara	XIII.K.49, 73-73a-73b-73c-73d, 81-81a, 88-88a-88b- 88c
	T.	N. Sulawesi	XIII.K.67, 98-98a-98b
	T.	S.E. Sulawesi	XIII.K. 58-58a-58b- 58c, 82-82a-82b
	T.	C. Sulawesi	XIII.K.79-79a
	T.	Bali	X.C.265-265a-265b; XIII.K.9-9a-9b- 9c-9d, 45-45a-45b; XVIII.A.390-390a- 390b
sp.	T.	W. Nusa Tenggara	XIII.K.13-13a-13b- 13c-13d, 20-20a-20b- 20c-20d
	T.	S. Sulawesi	XIII.K.55-55a-55b
	T.	S.E. Sulawesi	XIII.K.57-57a-57b- 57c-57d-57e-57f-57g
	T.	W. Nusa Tenggara	XIII.K.19
	T.	S. Sulawesi	XIII.K.59-59a
	T.	Gorontalo	XIII.K.76
	T.	Papua	XIII.K.54-54a

***Pterygota* (Malvaceae)**

<i>alata</i> (Roxb.) R. Br.	T.	India	XIII.K.23
sp.	T.	Bali	XIII.K.53-53a-53b

***Ptychococcus* (Arecaceae)**

<i>paradoxus</i> (Scheff.) Becc.	T.	Papua	XIV.E.108-108a
----------------------------------	----	-------	----------------

***Ptychosperma* (Arecaceae)**

<i>macarthurii</i> (H. Wendl. ex H.J. Veitch) H. Wendl. ex Hook. f.	T.	Maluku	XIV.E.10
---	----	--------	----------

***Ptychosperma* (Arecaceae) - Contd.**

sp.	T.	Papua	XIV.E.112, 151-151a-151b
-----	----	-------	-----------------------------

***Punica* (Lythraceae)**

<i>granatum</i> L.	Sh.	Bali	X.C.85, 156-156a-156b, 355- 355a, 613-613a-613b; XVIII.A.94-94a-94b, 135-135a-135b-135c, 557
--------------------	-----	------	---

***Pyracantha* (Rosaceae)**

<i>angustifolia</i> (Franch.) C.K. Schneid.	Sh.	Bali	XIII.N.14-14a-14b- 14c-14d
	Sh.	China	XIII.N.5-5a
<i>rogersiana</i> (A.B. Jacks.) Coltm.-Rog.	Sh.	France	XIII.N.17

***Pyrostegia* (Bignoniaceae)**

<i>venusta</i> (Ker Gawl.) Miers	W.Cl.	Bali	X.C.248-248a-248b- 248c-248d
	W.Cl.	Brazil	XIII.A.7-7a

***Pyrrosia* (Polypodiaceae)**

<i>lanceolata</i> (L.) Farw.	W.	Bali	IX.E. 425-425a, 461-461a-461b
<i>penangiana</i> Holttum	W.	E. Nusa Tenggara	IX.E.632-632a
<i>stigmosa</i> (Sw.) Ching	W.	E. Nusa Tenggara	IX.E.417-417a
sp.	W.	Bali	IX.E.274
	W.	C. Sulawesi	IX.E.254-254a

***Quercus* (Fagaceae)**

<i>ilex</i> L.	T.	France	XI.B.17-17a-17b
<i>myrsinifolia</i> Blume	T.	Japan	XI.B.20-20a-20b
<i>rubra</i> L.	T.	Berlin	XI.B.21

Quercus (Fagaceae) - Contd.

<i>velutina</i> Lam.	T.	Berlin	XI.B.24
sp.	T.	C. Sulawesi	XI.A.15-15a-15b

Radermachera (Bignoniaceae)

<i>gigantea</i> (Blume) Miq.	T.	E. Nusa Tenggara	X.K.11-11a-11b-11c-11d
sp.	T.	Bali	X.K.8-8a-8b-8c-8d; XII.C.I.136
	Sh.	E. Nusa Tenggara	X.K.12-12a-12b-12c
	T.	C. Sulawesi	X.K.7
	T.	S. Sulawesi	X.K.15
	Sh.	S.E. Sulawesi	X.K.18-18a

Rapanea (Primulaceae)

<i>hasseltii</i> (Blume ex Scheff.) Mez	Sh.	Bali	XIII.J.6
	Sh.	-	XX.A.9
sp.	Sh.	Bali	XX.A.5, 34-34a, 43-43a-43b
	Sh.	W. Nusa Tenggara	XX.A.46, 51-51a-51b
	Sh.	S. Sulawesi	XX.A.29-29a-29b-29c
	Sh.	Papua	XX.A.42-42a

Rauvolfia (Apocynaceae)

<i>kamarora</i> Hendrian	Sh.	C. Sulawesi	XIV.C.45-45a-45b
<i>serpentina</i> (L.) Benth. ex Kurz	Sh.	Bali	XIV.C.58-58b-58c-58d
<i>tetraphylla</i> L.	Sh.	France	XIV.C.118
<i>verticillata</i> (Lour.) Baill.	Sh.	Bali	XIV.C.12-12a
sp.	Sh.	Bali	X.C.598-598a-598b
	T.	W. Nusa Tenggara	XIV.C.120-120a-120b-120c-120d, 122-122a-122b

***Rauvolfia* (Apocynaceae) - Contd.**

T.	E. Nusa Tenggara	XIV.C.64-64a-64b-64c, 75-75a, 77-77a-77b-77c, 114-114a; XV.C.54
T.	N. Sulawesi	XIV.C. 54, 89, 97a
Sh.	S.E. Sulawesi	XIV.C.101-101a, 105-105a-105b-105c-105d
T.	S. Sulawesi	XIV.C.96-96a-96b-96c-96d, 103-103a-103b-103c, 113
T.	C. Sulawesi	XIV.C.109

***Rebutia* (Cactaceae)**

<i>minuscule</i> K. Schum.	Sc.	Hungary	RK.138
----------------------------	-----	---------	--------

***Remusatia* (Araceae)**

<i>vivipara</i> (Roxb.) Schott	H.	Bali	XIX.K.I.183
--------------------------------	----	------	-------------

***Rhamnus* (Rhamnaceae)**

<i>napalensis</i> (Wall.) M.A. Lawson	T.	E. Nusa Tenggara	XV.B.211; XIX.F.14-14a
sp.	T.	E. Nusa Tenggara	XIX.F.13-13-13b-13c-13d

***Rhaphidophora* (Araceae)**

<i>foraminifera</i> (Engl.) Engl.	H.	W. Java	N.180
<i>minor</i> Hook. f.	H.	S.E. Sulawesi	XIX.K.I.96-96a
sp.	H.	Bali	XIX.K.I.24-24a-24b-24c-24d, 152-152a-152b-152c-152d, 153-153a-153b-153c
	H.	S.E. Sulawesi	XIX.K.I.96-96a, 98-98a-98b-98c

***Rhaphidophora* (Araceae) - Contd.**

H.	Papua	XIX.K.I.108-108a-108b-108c
----	-------	----------------------------

***Rhapis* (Arecaceae)**

<i>excelsa</i> (Thunb.) Henry	Sh.	Japan	XIV.E.14-14a-14b
	Sh.	Bali	XIV.E.134-134a-134b-134c-134d-134e-134f, 536-536a, 586-586a-586b

***Rhinacanthus* (Acanthaceae)**

<i>nasutus</i> (L.) Kurz	Sh.	Bali	X.C.436-436a
--------------------------	-----	------	--------------

***Rhipsalis* (Cactaceae)**

<i>baccifera</i> (J.S. Muell.) Stearn	Sc.	France	RK.81
<i>cereuscula</i> Haw.	Sc.	France	RK.80
<i>micrantha</i> (Kunth) DC.	Sc.	Jerma	RK.100-100-100a-100b-100c-100d
<i>neves-armondii</i> K. Schum.	Sc.	France	RK.83
<i>teres</i> (Vell.) Steud.	Sc.	France	RK.82
sp.	Sc.	W. Java	RK.89-89a-89b, 92-92a-92b-92c-92d-92e, 111, 113, 117, 112,
	Sc.	E. Java	RK.145-145a

***Rhododendron* (Ericaceae)**

<i>augustinii</i> Hemsl.	Sh.	Germany	XIII.B.72
<i>dilatatum</i> Miq.	Sh.	Japan	XIII.B.56-56a-56b-56c-56d
<i>indicum</i> (L.) Sweet	Sh.	Bali	XIII.B.51
<i>inundatum</i> Sleumer	Sh.	Papua	XIII.B.78-78a-78b



Figure 7. *Rhododendron seranicum* J.J. Smith (Ericaceae) from Bali. Nursery Collection.

***Rhododendron* (Ericaceae) - Contd.**

<i>javanicum</i> Benn.	Sh.	Bali	N.136-136a; XIII.B.40-40a-40b- 40c-40d
<i>javanicum</i> ssp. <i>teysmannii</i>	Sh.	Bali	N.125, 135
<i>konori</i> Becc.	Sh.	Papua	N.141-141a-141b
<i>macgregoriae</i> F. Muell.	Sh.	Papua	XIII.B.79-79a-79b
<i>macrosepalum</i> Maxim.	Sh.	Sakanotsuji	XIII.B.70-70a-70b- 70c-70d
<i>maximum</i> L.	Sh.	Deutschland	XIII.B.71-71a-71b- 71c-71d
<i>micranthum</i> Turcz.	Sh.	Germany	XIII.B.74-74a-74b- 74c-74d
<i>minus</i> Michx.	Sh.	USA	XIII.B.77-77a-77b
<i>mucronatum</i> (Blume) G. Don.	Sh.	Japan	XIII.B.61-61a
<i>oldhamii</i> Maxim.	Sh.	Taiwan	XIII.B.59 (5pls.)
<i>racemosum</i> Franch.	Sh.	Germany	XIII.B.75-75a-75b- 75c-75d
<i>radians</i> J.J. Sm.	Sh.	C. Sulawesi	N.117-117a
<i>renschianum</i> Sleumer	Sh.	E. Nusa Tenggara	N.115
<i>rhodopus</i> Sleumer	Sh.	S. Sulawesi	N.23-23a-23b; XIII.B.44
<i>seranicum</i> J.J. Sm.	Sh.	Bali	N.120-120a-120b- 120c
	Sh.	C. Sulawesi	N. 116-116a, 118- 118a
	Sh.	S.E. Sulawesi	N.21-21a-21b
	Sh.	S. Sulawesi	N.139-139a
<i>simsii</i> Planch.	Sh.	Taiwan	XIII.B.58-58a-58b- 58c-58d
<i>yedoense</i> var. <i>poukhanense</i> Leveille	Sh.	Bali	N.119-119a; XIII.B.41-41a-41b- 41c-41d
sp.	Sh.	E. Java	N.46; XIII.B.43, 46-46a-46b-46c-46d, 47, 48, 50, 53, 54, 55

***Rhododendron* (Ericaceae) - Contd.**

sp.	Sh.	Bali	N.124, 146, 147, 148
	Sh.	Bali	N. 149, 155-155a-155b-155c- 155d-155e-155f- 155g-155h; XIII.B. 38-38a, 39-39a-39b- 39c-39d, 42-42a-42b- 42c-42d, 45-45a, 52, 57-57a-57b-57c-57d- 57e-57f-57g, 63-63a, 64, 65-65a-65b, 66, 67-67a, 68-68a, 69, 88-88a-88b-88c-88d, 89-89a-89b-89c-89d, 91
	Sh.	W. Nusa Tenggara	N.138-138a

***Rhodoleia* (Hamamelidaceae)**

<i>championii</i> Hook. f.	T.	China	XIII.B.36-36a; XIII.L.5-5a
sp.	T.	W. Nusa Tenggara	XIII.L.3-3a

***Rhopaloblaste* (Arecaceae)**

sp.	T.	Papua	XIV.E.111-111a-111b
-----	----	-------	---------------------

***Rhus* (Anacardiaceae)**

<i>taitensis</i> Guill.	T.	Bali	IX.A.23, 47-47a-47b- 47c
	T.	E. Nusa Tenggara	IX.A.12-12a-12d, 42-42a
	T.	W. Nusa Tenggara	IX.A.46
sp.	T.	E. Nusa Tenggara	IX.A.50-50a-50b- 50c-50d

***Rhynchostylis* (Orchidaceae)**

<i>retusa</i> (L.) Blume ^{2-App.II}	Hb.	E. Java	R.II.70
--	-----	---------	---------

***Rhyticaryum* (Icacinaceae)**

<i>elegans</i> G. Schellenb.	T.	W. Nusa Tenggara	XVIII.A.204-204a-204b
------------------------------	----	------------------	-----------------------

***Rinorea* (Violaceae)**

sp.	T.	E. Nusa Tenggara	VII.E.154-154a-154b-154c-154d; XIII.O.18
-----	----	------------------	---

***Rivina* (Phytolaccaceae)**

<i>humilis</i> L.	Sh.	Bali	X.C.225-225a, 255-255a-255b-255c- 255d-255e-255f, 457-457a-457b-457c- 457d-457e-457f- 457g-457h-457i-457j
-------------------	-----	------	--

***Robiquetia* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	S.E. Sulawesi	ER.72.296, 297, 298-298a
	Hb.	S. Sulawesi	R.II.80-80a, 159
	Hb.	E. Kalimantan	R.II.170a-170b R.III.188-188a-188b

***Rosa* (Rosaceae)**

<i>chinensis</i> Jacq.	Sh.	E. Nusa Tenggara	XIII.N.18-18a-18b, 19-19a-19b
× <i>odorata</i> “Viridiflora”	Sh.	Bali	N.80-80a-80b-80c-80d

***Roseodendron* (Bignoniaceae)**

<i>donnell-smithii</i> (Rose) Miranda	T.	Mexico	X.K.3-3a
--	----	--------	----------

***Rothea* (Lamiaceae)**

<i>serrata</i> (L.) Steane & Mabb.	Sh.	Bali	XVIII.A.186
------------------------------------	-----	------	-------------

***Rubus* (Rosaceae)**

<i>fraxinifolius</i> Poir.	Sh.	E. Nusa Tenggara	XIII.N.9-9a
<i>rosifolius</i> Sm.	Sh.	Bali	X.C.551; XIII.N.15-15a-15b-15c-15d

***Rudbeckia* (Compositae)**

<i>fulgida</i> Aiton	Sh.	America	XII.C.II.47
----------------------	-----	---------	-------------

***Russelia* (Plantaginaceae)**

<i>equisetiformis</i> Schldtl. & Cham.	Sh.	Austria	VII.E.139
--	-----	---------	-----------

***Saccharum* (Poaceae)**

<i>officinatum</i> L.	Sh.	Bali	X.C.388-388a-388b, 549-549a; XVIII.A.98 (6 pls.), 99-99a, 101, 476-476a-476b-476c, 578, 630-630a-630b
<i>spontaneum</i> L.	Sh.	Bali	X.C.334
<i>sp.</i>	Sh.	Bali	XVIII.A.78, 100, 296-296a, 345 (5 pls.), 538-538a-538b, 645-645a-645b-645c
	Sh.	E. Nusa Tenggara	XI.D.310-310a

***Saccolabium* (Orchidaceae)**

<i>sp.</i> ^{2-App.II}	Hb.	Bali	R.III.235 (5 pls.)
	Hb.	W. Nusa Tenggara	ER.85.576
	Hb.	C. Sulawesi	ER.75.371-371a; ER.85.577
	Hb.	S. Sulawesi	ER.85.575
	Hb.	E. Kalimantan	R.III.184

***Sagittaria* (Alismataceae)**

<i>lancifolia</i> L.	Hb.	Bali	Aq.21
----------------------	-----	------	-------

***Saintpaulia* (Gesneriaceae)**

sp.	Hb.	E. Java	N.66-66a-66b, 67, 68
-----	-----	---------	----------------------

***Salacca* (Arecaceae)**

<i>zalacca</i> (Gaertn.) Voss	Sh.	Bali	XVIII.A.43-43a-43b, 606-606a
-------------------------------	-----	------	---------------------------------

***Salacia* (Celastraceae)**

<i>miqueliana</i> Loes.	T.	S. Sulawesi	X.A.155-155a
sp.	T.	W. Nusa Tenggara	X.C.705, 841
	T.	E. Nusa Tenggara	XIII.I.15-15a

***Salvia* (Lamiaceae)**

<i>farinacea</i> Benth.	Sh.	E. Nusa Tenggara	VII.E.98-98a-98b- 98c-98d
<i>splendens</i> Sellow ex Schult.	Sh.	Bali	X.C.251-251a-251b- 251c-251d

***Sambucus* (Adoxaceae)**

<i>javanica</i> Blume	Sh.	Bali	X.C.244-244a- 244b-244c-244d; XVIII.A.529
-----------------------	-----	------	---

***Sandoricum* (Meliaceae)**

<i>koetjape</i> (Burm. f.) Merr.	T.	Bali	XIV.A.20-20a-20b- 20c, 219-219a-219b- 219c-219d
sp.	T.	S. Sulawesi	XIV.A.47-47a

***Sansevieria* (Asparagaceae)**

<i>ehrenbergii</i> Schweinf. ex Baker	Hb.	Bali	X.C.253-253a
--	-----	------	--------------

***Sansevieria* (Asparagaceae) - Contd.**

<i>trifasciata</i> Prain	Hb.	W. America	VII.D.II.3-3a-3b-3c-3d
--------------------------	-----	------------	------------------------

***Sapindus* (Sapindaceae)**

<i>marginatus</i> Willd.	T.	Portugal	XIV.B.I.1
<i>mukorossi</i> Gaertn.	T.	Taiwan	XIV.B.I.107-107a-107b-107c-107d
<i>rarak</i> DC.	T.	Bali	XIV.B.I.4, 5-5a-5b-5c-5d, 24-24a-24b, 55, 109-109a-109b-109c-109d, 119-119a-119b-119c
sp.	T.	S. Sulawesi	XIV.B.I.87
	T.	E. Nusa Tenggara	XIV.B.I. 51-51a, 89
	T.	S.E. Sulawesi	XIV.B.I. 106

***Sarcandra* (Chloranthaceae)**

<i>glabra</i> (Thunb.) Nakai	Hb.	E. Nusa Tenggara	VII.E.141-141a-141b-141c-141d
------------------------------	-----	------------------	-------------------------------

***Saraca* (Leguminosae)**

sp.	T.	E. Kalimantan	VIII.165-165a-165b
-----	----	---------------	--------------------

***Sarcosperma* (Sapotaceae)**

<i>paniculatum</i> (King) Stapf & King	T.	E. Nusa Tenggara	XII.C.I.68, 69-69a-69b, 214-214a
--	----	------------------	----------------------------------

***Sarcotheca* (Oxalidaceae)**

sp.	P.	Papua	VII.E.57-57a
-----	----	-------	--------------

***Sauromatum* (Araceae)**

<i>horsfieldii</i> Miq.	Hb.	Bali	N.412-412a-412b-412c-412d
-------------------------	-----	------	---------------------------

Saurauia (Actinidiaceae)

<i>blumiana</i> Benn.	T.	E. Nusa Tenggara	XIX.D.9-9a
<i>bracteosa</i> DC.	T.	W. Nusa Tenggara	XIX.D.7-7a-7b-7c-7d
<i>cauliflora</i> DC.	T.	S. Sulawesi	XIX.D.13-13a-13b-13c-13d
<i>pendula</i> Blume	T.	C. Sulawesi	XIX.D.11-11a-11b-11c
<i>reinwardtiana</i> Blume	T.	Bali	XII.C.II.54; XIX.D.2
sp.	T.	W. Nusa Tenggara	XIX.D.1-1a-1b-1c
	T.	Bali	XIX.D.22-22a
	T.	E. Nusa Tenggara	XIX.D.8-8a-8b
	T.	W. Nusa Tenggara	XIX.D.21-21a-21b-21c
	T.	S. Sulawesi	XIX.D.4-4a-4b-4c-4d-4e, 6-6a-6b-6c, 10-10a, 12-12a-12b-12c-12d
	T.	S.E. Sulawesi	XIX.D.14
	T.	C. Sulawesi	XIX.D. 15-15a,16
	T.	Gorontalo	XIX.D.17-17a-17b-17c, 18-18a, 19-19a
	T.	Papua	XIX.D.5, 20

Sauropus (Phyllanthaceae)

<i>androgynus</i> (L.) Merr.	T.	Bali	X.C.77, 509-509a, 838-838a; XII.C.I.147-147a-147b
<i>macranthus</i> Hassk.	Sh.	N. Sulawesi	XII.C.I.146-146a
sp.	Sh.	N. Sulawesi	XII.C.I.220-220a, 228

Scaevola (Goodeniaceae)

<i>taccada</i> (Gaertn.) Roxb.	Sh.	Taiwan	XV.B.329-329a
--------------------------------	-----	--------	---------------

***Schefflera* (Araliaceae)**

<i>actinophylla</i> (Endl.) Harms	T.	Bali	XIX.A.34
	T.	Australia	XIV.A.203
<i>elliptica</i> (Blume) Harms	W.Cl.	Bali	X.C.555-555a
	W.Cl.	Bali	XVI.A.11; XVIII.A.142-142a-142b, 297-297a, 304-304a, 355, 449-449a-449b, 563-563a-563b-563c; XIX.A.84
	W.Cl.	S.E. Sulawesi	X.C.227
sp.	T.	S. Sulawesi	XIX.A. 15-15a, 25-25a-25b, 67-67a, 77-77a
	T.	C. Sulawesi	XIX.A.32, 33
	T.	S.E. Sulawesi	XIX.A.73
	T.	N. Sulawesi	XIX.A.68-68a, 66
	T.	Bali	XIX.A. 8-8a, 22-22a, 60-60a-60b-60c-60d, 71-71a-71b-71c-71d-71e
	T.	E. Nusa Tenggara	XIX.A. 17-17a, 49-49a-49b-49c
	T.	W. Nusa Tenggara	XIX.A.87-87a-87b
	T.	Papua	XIX.A.81, 82
	P.	Netherlands	XIX.A.65

***Schima* (Theaceae)**

<i>wallichii</i> Choisy	T.	Malaysia	XII.A.9-9a, 2-2a-2b; XV.A.4-4a-4b-4c
	T.	Bali	XV.A.37-37a-37b

***Schisandra* (Schisandraceae)**

sp.	Cl.	Bali	VII.E.93-93a-93b
-----	-----	------	------------------

***Schismatoglottis* (Araceae)**

<i>calyptrata</i> (Roxb.) Zoll. & Moritzi	Hb.	S. Sulawesi	N.181-181a-181b-181c-181d
	Hb.	N. Sulawesi	XIX.K.I.44 (6 pls.)
	Hb.	Bali	X.C.258-258a-258b-258c-258d; XIX.K.I.25-25a-25b, 26-26a-26b-26c-26d, 180-180a-180b-180c-180d
	Hb.	S.E. Sulawesi	XIX.K.I.97-97a-97b, 101-101a, 104
<i>inculta</i> Kurniawan & P.C. Boyce	Hb.	S.E. Sulawesi	N.380 (4 pls.)
<i>plurivenia</i> Alderw.	Hb.	Gorontalo	XIX.K.I.177-177a-177b
sp.	Hb.	Bali	XIX.K.I.150-150a-150b, 159-159a, 160-160a-160b, 161-161a-161b-161c
	Hb.	W. Nusa Tenggara	XIX.K.I.158-158a-158b
	Hb.	C. Sulawesi	N.329 (4 pls.), 330
	Hb.	Maluku	N. 178-178a-178b-178c, 402-402a-402b-402c, 403-403a-403b-403c
	Hb.	Papua	XIX.K.I.135 (4 pls.)

***Schizostachyum* (Poaceae)**

<i>brachycladum</i> (Kurz) Kurz	Sh.	Java	XI.D.11-11a-11b-11c
	Sh.	Bali	X.C.681-681a-681b-681c-681d; XI.D. 54,116-116a-116b, 195-195a; XVIII.A.501-501a
	Sh.	E. Nusa Tenggara	XI.D. 32-32a-32b, 36-36a-36b, 168-168a

***Schizostachyum* (Poaceae) - Contd.**

<i>brachycladum</i> (Kurz) Kurz	Sh.	C. Sulawesi	XI.D.170
	Sh.	S.E. Sulawesi	XI.D.172-172a
<i>castaneum</i> Widjaja	Sh.	Bali	XI.D.73
<i>caudatum</i> Backer ex K. Heyne	Sh.	Bali	XI.D.61
<i>cuspidatum</i> Widjaja	Sh.	Bali	XI.D.52
<i>lima</i> (Blanco) Merr.	Sh.	Philippina	XI.D.9-9a-9b
	Sh.	E. Nusa Tenggara	XI.D.34-34a
	Sh.	Bali	X.C.684-684a-684b-684c-684d; XI.D.63, 74, 78, 79-79a, 100, 112-112a-112b-112c-112d, 120-120a-120b-120c-120d, 138-138a, 143-143a, 145-145a, 158-158a-158b, 191-191a, 251-251a-251b-251c-251d-251e-251f-251g-251h-251i-251j, 255k
	Sh.	S.E. Sulawesi	XI.D.171
	Sh.	C. Sulawesi	XI.D.45
<i>silicatum</i> Widjaja	Sh.	Bali	XI.D.8-8-8a-8b-8c-8d, 62, 118-118a-118b-118c, 175-175a-175b, 219-219a, 252-252a-252b-252c-252d, 319-319a, 334
<i>zollingeri</i> Steud	Sh.	E. Java	XI.D.127-127a
sp.	Sh.	Bali	XI.D. 200-200a-200b, 232, 241, 250, 263-263a-263b-263c-263d, 324-324a, 332-332a, 333

Schizostachyum (Poaceae) - Contd.

sp.	Sh.	W. Nusa Tenggara	XI.D.267-267a, 268-268a-268b, 270- 270a, 274-274a-274b, 275-275a, 292-292a
	Sh.	E. Kalimantan	XI.D.329
	Sh.	S.E. Sulawesi	XI.D.214, 288-288a-288b
	Sh.	Sumatra	XI.D.336-336a
	Sh.	Papua	XI.D.179, 354, 356-356a-356b

Schleichera (Sapindaceae)

<i>oleosa</i> (Lour.) Merr.	T.	Bali	X.C.599-599a, 667- 667a
	T.	E. Nusa Tenggara	XIV.B.I.41-41a-41b- 41c-41d, 47-47a-47b- 47c-47d, 84-84a-84b

Schlumbergera (Cactaceae)

<i>truncata</i> (Haw.) Moran	Sc.	W. Java	RK.88-88a-88b-88c- 88d-88e
------------------------------	-----	---------	-------------------------------

Schoenorchis (Orchidaceae)

<i>juncifolia</i> Reinw.exBlume ²⁻ App.II	Hb.	Bali	ER.93.804; CG.4.333
	Hb.	E. Nusa Tenggara	CG.4.349
	Hb.	W. Nusa Tenggara	R.I.7-7a
<i>micrantha</i> Reinw. ex Blume ^{2-App.II}	Hb.	Bali	R.III.236

Schoutenia (Tiliaceae)

<i>ovata</i> Korth.	T.	Bali	XX.E.3-3a
	T.	E. Nusa Tenggara	VII.B.I.13-13a-13b- 13c-13d

***Scindapsus* (Araceae)**

<i>pictus</i> Hassk.	Cl.	S.E. Sulawesi	XIX.K.I.105
sp.	Cl.	W. Java	N.313
	Cl.	Bali	XIX.K.I.127-127a-127b
	Cl.	W. Nusa Tenggara	XIX.K.I.175-175a
	Cl.	S.E. Sulawesi	XIX.K.I.107-107a-107b-107c-107d
	Cl.	Gorontalo	XIX.K.I.134-134a-134b
	Cl.	Maluku	XIX.K.I.166-166a-166b-166c

***Schoenoplectiella* (Cyperaceae)**

<i>mucronata</i> (L.) J. Jung & H.K. Choi	P.	E. Nusa Tenggara	Aq. 28-28a-28b
---	----	------------------	----------------

***Scolopia* (Flacourtiaceae)**

<i>spinosa</i> Warb.	T.	Bali	XIII.I.1-1a-1b-1c
----------------------	----	------	-------------------

***Scutellaria* (Lamiaceae)**

sp.	Sh.	Bali	X.C.554-554a-554b-554c-554d
-----	-----	------	-----------------------------

***Sedum* (Crassulaceae)**

<i>acre</i> L.	Hb.	Rusia	RK.43 (75 pls.)
<i>treleasei</i> Rose	Hb.	W. Java	RK.72-72a-72b-72c
sp.	Hb.	E. Java	RK.147

***Selaginella* (Selaginellaceae)**

sp.	H.	Bali	IX.E. 25-25a-25b, 27-27a, 291-291a-291b-291c-291d-291e-291f-291g, 292-292a-292b-292c
-----	----	------	--

Selaginella (Selaginellaceae) - Contd.

sp.	H.	E. Nusa Tenggara	IX.E.327-327a-327b
	H.	W. Nusa Tenggara	IX.E.547-547a
	H.	Papua	IX.E.462

Selliguea (Polypodiaceae)

<i>enervis</i> Ching	W.	Bali	IX.E.539-539a-539b
sp.	W.	Bali	IX.E.556-536a-536b- 536c-536d

Semecarpus (Anacardiaceae)

sp.	T.	E. Nusa Tenggara	IX.A.19-19a-19b- 19c-19d, 51-51a-51b- 51c-51d
-----	----	------------------	---

Senna (Leguminosae)

<i>alata</i> (L.) Roxb.	Sh.	Bali	VIII.67
<i>floribunda</i> (Cav.) H.S.Irwin & Barneby	Sh.	Trop. America	VIII.15-15a
<i>hirsuta</i> (L.) H.S.Irwin & Barneby	T.	Bali	VIII.50-50a-50b
<i>multijuga</i> (Rich.) H.S.Irwin & Barneby	T.	Bali	VIII.142-142a, 167- 167a
	T.	E. Nusa Tenggara	VIII.183-183a
	T.	Guiana	XIII.E.25
<i>surattensis</i> (Burm.f.) H.S.Irwin & Barneby	T.	Bali	VII.A.37-37a- 37b; VIII.56-56a, 150-150a-150b- 150c-150d-150e; XVIII.A.287-287a- 287b-287c-287d- 287e

Sericocalyx (Acanthaceae)

<i>crispus</i> (L.) Bremek.	Sh.	Bali	X.C.91-91a-91b-91c- 91d, 223-223a-223b- 223c-223d
-----------------------------	-----	------	---

Sericocalyx (Acanthaceae) - Contd.

sp.	Sh.	Bali	X.C.725-725a-725b-725c-725d
-----	-----	------	-----------------------------

Serissa (Rubiaceae)

<i>japonica</i> (Thunb.) Thunb.	Sh.	Japan	X.A.172-172a
---------------------------------	-----	-------	--------------

Setaria (Poaceae)

<i>palmifolia</i> (J. Koenig) Stapf	Hb.	Bali	X.C.322 (4 pls.)
-------------------------------------	-----	------	------------------

Setiechinopsis (Cactaceae)

<i>mirabilis</i> Backeb. ex de Hass	Sc.	France	RK.161-161a-161b
-------------------------------------	-----	--------	------------------

Shibataea (Poaceae)

<i>kumasasa</i> (Steud.) Makino	Sh.	Bali	XI.D.3-3a-3b
---------------------------------	-----	------	--------------

Shorea (Dipterocarpaceae)

sp.	T.	S. Sulawesi	XIX.I.4
	T.	S.E. Sulawesi	XIX.H.8-8a
	T.	E. Sulawesi	XIX.H.6-6a

Sida (Malvaceae)

<i>rhombifolia</i> L.	Sh.	Bali	X.C.27 (20 pls.), 146-146a-146b, 823-823a-823b-823c-823d
sp.	Sh.	W. Nusa Tenggara	VII.E.96-96a-96b

Simmondsia (Simmondsiaceae)

<i>chinensis</i> (Link.) C. K. Schneid.	T	Jerman	XV.B.314-314a
---	---	--------	---------------

***Sinningia* (Gesneriaceae)**

<i>carolinae</i> (Wawra) Benth. & Hook. f. ex Siebert & Voss	Sh.	Brazil	VII.E.168
--	-----	--------	-----------

***Sisyrinchium* (Iridaceae)**

<i>palmifolium</i> L.	Hb.	Bali	X.C.21, 114-114a-114b- 114c-114d-114e, 395-395a-395b-395c- 395d
-----------------------	-----	------	---

***Sloanea* (Elaeocarpaceae)**

<i>sigun</i> (Blume) K. Schum.	T.	Bali	XIII.P.57-57a-57b; XIV.A.5
sp.	T.	W. Nusa Tenggara	XIII.P.67-67a-67b
	T.	W. Nusa Tenggara	XII.C.I.55; XIII.P.12- 12a-12b-12c-12d, 64
	T.	Bali	XIII.K.12-12a-12b

***Smilax* (Smilacaceae)**

<i>odoratissima</i> Blume	Cl.	W. Nusa Tenggara	XV.B.148-148a-148b- 148c-148d
<i>zeylanica</i> L.	Cl.	S.E. Sulawesi	X.C.217-217a-217b- 217c-217d-217e
	Cl.	Bali	X.C.456-456a-456b- 456c, 570
	Cl.	S.E. Sulawesi	X.C.216-216a-216b- 216c-216d
	Cl.	Bali	X.C.333-333a

***Solanum* (Solanaceae)**

<i>pseudocapsicum</i> L.	Sh.	Brazil	XII.C.II.24
	Sh.	Bali	VII.E.91-91a-91b
<i>rudepannum</i> Dunal	Sh.	Bali	X.C.445, 488; XVIII.A.533-533a

***Solanum* (Solanaceae) - Contd.**

sp.	Sh.	Bali	VII.E.92; XVIII.A.178
-----	-----	------	--------------------------

***Sorghum* (Poaceae)**

<i>bicolor</i> (L.) Moench	Sh.	Bali	XVIII.A.616-616a- 616b-616c-616d
----------------------------	-----	------	-------------------------------------

***Spathiphyllum* (Araceae)**

<i>cannifolium</i> (Dryand. ex Sims) Schott	Hb.	Bali	N.205-205a-205b- 205c-205d-205e- 205f-205g-205h
<i>commutatum</i> Schott	Hb.	S.E. Sulawesi	N.385-385a-385b
	Hb.	S. Sulawesi	N.187-187a-187b- 187c
<i>wallisii</i> Regel	Hb.	-	N.292-292a-292b- 292c-292d-292e-292f

***Spathodea* (Bignoniaceae)**

<i>campanulata</i> P. Beauv.	T.	Bali	X.K.9-9a-9b-9c-9d
	T.	N. Sulawesi	X.K.19-19a-19b-19c- 19d
	T.	Colombia	X.K.16-16a-16b-16c- 16d-16e

***Spathoglottis* (Orchidaceae)**

<i>plicata</i> Blume ^{2-App.II}	Tr.	Bali	ER.71.814; CG.4.380- 380a
sp. ^{2-App.II}	Tr.	E. Kalimantan	R.III.274-274a
	Tr.	W. Nusa Tenggara	R.III.202-202a
	Tr.	C. Sulawesi	ER.71.310-310a, 816; CG.4.308, 309

***Sphagneticola* (Asteraceae)**

<i>trilobata</i> (L.) Pruski	H.	W. Java	XIX.C.3
------------------------------	----	---------	---------

***Sphenomeris* (Lindsaeaceae)**

<i>chinensis</i> (L.) Maxon	W.	Bali	IX.E.545
-----------------------------	----	------	----------

***Spondias* (Anacardiaceae)**

<i>dulcis</i> Parkinson	T.	Bali	X.C.717; XVIII.A.609-609a
sp.	T.	W. Nusa Tenggara	IX.A.6-6a-6b-6c-6d

***Stachyphrynium* (Marantaceae)**

<i>placentarium</i> (Lour.) Clausager & Borchs.	Sh.	Bali	XV.B.324-324a
--	-----	------	---------------

***Stachytarpheta* (Verbenaceae)**

<i>indica</i> (L.) Vahl	Sh.	Bali	X.C.633 (5 pls.), 323-323a
<i>mutabilis</i> (Jacq.) Vahl	Sh.	Bali	X.C.739-739a

***Stemonurus* (Stemunaraceae)**

sp.	T.	E. Nusa Tenggara	VII.A.11
	T.	S.E. Sulawesi	VII.A.43

***Stenocarpus* (Proteaceae)**

<i>salignus</i> R. Br.	T.	Australia	XII.A.12-12a-12b- 12c-12d; XIII.C.27- 27a
------------------------	----	-----------	---

***Stenochlaena* (Blechnaceae)**

sp.	W.Cl.	Bali	IX.E.564-564a
-----	-------	------	---------------

***Sterculia* (Sterculiaceae)**

<i>coccinea</i> Jack	T.	C. Sulawesi	XIII.K.47
<i>longifolia</i> Vent.	T.	C. Sulawesi	XIII.K.17-17a
<i>polyphylla</i> R. Br.	T.	E. Nusa Tenggara	XIII.K.70-70a
sp.	T.	Bali	XIII.K.22-22a, 28, 34-34a, 40-40a, 65

***Sterculia* (Sterculiaceae) - Contd.**

sp.	T.	Bali	XIII.K. 72-72a-72b-72c, 83, 84, 87-87a-87b, 107-107a-107b, 110, 112-112a
	T.	W. Nusa Tenggara	XIII.K.10
	T.	S.E. Sulawesi	XIII.K.63-63a
	T.	C. Sulawesi	XIII.K.16
	T.	S. Sulawesi	XIII.K.78-78a-78b-78c, 99-99a-99b-99c
	T.	N. Sulawesi	XIII.K.93-93a-93b-93c-93d, 102

***Stichorkis* (Orchidaceae)**

<i>compressa</i> (Blume) J.J.Wood	Hb.	Bali	ER. 4.9-9a; CG4.329, 362, 363, 364, 366; ER.79.431-431a, 432-432a, 433-433a
--------------------------------------	-----	------	---

***Stokesia* (Compositae)**

<i>laevis</i> (Hill) Greene	Sh.	America	XII.C.II.48
-----------------------------	-----	---------	-------------

***Streblus* (Moraceae)**

<i>asper</i> Lour.	Sh.	W. Nusa Tenggara	VII.D.46
<i>glaber</i> (Merr.) Corner	Sh.	E. Nusa Tenggara	VII.D.89-89a

***Strobilanthes* (Acanthaceae)**

<i>crispa</i> Blume	Sh.	Bali	X.C.737-737a-737b-737c-737d
sp.	Sh.	Bali	X.C.398-398a
	Sh.	E. Nusa Tenggara	VII.E.127-127a-127b-127c

***Strophanthus* (Apocynaceae)**

sp.	W.Cl.	Bali	XIV.C.6-6a-6b-6c-6d
-----	-------	------	---------------------

***Sundacarpus* (Podocarpaceae)**

<i>amarus</i> (Blume) C.N. Page	T.	E. Nusa Tenggara	XIII.J.26-26a-26b, 28-28a, 38-38a-38b
------------------------------------	----	------------------	--

***Suregada* (Euphorbiaceae)**

<i>glomerulata</i> (Blume) Baill.	T.	E. Nusa Tenggara	XII.C.I.123-123a
-----------------------------------	----	------------------	------------------

***Swietenia* (Meliaceae)**

<i>macrophylla</i> King	T.	Bali	X.C.385-385a-385b- 385c-385d
	T.	S. Sulawesi	XIV.A.180-180a- 180b-180c

***Sycopsis* (Hamamelidaceae)**

<i>phillippinensis</i> Hemsl.	T.	W. Nusa Tenggara	XII.C.I.32-32a-32b- 32c-32d
	T.	E. Nusa Tenggara	XII.C.I.109-109a

***Symplocos* (Symplocaceae)**

<i>odoratissima</i> Choisy ex Zoll.	T.	Bali	X.C.9; XII.A.33-33a- 33b
sp.	T.	W. Nusa Tenggara	VII.E.156-156a- 156b-156c-156d; X.C.10-10a-10b, 11-11a-11b, 93-93a-93b-93c, 94-94a-94b; XII.A.56
	T.	S. Sulawesi	X.C.145
	T.	Gorontalo	X.C.673-673a-673b
	T.	-	XVIII.A.231-231a

***Syngonium* (Araceae)**

"Hybrid 1"	Cl.	Bali	XIX.K.I.27-27a-27b- 27c-27d-27e-27f- 27g-27h-27i-27j- 27k-27l
------------	-----	------	--

***Syngonium* (Araceae) - Contd.**

sp.	Cl.	Bali	N.314-314a-314b- 314c-314d
-----	-----	------	-------------------------------

***Syzygium* (Myrtaceae)**

<i>antisepticum</i> (Blume) Merr. & L.M. Perry	T.	India	XIII.E.17
	T.	Bali	XIV.D.18-18a-18b
	T.	C. Sulawesi	XII.B.206-206a- 206b-206c-206d
	T.	N. Sulawesi	XII.B.225
<i>aqueum</i> (Burm. f.) Alston	T.	Bali	X.C.170-170a, 443, 645-645a; XVIII.A.615-615a
<i>aromaticum</i> (L.) Merr. & L.M. Perry	T.	Bali	X.C.658
<i>cormiflorum</i> (F. Muell.) B. Hayland	T.	S.E. Sulawesi	XIV.D.29-29a
<i>cumini</i> (L.) Skeels	T.	Bali	X.C.627-627a-627b; XII.B.271-271a- 271b-271c-271d; XIV.D.19-19a
<i>formosum</i> (Wall.) Masam.	T.	W. Nusa Tenggara	XII.B.42-42a-42b- 42c-42d, 66-66a-66b
<i>malacense</i> (L.) Merr. & L.M. Perry	T.	S. Sulawesi	XII.B.118-118a- 118b-118c; XIV.D.8
	T.	S.E. Sulawesi	XII.B.196-196a- 196b-196c-196d
<i>muelleri</i> (Miq.) Miq.	T.	Bali	XIV.D.14-14a-14c
<i>paniculatum</i> Gaertn.	Sh.	Bali	XII.B.30-30a
<i>polyanthum</i> (Wight) Walp.	T.	Bali	X.C.168-168a, 574, 600; XII.B.106; XVIII.A.283-283a- 283b
	T.	Java	XII.B.18-18a-18b- 18c-18d
	T.	W. Nusa Tenggara	XII.B.41-41a
	T.	C. Sulawesi	XII.B.128a

Syzygium (Myrtaceae) - *Contd.*

<i>polycephalum</i> (Miq.) Merr. & L.M. Perry	T.	Bali	X.C.202a, 446-446a-446b-446c- 446d; XII.B.5-5a-5b- 5c-5d-5e-5f-5g, 88, 273; XVIII.A.272 (13 pls.); 567-567a-567b- 567c, 55-55a-55b-55c
<i>polycephaloides</i> (C. B. Rob.) Merr.	T.	C. Sulawesi	XII.B.10, 11, 140; XIV.D.10-10a-10b- 10c-10d
	T.	E. Nusa Tenggara	XII.B.99-99a-99b
	T.	N. Sulawesi	XII.B.137-137a
	T.	Bali	XII.B.262-262a- 262b-262c-262d
<i>pyncnanthum</i> Merr. & L.M. Perry	T.	Java	XIII.E.15
	T.	Bali	XII.B.34-34a
<i>racemosum</i> (Blume) DC.	T.	Bali	XII.B.104, 265-265a; XIV.G.4; XIV.D.13- 13a-13b-13c-13d
	T.	N. Sulawesi	XII.B.207-207a
<i>syzygioides</i> (Miq.) Merr. & L.M. Perry	T.	Bali	XII.B.9-9a-9b-9c- 9d-9f
<i>versteegii</i> (Lauterb.) Merr. & L.M. Perry	T.	Papua	XII.B.257-257a
<i>zeylanicum</i> (L.) DC.	T.	Bali	XII.B.6-6a-6b-6c
<i>zollingerianum</i> (Miq.) Amshoff	T.	Bali	X.C.571-571a-571b- 571c; XIII.C.33; XIII.F.11
sp.	T.	Bali	XII.B.2-2a, 7-7a- 7b, 36-36a-36c- 36d, 37-37a-37b, 38, 40-40a-40b, 55-55a-55b-55c-55d, 62, 64-64a-64b-64c- 64d, 65, 67-67a-67b- 67c, 68-68b, 78, 79a, 80

***Syzygium* (Myrtaceae) - Contd.**

sp.	T.	Bali	XII.B. 101, 167-167a, 178, 179, 211, 230-230a-230b-230c, 253, 263, 264-264a, 267-267a, 277-277a-277b-277c-277d; XVIII.A.7-7a-7b-7c
	T.	W. Java	XII.B.111
	T.	S. Sumatra	XII.B.90-90a-90b
	T.	E. Kalimantan	XII.B.247-247a
	T.	Papua	XII.B.159,161, 258, 276
	T.	W. Nusa Tenggara	XII.B. 35-35a-35b, 45-45a-45b, 46-46a-46b-46c-46d, 51-51a, 54, 61-61a, 63-63a-63b-63c-63d, 75-75a, 76-76d, 77, 114-114a-114e-114f, 241-241a, 242-242a-242b-242c-242d, 243, 244, 249, 250, 268-268a-268b-268c-268d, 269-269a-269b
	T.	E. Nusa Tenggara	XII.B. 39-39a-39b, 95-95b-95c, 100-100c-100d, 103-103a, 112-112a-112b-112c, 120a-120b-120c-120d, 121-121a-121b, 123, 124-124a-124b, 127-127a, 136-136a-136b-136c, 145, 147-147a-147b-147c-147d

***Syzygium* (Myrtaceae) - Contd.**

sp.	T.	E. Nusa Tenggara	XII.B. 148-148a-148b- 148c, 149-149a, 150, 151-151a-151b, 168, 208-208a, 275
	T.	C. Sulawesi	XII.B.129, 134, 156- 156a, 222, 223-223a; XIV.D.9-9a
	T.	Gorontalo	XII.B.154, 171-171a, 259-259a-259b-259c, 260
	T.	N. Sulawesi	XII.B. 155,169-169a-169b, 174-174a-174b- 174c-174d-174e, 175, 210-210a
	T.	S. Sulawesi	XII.B.50, 91-91a-91b, 94-94a-94b-94c-94d
	T.	S. Sulawesi	XII.B. 94-94a-94b- 94c-94d, 102, 113, 153, 164-164a, 166, 170-170a-170b, 176-176a-176b -176c-176d-176e, 180 -180a-180b-180c, 184 -184a-184b- 184c, 186, 189, 190, 191, 192, 193-193a, 195, 220-220a-220b- 220c -220d, 221-221a-221b- 221c-221d, 226, 227-227a, 228, 232, 233, 234-234a-234b- 234c-234d

Syzygium (Myrtaceae) - Contd.

sp.	T.	S.E. Sulawesi	XII.B. 30-30a, 32, 33, 34-34a-34b, 35-35a-35b-35c, 36, 182-182a, 183-183a, 185, 187-187a, 194-194a-194b-194c- 194d, 224-224a, 212
-----	----	---------------	---

Tabernaemontana (Apocynaceae)

<i>divaricata</i> (L.) R.Br. ex Roem. & Schult.	T.	Bali	XVIII.A.612-612a- 612b-612c
<i>macrocarpa</i> Jack	T.	Bali	XIV.C.2-2a-2b-2c- 2d-2e-2f-2g-2h
	T.	W. Nusa Tenggara	XIV.C.16-16a, 17
	T.	E. Nusa Tenggara	XIV.C.29-29a, 38-38a-38b, 59-59a-59b-59c
	T.	Java	XIV.C.1
<i>pandacahui</i> Poir.	Sh.	E. Nusa Tenggara	XIV.C.39-39a-39b- 39c-39d, 43a-43b
sp.	Sh.	Bali	X.C.591-591a-591b; XIV.C. 70-70a-70b- 70c-70d, 99-99a
	T.	E. Nusa Tenggara	XIV.C. 80-80a, 81-81a-81b-81c, 86- 86a, 88-88a-88b, 91, 94-94a-94b-94c-94d- 94e-94f-94g-94h-94i
	T.	S. Sulawesi	XIV.C.92, 108-108a-108b-108c- 108d
	T.	N. Sulawesi	XIV.C.106

Tacca (Dioscoreaceae)

<i>palmatifida</i> Baker	Hb.	S. Sulawesi	XIX.K.I.9-9a-9c-9d
--------------------------	-----	-------------	--------------------

***Tadehagi* (Leguminosae)**

<i>triquetrum</i> (L.) H. Ohashi	Sh.	Bali	X.C.830-830a-830b-830c-830d
----------------------------------	-----	------	-----------------------------

***Taeniophyllum* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	Bali	CG.4.315
	Hb.	E. Nusa Tenggara	R.I.17; R.II.172

***Talauma* (Magnoliaceae)**

sp.	Sh.	Bali	XIII.O.3-3a-3b, 19-19a-19b-19c
-----	-----	------	--------------------------------

***Talipariti* (Malvaceae)**

<i>simile</i> (Blume) Fryxell	Sh.	Bali	XV.B.74-74a
-------------------------------	-----	------	-------------

***Talinum* (Talinaceae)**

<i>fruticosum</i> (L.) Juss.	P.H.	Bali	X.C.158-158a-158b-158c, 380-380a
<i>paniculatum</i> (Jacq.) Gaertn.	P.H.	Bali	X.C.157-157a-157b-157c

***Tamarindus* (Leguminosae)**

<i>indica</i> L.	T	Bali	XVIII.A.280; X.C.661-661a-661b-661c
------------------	---	------	--

***Tanacetum* (Compositae)**

sp.	Sh.	Hungaria	XIX.C.7
-----	-----	----------	---------

***Tarennoidea* (Rubiaceae)**

<i>wallichii</i> (Hook. f.) Tirveng. & Sastre	T.	Bali	X.A.1-1a-1b
	T.	S. Sulawesi	X.A.49

***Taxodium* (Cupressaceae)**

<i>huegelii</i> C. Lawson	T.	Mexico	XIII.E.32-32a-32b-32c
---------------------------	----	--------	-----------------------

***Tecoma* (Bignoniaceae)**

<i>stans</i> (L.) Juss. ex Kunth	T.	India	X.K.1-1a
	T.	Bali	X.K.26-26a-26b

***Tecomaria* (Bignoniaceae)**

sp.	Sh.	Bali	X.K.2-2a-2b-2c-2d; XVIII.A.627-627a-627b-627c-627d
-----	-----	------	---

***Tectaria* (Tectariaceae)**

<i>angulata</i> (Willd.) Copel.	W.	Bali	IX.E.32-32a-32b-32c-32d-32e
	W.	N. Sulawesi	IX.E.377
	W.	Maluku	IX.E.532-532a-532b-532c-532d
<i>melanocaula</i> (Blume) Copel.	W.	Bali	IX.E. 30-30a-30b-30c, 57-57a-57b, 465-465a-465b-465c, 508-508a-508b-508c-508d, 511-511a
sp.	W.	Bali	IX.E.81, 80-80a-80b-80c, 85, 175, 187, 293-293a-293b, 570-570a
	W.	C. Sulawesi	IX.E.180
	W.	E. Nusa Tenggara	IX.E.168-168a-168b-168c-168d, 524
	W.	S.E. Nusa Tenggara	IX.E.222-222a-222b, 271
	W.	W. Nusa Tenggara	IX.E.351, 428-428a-428b

***Tephrosia* (Leguminosae)**

<i>candida</i> (Roxb.) DC.	Sh.	Bali	XVIII.A.572-572a- 572b-572c-572d
sp.	Sh.	Bali	XVIII.A.644-644a- 644b-644c
	Sh.	Bali	VIII.61

***Terminalia* (Combretaceae)**

sp.	T.	E. Nusa Tenggara	XVII.D.3-3a- 3b-3c-3d-3e-3f, 75-75a-75b-75c
	T.	Bali	XVII.D.2, 6-6a-6b- 6c-6d-6e
	T.	S. Sulawesi	XVII.D.7-7a, 11, 12-12a-12b-12c
	T.	S.E. Sulawesi	XVII.D.9
	T.	N. Sulawesi	XVII.D.10-10a

***Ternstroemia* (Pentaphylacaceae)**

sp.	T.	W. Nusa Tenggara	XVII.D.1-1a-1b
	T.	S. Sulawesi	XV.A.27-27a-27b-27c
	T.	E. Nusa Tenggara	XV.A.34; XV.B.285- 285a

***Tetracera* (Dilleniaceae)**

<i>scandens</i> (L.) Merr.	W.Cl.	Bali	XII.A.36-36a
	W.Cl.	Papua	XII.A.34
<i>willdenowiana</i> Steud.	W.Cl.	S. Sulawesi	XII.A.39

***Tetractomia* (Rutaceae)**

sp.	T.	W. Nusa Tenggara	XVIII.A.205-205a- 205b-205c-205d
-----	----	------------------	-------------------------------------

***Tetrameles* (Tetramelaceae)**

<i>nudiflora</i> R. Br. ^{1-LC}	T.	E. Nusa Tenggara	XIX.I.10-10a-10b- 10c-10d
---	----	------------------	------------------------------

***Tetrameles* (Tetramelaceae) - Contd.**

sp.	T.	S. Sulawesi	XIX.I.3-3a-3b-3c-3d-3e
-----	----	-------------	------------------------

***Tetrastigma* (Vitaceae)**

sp.	Cl.	Bali	XV.B.326-326a-326b
-----	-----	------	--------------------

***Thelasis* (Orchidaceae)**

<i>capitata</i> Blume ^{2-App.II}	Hb.	E. Kalimantan	R.III.169
	Hb.	Bali	ER.44.86; ER.82.471, 472; CG.2.168; CG.3.177, 184
	Hb.	W. Nusa Tenggara	CG.3.175, 176, 178, 179, 183
	Hb.	E. Java	CG.1.56
	Hb.	C. Sulawesi	CG.3.180
	Hb.	E. Kalimantan	R.I.76; R.III.143
	Hb.	Papua	R.I.143-143a-143b
	Hb.	Bali	ER.58.149-149a-149b, 150-150a
	Hb.	Bali	ER.58.151-151a-151b; ER.83.542; CG.2.154, 155
	Hb.	Sombang	CG.2.153
<i>pygmaea</i> (Griff.) Lindl. ^{2-App.II}	Hb.	C. Sulawesi	ER.86.822
	Hb.	Bali	CG.2.152
	Hb.	S. Sulawesi	R.II.29
	Hb.	S.E. Sulawesi	R.II.41-41a, 42, 43
	Hb.	N. Sulawesi	R.III.122
	Hb.	E. Kalimantan	R.III.155-155a
	Hb.	Papua	R.I.150

***Thelocactus* (Cactaceae)**

<i>setispinus</i> (Engelm.) E.F. Anderson	Sc.	W. Java	RK.101-101a
---	-----	---------	-------------

***Thelocactus* (Cactaceae) - Contd.**

<i>setispinus</i> (Engelm.) E.F. Anderson	Sc.	Romania	RK.159-159a-159b-159c-159d-159e-159f-159g
---	-----	---------	---

***Thelypteris* (Thelypteridaceae)**

sp.	W.	E. Nusa Tenggara	IX.E.515
	W.	S. Sulawesi	IX.E.115-115a, 116-116a-116b-116c

***Themeda* (Poaceae)**

<i>gigantea</i> (Cav.) Hack. ex Duthie	Sh.	Bali	XI.D.28-28a-28b
	Sh.	E. Nusa Tenggara	XI.D.29-29a-29b-29c-29d
sp.	Sh.	Papua	XI.D.355

***Theobroma* (Malvaceae)**

<i>cacao</i> L.	T.	Bali	XIII.K.111-111a
-----------------	----	------	-----------------

***Thevetia* (Apocynaceae)**

sp.	W.Cl.	Bali	XIV.C.119-119a
-----	-------	------	----------------

***Thrinax* (Arecaceae)**

<i>radiata</i> Lodd. ex Schult. & Schult. f.	T.	C. America	XIV.E.7-7a
--	----	------------	------------

***Thrixspermum* (Orchidaceae)**

<i>acutilobum</i> J.J. Sm. ^{2-App.II}	Hb.	C. Sulawesi	CG.4.312
	Hb.	Bali	CG.4.313
<i>centipeda</i> Lour. ^{2-App.II}	Hb.	Bali	ER. 4.8-8a; ER.82.502, 509; CG.1.68, 69, 70, 71; CG.4.311; R.III.237; CG.1.67

***Thrixspermum* (Orchidaceae) - Contd.**

<i>pensile</i> Schltr. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.44.89; R.I.1
	Hb.	N. Sulawesi	ER.51.122
	Hb.	E. Nusa Tenggara	ER.51.117, 118, 119, 120
sp. ^{2-App.II}	Hb.	C. Sulawesi	ER.75.392, 393 R.III.291
	Hb.	Bali	CG.4.322-322a
	Hb.	E. Nusa Tenggara	ER.75.394, 395
	Hb.	W. Nusa Tenggara	R.III.91
	Hb.	E. Kalimantan	R.III.180

***Thuja* (Cupressaceae)**

<i>occidentalis</i> L.	T.	Rusia	XVI.A.35a-35c
<i>occidentalis</i> 'Gracilis' ^{1-LC}	T.	Bali	XVI.A.
	T.	Rusia	58XVI.A.34-34b
	T.	Hungaria	XVI.B.13-13a
<i>plicata</i> Donn ex D. Don ^{1-LC}	T.	Bali	XVI.A.56-56a-56b-56c-56d
	T.	Rusia	XVI.A.36
	T.	Bali	XVI.A.61-61a
<i>plicata</i> 'Zebrina'	T.	Rusia	XVI.A.37-37a-37b

***Thujaopsis* (Cupressaceae)**

<i>dolabrata</i> (L. f.) Siebold & Zucc.	T.	Japan	XII.A.5
	T.	Bali	XVI.A.51, 53-53a-53b-53c-53d, 54-54a-54b-54c-54d; XVI.B.21

***Thunbergia* (Acanthaceae)**

<i>erecta</i> (Benth.) T. Anderson	Sh.	Bali	X.C.269-269a-269b-269c-269d-269e-269f-269g-269h
------------------------------------	-----	------	---

***Thunbergia* (Acanthaceae) - Contd.**

<i>erecta</i> (Benth.) T. Anderson	Sh.	W. Africa	VII.E.129-129a-129b-129c-129d
<i>natalensis</i> Hook.	Sh.	Bali	XVIII.A.502-502a-502b-502c-502d-502e, 510-510a, 526, 554-554a-554b-554c-554d
	Sh.	S. Africa	XII.C.II.95
sp.	Sh.	Bali	XVIII.A.613-613a

***Thylacopteris* (Polypodiaceae)**

<i>papillosa</i> (Blume) J. Sm.	W.	Bali	IX.E.535-535a-535b-535c-535d, 544-544a
---------------------------------	----	------	--

***Thyrsostachys* (Poaceae)**

<i>siamensis</i> Gamble	Sh.	Bali	XI.D.260-260a-260b-260c-260d, 362
-------------------------	-----	------	-----------------------------------

***Thysanolaena* (Poaceae)**

<i>latifolia</i> (Roxb. ex Hornem.) Honda	Hb.	Bali	XI.D.39-39a
sp.	Hb.	Bali	XI.D.103-103a-103b, 363-363a
	Hb.	W. Nusa Tenggara	XI.D.370-370a-370b-370c
	Hb.	S. Sulawesi	XI.D.215, 178, 198-198a-198b-198c-198d, 196-196a,
	Hb.	C. Sulawesi	XI.D.46-46a-46b

***Tibouchina* (Melastomataceae)**

<i>langsдорffiana</i> Baill.	Sh.	Bali	XII.C.II.101
------------------------------	-----	------	--------------

***Timonius* (Rubiaceae)**

<i>flavescens</i> (Jacq.) Backer	T.	E. Nusa Tenggara	X.A.79-79a-79b
----------------------------------	----	------------------	----------------

***Timonius* (Rubiaceae) - Contd.**

sp.	Sh.	E. Nusa Tenggara	X.A.60-60a-60b
-----	-----	------------------	----------------

***Tinospora* (Menispermaceae)**

<i>crispa</i> (L.) Hook. f. & Thomson	W.Cl.	Bali	X.C.215-215a-215b-215c-215d, 435-435a-435b-435c-435d, 513-513a-513b-513c-513d
---------------------------------------	-------	------	---

***Toddalia* (Rutaceae)**

<i>asiatica</i> (L.) Lam.	W.Cl.	E. Nusa Tenggara	X.B.24-24a, 27-27a
sp.	W.Cl.	E. Nusa Tenggara	X.B.26-26a
	W.Cl.	S. Sulawesi	X.B.38-38a-38b

***Toona* (Meliaceae)**

<i>sureni</i> (Blume) Merr.	T.	Bali	X.C.164
	T.	Java	XIV.A.4
	T.	W. Nusa Tenggara	XIV.A.10-10b-10c
	T.	S. Sulawesi	XIV.A.61-61a

***Tournefortia* (Boraginaceae)**

<i>sarmentosa</i> Lam.	Cl.	Bali	X.C.84-84a-84b
------------------------	-----	------	----------------

***Trachycarpus* (Arecaceae)**

<i>fortunei</i> (Hook.) H.Wendl.	T.	France	XIV.E.170-170a-170b-170c-170d
----------------------------------	----	--------	-------------------------------

***Trachymene* (Araliaceae)**

<i>coerulea</i> Graham	Sh.	France	VII.E.167-167a-167b-167c-167d-167e-167f-167g-167h
------------------------	-----	--------	---

Trema (Cannabaceae)

<i>orientalis</i> (L.) Blume	T.	Bali	X.C.161-161a; XIII.J.2-2a-2b
	T.	S. Sulawesi	VII.B.I.11, 18

Trevesia (Araliaceae)

<i>sundaica</i> Miq.	T.	Bali	XIX.A.58-58a-58b, 85
----------------------	----	------	-------------------------

Triadica (Euphorbiaceae)

<i>sebifera</i> (L.) Small	Sh.	Taiwan	XII.C.I.283-283a- 283b-283c-283d
----------------------------	-----	--------	-------------------------------------

Trichoglottis (Orchidaceae)

<i>celebica</i> Rolfe ^{2-App.II} sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.82.505; CG.3.182; R.I.5
	Hb.	Bali	ER.83.539; CG.3.214; CG.4.323
	Hb.	E. Java	CG.3.181
	Hb.	Bali	ER.51.121
	Hb.	E. Nusa Tenggara	ER.75.390; R.I.9
	Hb.	C. Sulawesi	ER.51.111
	Hb.	S. Sulawesi	ER.51.123; ER.86.634, 635, 644
	Hb.	S.E. Sulawesi	ER.82.479
	Hb.	N. Sulawesi	ER.87.645
	Hb.	E. Kalimantan	R.I.65

Trichotosia (Orchidaceae)

<i>annulata</i> Blume	Hb.	Bali	CG.1.121, 122, 123, 124; CG.3.254, 255
<i>ferox</i> Blume ^{2-App.II}	Hb.	Bali	ER.67.236, 237, 238; ER.82.478, 19
	Hb.	E. Nusa Tenggara	R.I.22
	Hb.	W. Nusa Tenggara	ER.81.466, 467, CG.3.247; CG.4.345
	Hb.	S. Sulawesi	ER.67.240

***Trichotosia* (Orchidaceae) - Contd.**

<i>ferox</i> Blume ^{2-App.II}	Hb.	N. Sulawesi	ER.67.239-239a
	Hb.	C. Sulawesi	ER.67.241
	Hb.	E. Kalimantan	R.I.191
	Hb.	Papua	ER.88.661; R.I.166-166a
<i>latifolia</i> (Blume) Seidenf. ^{2-App.II}	Hb.	Bali	ER.40.79, 80, 81; ER.41.82, 83; ER.42.84; ER.43.85; ER.46.99; ER.47.100-100a-100b
	Hb.	E. Nusa Tenggara	ER.48.101; CG.3.225
<i>pauciflora</i> Wight ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.81.469, 470; CG.3.243
	Hb.	Bali	CG.3.228, 227; CG.1.125, 126; ER.93.810-810a

***Trigonachras* (Sapindaceae)**

sp.	T.	E. Nusa Tenggara	XIV.A.169-169a-169b
-----	----	------------------	---------------------

***Tripterygium* (Celastraceae)**

<i>wilfordii</i> Hook. f.	Sh.	Berlin	XVII.E.14-14a
---------------------------	-----	--------	---------------

***Tristaniopsis* (Myrtaceae)**

sp.	T.	E. Kalimantan	XII.B.248
-----	----	---------------	-----------

***Tropidia* (Orchidaceae)**

<i>angulosa</i> (Lindl.) Blume ^{2-App.II}	Sh.	W. Nusa Tenggara	R.III.203-203a-203b
--	-----	------------------	---------------------

***Tuberolabium* (Orchidaceae)**

sp. ^{2-App.II}	Hb.	W. Nusa Tenggara	ER.75.373
-------------------------	-----	------------------	-----------

Turnera (Passifloraceae)

<i>ulmifolia</i> L.	Sh.	Japan	XII.C.II.111 (3 pls.)
	Sh.	Bali	VII.E.178 (5 pls.)

Turpinia (Staphyleaceae)

<i>sphaerocarpa</i> Hassk.	T.	Bali	XIX.A.2-2a-2b-2c
	T.	C. Sulawesi	XX.H.2-2a-2b; XIX.I.2
sp.	Sh.	Bali	XIX.A.27
	T.	S.E. Sulawesi	XIX.A.78-78a-78b-78c
	T.	S. Sulawesi	XIX.A.28-28a, 30-30a-30b-30c-30d-30e
	Sh.	N. Sulawesi	XIX.A.29-29a-29b

Tylophora (Apocynaceae)

sp.	W.Cl.	E. Nusa Tenggara	XIV.C.24-24a-24b-24c-24d, 25-25a, 61-61a-61b-61c-61d
	W.Cl.	W. Nusa Tenggara	VII.E.160-160a

Typha (Thypaceae)

<i>angustifolia</i> L.	P.	Bali	Aq.9
------------------------	----	------	------

Typhonium (Araceae)

<i>blumei</i> Nicolson & Sivad.	Hb.	Bali	N.332-332a-332b-332c
<i>flageliforme</i> (Lodd.) Blume 1-LC	Hb.	Bali	N.188-188a-188b-188c-188d

Uncaria (Rubiaceae)

sp.	W.Cl.	W. Nusa Tenggara	X.C.701; IX.D.I.3-3a
-----	-------	------------------	----------------------

Uniola (Poaceae)

<i>paniculata</i> L.	Hb.	The Netherlands	XI.D.343-343a-343b
----------------------	-----	-----------------	--------------------

Urena (Malvaceae)

<i>lobata</i> L.	Sh.	Bali	VII.E.100-100a, 161; X.C. 180, 536-536a-536b-536c- 536d; XVIII.A.528- 528a
sp.	Sh.	E. Nusa Tenggara	VII.E.122-122a

Urticastrum (Urticaceae)

<i>decumanum</i> (Roxb.) Kuntze	T.	Bali	XIII.K.7
------------------------------------	----	------	----------

Uvaria (Annonaceae)

sp.	W.Cl.	E. Nusa Tenggara	XV.C.12, 13
-----	-------	------------------	-------------

Vaccinium (Ericaceae)

<i>lucidum</i> Miq.	Sh.	Java	XV.B.20
	Sh.	E. Nusa Tenggara	XIII.B.90
<i>varingiaefolium</i> Miq.	Sh.	Papua	XIII.B.86-86a-86b- 86c-86d
sp.	Sh.	S. Sulawesi	XIII.B.83-83a-83b, 87-87a-87b
	Sh.	E. Nusa Tenggara	XIII.B.84-84a

Vanda (Orchidaceae)

<i>helvola</i> Blume ^{2-App.II}	Hb.	Bali	ER.37.75-75a
<i>tricolor</i> Lindl. ^{2-App.II}	Hb.	Bali	ER.35.73; CG.4.324- 324a-324b-324c- 324d; R.III.238
sp. ^{2-App.II}	Hb.	Bali	R.III.206-206a-206b
	Hb.	W. Nusa Tenggara	ER.36.74-74a-74b
	Hb.	C. Sulawesi	CG.4.277

Vanilla (Orchidaceae)

sp. ^{2-App.II}	Cl.	E. Kalimantan	R.I.42
-------------------------	-----	---------------	--------

Veitchia (Arecaceae)

<i>arecina</i> Becc.	T.	Bali	XIV.E. 94-94a-94b- 94c-94d-94e-94f- 94g-94h-94i
----------------------	----	------	---

Vernonia (Compositae)

<i>arborea</i> Buch.-Ham.	T.	Bali	XIX.C.1-1a-1b-1c, 6
---------------------------	----	------	---------------------

Veronica (Plantaginaceae)

<i>ornata</i> Monjuschko	An.	Japan	VII.E.137
--------------------------	-----	-------	-----------

Viburnum (Adoxaceae)

<i>odoratissimum</i> Ker Gawl.	T.	Japan	XIII.B.21a
	T.	W. Nusa Tenggara	XVII.A.2
<i>rhytidophyllum</i> Hemsl.	T.	Berlin	XVII.A.4-4a
<i>sambucinum</i> Reinw. ex Blume	T.	Bali	XV.B.139-139a; XVIII.A.543-543a- 543b-543c-543d
sp.	T.	Bali	XV.B.340a-340b
	T.	W. Nusa Tenggara	XVII.B.4-4a, XVII.A.6

Vittaria (Pteridaceae)

sp.	W.	W. Nusa Tenggara	IX.E.577-577a
-----	----	------------------	---------------

Vitex (Lamiaceae)

<i>pinnata</i> L.	T.	E. Nusa Tenggara	X.J.19
<i>trifolia</i> L.	T.	Bali	X.C.65-65a-65b, 511-511a-511b; X.J.43-43a-43b- 43c; XVIII.A.328, 459-459a-459b-459c- 459d

***Vitex* (Lamiaceae) - Contd.**

<i>trifolia</i> L.	T.	N. Sulawesi	X.J.27-27a, 28-28a-28b-28c-28d
sp.	T.	Bali	X.J.39-39a-39b-39c
	T.	S.E. Sulawesi	X.J.21-21a-21b-21c; X.B.83-83a

***Vitis* (Vitaceae)**

sp.	Cl.	E. Nusa Tenggara	XV.B.190-190a-190b
-----	-----	------------------	--------------------

***Voacanga* (Apocynaceae)**

sp.	T.	E. Nusa Tenggara	XIV.C.67-67a
-----	----	------------------	--------------

***Vriesea* (Bromeliaceae)**

sp.	Hb.	E. Java	RK.143-143a-143b
-----	-----	---------	------------------

***Watsonia* (Iridaceae)**

<i>pillansii</i> L.Bolus	Hb.	Australia	XII.C.II.61-61a-61b- 61c-61d
--------------------------	-----	-----------	---------------------------------

***Weingartia* (Cactaceae)**

<i>lanata</i> F. Ritter	Sc.	Romania	RK.158
-------------------------	-----	---------	--------

***Weinmannia* (Cunoniaceae)**

<i>blumei</i> Planch.	T.	Bali	XIX.B.1
	T.	E. Nusa Tenggara	XIX.B.4

***Wendlandia* (Rubiaceae)**

<i>densiflora</i> (Blume) DC.	T.	Bali	X.A.171-171a; XIII.J.1
	T.	W. Nusa Tenggara	X.A.52-52a
	T.	E. Nusa Tenggara	X.A.122
	T.	S. Sulawesi	X.A.68-68a-68b
<i>paniculata</i> (Roxb.) DC.	T.	Bali	X.A.6-6a-6b

Wendlandia (Rubiaceae)

sp.	T.	E. Nusa Tenggara	X.A.55-55a-55b-55c
	T.	Papua	X.A.161
	T.	E. Nusa Tenggara	X.A.89-89a-89b-89c, 135-135a-135b
	T.	W. Nusa Tenggara	X.C.702; X.A. 13- 13a, 176
	T.	S.E. Sulawesi	X.A.138-138a-138b

Widdringtonia (Cupressaceae)

<i>whytei</i> Rendle ^{1-EN}	T.	Bali	XVI.B.23-23a-23b- 23c
	T.	S. Africa	XIII.C.26; XVI.B.12- 12a

Wikstroemia (Thymelaeaceae)

<i>androsaemifolia</i> Decne.	Sh.	E. Nusa Tenggara	XX.J.10
-------------------------------	-----	------------------	---------

Willughbeia (Apocynaceae)

<i>coriacea</i> Wall.	T.	Papua	XIV.C.10-10a
sp.	T.	E. Nusa Tenggara	XIV.C.76-76a-76b

Wimmerella (Campanulaceae)

<i>longitubus</i> (E. Wimm.) Serra, M.B. Crespo & Lammers	Sh.	Bali	X.C.110
---	-----	------	---------

Whiteodendron (Myrtaceae)

sp.	T.	S.E. Sulawesi	XII.B.235-235a-235b
-----	----	---------------	---------------------

Woodfordia (Lythraceae)

<i>fruticosa</i> (L.) Kurz ^{1-LC}	Sh.	Bali	X.C.510-510a-510b
	Sh.	W. Nusa Tenggara	VII.E.162-162a-162b
sp.	Sh.	Bali	X.C.632

***Wrightia* (Apocynaceae)**

<i>pubescens</i> R.Br.	T.	Bali	X.C.669-669a-669b-669c
<i>pubescens</i> subsp. <i>lanitii</i> (Blanco) Ngan	T.	Bali	XIV.C.36
<i>religiosa</i> (Teijsm. & Binn.) Benth. ex Kurz	T.	Bali	X.C.512-512a-512b
	T.	E. Java	XIII.E.6
	T.	E. Nusa Tenggara	XIV.C.57
sp.	T.	E. Nusa Tenggara	XIV.C.32-32a-32b-32c-32d-32e, 63
	T.	S. Sulawesi	XIV.C.95-95a-95b

***Xanthophyllum* (Polygalaceae)**

<i>novoguinese</i> Meijden	T.	Papua	XIX.E.4
sp.	T.	Bali	XIV.A.198
	T.	S.E. Sulawesi	XIV.B.I.92-92a-92b-92c-92d

***Xanthorrhoea* (Xanthorrhoeaceae)**

<i>preissii</i> Endl.	Hb.	W. Australia	XII.C.II.31
-----------------------	-----	--------------	-------------

***Xanthosoma* (Araceae)**

<i>sagittifolium</i> (L.) Schott	Hb.	Bali	XVIII.A. 151-151a-151b-151c-151d, 152-152a-152b-152c-152d; X.C.31-31a-31b-31c-31d-31e-31f-31g-31h-31i, 32-32a-32b-32c-32d-32e-32f-32g-32h-32i; XIX.K.I. 28 (15 pls.), 116-116a-116b-116c
<i>sagittifolium</i> cf. 'Sting Ray'	Hb.	Bali	N.196-196a

***Yucca* (Asparagaceae)**

sp.	Sh.	W. Java	VII.D.II.19-19a
-----	-----	---------	-----------------

***Zamioculcas* (Araceae)**

sp.	Hb.	Bali	N.347-347a-347b
-----	-----	------	-----------------

***Zantedeschia* (Araceae)**

<i>aethiopica</i> (L.) Spreng. ^{1-LC}	Hb.	Bali	Aq.12
--	-----	------	-------

***Zanthoxylum* (Rutaceae)**

<i>armatum</i> DC.	Sh.	E. Nusa Tenggara	X.B.28-28a-28b-28c-28d-28e-28f-28g-28h-28i-28j
<i>limonella</i> (Dennst.) Alston	T.	W. Nusa Tenggara	X.B.17-17a-17b-17c
<i>ovalifolium</i> Tutcher	Sh.	W. Nusa Tenggara	X.B.25-25a-25b
	Sh.	Bali	X.B.103-103a
<i>paniculatum</i> Balf.f	Sh.	Bali	X.B.3-3a
<i>rhetsa</i> DC.	T.	Bali	X.B.105-105a-105b
	T.	C. Sulawesi	X.B.58
	T.	N. Sulawesi	X.B.90-90a-90b
sp.	T.	Bali	X.B.41, 43-43a
	T.	E. Nusa Tenggara	X.B.59
	T.	W. Nusa Tenggara	X.B.96-96a

***Zapoteca* (Leguminosae)**

<i>tetragona</i> (Willd.) H.M. Hern.	T.	America	VII.A.38-38a-38b-38c
--------------------------------------	----	---------	----------------------

***Zingiber* (Zingiberaceae)**

<i>montanum</i> (J. Koenig) Link ex A. Dietr.	Hb.	Bali	X.C.46-46a-46b-46c- 46d-46e-46f-46g- 46h-46i-46j-46k- 46l-46m-46n, 47 (20 pls.), 428-428a, 474-474a-474b-474c- 474d-474e-474f, 476-476a-476b-476c, 478-478a-478b- 478c, 638, 769-769a; XVIII.A.35-35a, 317-317a-317b-317c, 344
	Hb.	W. Nusa Tenggara	X.C.788-788a
	Hb.	-	VII.C.I.16
<i>officinale</i> Roscoe	Hb.	Bali	X.C. 62-62a-62b- 62c-62d-62e- 62f-62g-62h-62i, 63-63a, 116-116a, 393-393a-393b, 429, 430-430a-430b-430c- 430d 431-431a-431b, 434-434a-434b-434c- 434d, 482-482a, 483-483a-483b-483c, 484-484a-484b-484c, 580-580a-580b- 580c-580d, 753-753a-753b- 753c-753d, 759-759a-759b-759c- 759d
	Hb.	Bali	X.C. 770-770a, 773-773a-773b-773c- 773d, 774-774a-774b, 835-835a, 836, 837; XVIII.A.549-549a- 549b

***Zingiber* (Zingiberaceae) - Contd.**

<i>zerumbet</i> (L.) Roscoe ex Sm.	Hb.	Bali	X.C.528-528a-528b-528c-528d, 775-775a-775b-775c
sp.	Hb.	Bali	VII.C.I. 7, 8, 29-29a-29b-29c-29d, 34-34a-34b-34c-34d; X.C.469, 479-479a, 621-621a-621b, 793; XVIII.A.346
	Hb.	W. Nusa Tenggara	X.C.115-115a-115b-115c-115d
	Hb.	E. Nusa Tenggara	VII.C.I.18
	Hb.	S.E. Sulawesi	VII.C.I.39-39a, 43-43a-43b
	Hb.	C. Sulawesi	VII.C.I.20-20a-20b
	Hb.	E. Kalimantan	X.C.691-691a-691b

***Ziziphus* (Rhamnaceae)**

sp.	W.Cl.	W. Nusa Tenggara	XIX.F.8-8a-8b-8c-8d-8e
	T.	Bali	XIX.F.10
	T.	W. Nusa Tenggara	XIX.F.7-7a-7b



Chapter 2

Indetermined

ACANTHACEAE

S.	Bali	X.C.371-371a-371b, 420-420a-420b-420c-420d; XII.C.II.57-57a-57b-57c- 57d
S.	W. Nusa Tenggara	XII.C.II.56

AGAVACEAE

S.	Bali	XVIII.A.144-144a-144b
S.	E. Nusa Tenggara	VII.D.II.30-30a

ANACARDIACEAE

T.	C. Sulawesi	IX.A.25-25a-25b-25c, 26
----	-------------	-------------------------

ANNONACEAE

T.	Bali	XIII.P.7-7a; XV.C.73-73a
T.	W. Nusa Tenggara	XV.C.35-35a, 69-69a-69b
T.	S. Sulawesi	XIV.B.II.46-46a-46b-46c- 46d-46e
T.	S.E. Sulawesi	XV.C.51-51a, 63

APOCYNACEAE

T.	Bali	XIV.C.28; X.A.114
----	------	-------------------

APOCYNACEAE - *Contd.*

T.	E. Nusa Tenggara	XIII.P.49
----	------------------	-----------

ARECACEAE

T.	E. Nusa Tenggara	XIV.E.80
----	------------------	----------

BERBERIDACEAE

S.	E. Nusa Tenggara	XV.B.313
----	------------------	----------

BIGNONIACEAE

Cl.	Bali	X.C.389
T.	S. Sulawesi	X.K.20-20a-20b
T.	C. Sulawesi	X.K.21
T.	S.E. Sulawesi	X.K.23-23a-23b-23c

CELASTRACEAE

S.	E. Nusa Tenggara	XVII.E.4-4a-4b-4c-4d
S.	C. Sulawesi	XVII.E.5-5a
T.	S.E. Sulawesi	XVII.E.11
S.	E. Nusa Tenggara	XVII.E.6-6a
T.	Gorontalo	XVII.E.15, 16, 17

CLUSIACEAE

T.	E. Nusa Tenggara	XIX.G.29
----	------------------	----------

COMBRETACEAE

T.	W. Nusa Tenggara	XVII.D.13-13a-13b-13c-13d
T.	E. Nusa Tenggara	XVII.D.14-14a-14b

CONNARACEAE

T.	S. Sumatra	VIII.113
----	------------	----------

EBENACEAE

T.	Bali	IX.B.7
----	------	--------

ELAEocarpaceae

T.	Bali	XIII.P.10, 6-6a-6c-6d
T.	E. Nusa Tenggara	XIII.P.18; XIX.K.18-18a

Euphorbiaceae

T	Bali	X.C.453-453a-453b; XII.C.I.298; XVIII.A.442;
T.	E. Nusa Tenggara	XII.C.I.124
T.	W. Nusa Tenggara	XII.C.I.93-93a, 299
Cl.	C. Sulawesi	XII.C.I.302
T.	N. Sulawesi	XII.C.I.281-281a-281b-281c

Fagaceae

T.	E. Nusa Tenggara	XI.B.6
----	------------------	--------

Flacourtiaceae

T.	E. Nusa Tenggara	XIII.I.16-16a-16b
----	------------------	-------------------

Genus Dubius

T.	Bali	XVIII.A.226-226a, 235, 311-311a-311b-311c
P.	Bali	XIII.K.77
S.	E. Java	N.319
S.	W. Nusa Tenggara	XIII.P.42-42a- 42b; XVIII.A.221, 222-222a-222b-222c, 234-234a-234b-234c-234d, 240, 243
Cl.	E. Nusa Tenggara	XII.C.I.261
T.	S. Sulawesi	XIX.G.39-39a

Geraniaceae

S.	Bali	X.C.413-413a-413b-413c- 413d
----	------	---------------------------------

Hamamelidaceae

T.	W. Nusa Tenggara	XIII.L.4, 7-7a-7b
----	------------------	-------------------

HAMAMELIDACEAE - Contd.

T.	E. Nusa Tenggara	XIII.L.6-6a
----	------------------	-------------

ICACINACEAE

T.	Bali	XVIII.A.216
----	------	-------------

LAURACEAE

T.	S. Sulawesi	XIV.B.II.72b
T.	E. Nusa Tenggara	XIV.B.III.70-70a, 77; XVIII.A.238-238a

LECYTHIDACEAE

T.	Bali	XIX.K.8, 20-20a-20b
----	------	---------------------

LEGUMINOSAE

T.	Bali	XVIII.A.429-429a-429b
H.	W. Nusa Tenggara	X.C.801
T.	E. Nusa Tenggara	VIII.80-80a, 83, 84-84a-84b-84c
T.	S. Sulawesi	VIII.154-154a

LILIACEAE

P.	E. Java	N. 54
S.	E. Nusa Tenggara	XII.C.II.59-59a-59b-59c- 59d; XV.B.258-258a
H.	W. Nusa Tenggara	VII.E.102-102a-102b-102c- 102d

LOGANIACEAE

T.	E. Kalimantan	XX.H.6
----	---------------	--------

LYTHRACEAE

T.	W. Nusa Tenggara	X.H.2-2a
T.	S. Sulawesi	XIII.E.66

MAGNOLIACEAE

T.	Bali	XIII.O. 7, 24-24a
----	------	-------------------

MELIACEAE

T.	Bali	XIV.A. 43, 158-158a-158b-158c
T.	E. Nusa Tenggara	XIV.A.150

MENISPERMACEAE

Cl.	E. Nusa Tenggara	XV.B.169
-----	------------------	----------

MORACEAE

T.	E. Nusa Tenggara	VII.D.148
----	------------------	-----------

MYRISTICACEAE

T.	E. Nusa Tenggara	XV.C.41
----	------------------	---------

POACEAE

Clp.	Bali	XI.D.49; XVIII.A.426
Clp.	E. Nusa Tenggara	XI.D.30, 43-43a

POLYPODIACEAE

W	Bali	IX.E.278
W.	E. Nusa Tenggara	IX.E.96-96a-96b, 164, 158-158a; XII.C.I.258-258a
W.	S. Sulawesi	IX.E.120-120a, 122-122a-122b, 149-149a-149b, 165-165a-165b-165c-165d, 263-263a
W.	S.E. Sulawesi	IX.E.183

PROTEACEAE

T.	E. Nusa Tenggara	XII.A.68-68a-68b
T.	W. Nusa Tenggara	XII.A.11

RHAMNACEAE

S.	Bali	XIX.F.12-12a-12b-12c-12d
----	------	--------------------------

RUBIACEAE

S.	Bali	XV.B.217
S.	E. Nusa Tenggara	X.A.53a-53b
S.	W. Nusa Tenggara	X.C. 20; 842
T.	Gorontalo	X.A.164, 166-166a
S.	Papua	X.A.30-30a

RUTACEAE

T.	Bali	X.B.46-46a
T.	E. Nusa Tenggara	X.B.76
S.	S.E. Sulawesi	X.B.91
T.	S. Sulawesi	X.B.72-72a

SAPINDACEAE

T.	Bali	XIV.A.229-229a-229b; XIV.B.I.75-75a-75b-75c
T.	W. Nusa Tenggara	XIV.A.235
T.	E. Nusa Tenggara	XI.A.31 (4 pls.); XIV.A. 62, 64-64a-64b; XIV.B.I.36
T.	C. Sulawesi	XIV.B.I.62-62a-62b-62c
T.	S. Sulawesi	XIV.A.182-182a, 196
T.	S.E. Sulawesi	XIV.B.I. 83-83a-83b; 91-91a-91b, 101-101a-101b-101c,
T.	Papua	XIV.B.I.99

SAPOTACEAE

T.	Bali	XIV.B.II.53
T.	E. Java	XIV.B.II.3
T.	E. Nusa Tenggara	XIV.B.II.32-32a-32d, 54 (6 pls.), 61-61a-61b
T.	S. Sulawesi	XIV.B.II.76 (5 pls.)

SAPOTACEAE - *Contd.*

T.	S. Sumatra	XIV.B.II.25
T.	Irian Jaya	XIV.B.II.52

STERCULIACEAE

T.	W. Nusa Tenggara	XIII.K.27, 32 (5 pls.)
T.	E. Nusa Tenggara	XIII.K.103
T.	C. Sulawesi	XIII.K.68-68a, 104

THEACEAE

T.	N. Sulawesi	XV.A.14-14a-14b
----	-------------	-----------------

THELYPTERIDACEAE

H.	E. Nusa Tenggara	IX.E. 98, 171, 514, 519
----	------------------	-------------------------

THYMELAEACEAE

T.	W. Nusa Tenggara	XIII.K.35a-35b
----	------------------	----------------

TILIACEAE

T.	N. Sulawesi	VII.D.155-155a
T.	E. Nusa Tenggara	XX.E.7-7a

VERBENACEAE

T.	W. Nusa Tenggara	XII.C.II.91-91a
T.	S. Sulawesi	X.J.16-16a-16b-16c, 18

VITACEAE

S.	Bali	XII.C.II.2
Cl.	Bali	VII.E.60-60a-60b-60c

WOODSIACEAE

H.	E. Nusa Tenggara	IX.E.92-92a-92b-92c
----	------------------	---------------------

ZINGIBERACEAE

P.	S.E. Sulawesi	VII.C.I.30-30a-30b-30c-30d
P.	S. Sulawesi	VII.C.I.31-31a-31b-31c-31d
P.	E. Nusa Tenggara	VII.C.I.33-33a-33b-33c-33d



Chapter 3

List of Aquatic Collections

Canna sp. (Cannaceae)
Carex extensa Gooden. (Cyperaceae)
Carex sp. (Cyperaceae)
Cyperus haspan L. (Cyperaceae)
Cyperus involucratus Rottb.
Cyperus papyrus L. (Cyperaceae)
Cyperus sp. (Cyperaceae)
Eichhornia crassipes (Mart.) Solms (Pontederiaceae)
Equisetum ramosissimum Desf. (Equisetaceae)
Fimbristyllis umbellaris (Lam.) Vahl (Cyperaceae)
Myriophyllum aquaticum (Vell.) Verdc. (Haloragaceae)
Nymphaea elleniae S. W. L. Jacobs (Nymphaeace)
Nymphaea pubescens Willd. (Nymphaeace)
Nymphoides indica (L.) Kuntze (Nymphaeace)
Pistia stratiotes L. (Araceae)
Pontederia cordata L. (Pontederiaceae)
Sagittaria lancifolia L. (Alismataceae)
Schoenoplectiella mucronata (L.) J. Jung & H.K. Choi (Cyperaceae)
Typha angustifolia L. (Thypaceae)
Zantedeschia aethiopica (L.) Spreng. (Araceae)



Chapter 4

List of Fern Collections

- Adiantum diaphanum* Blume (Pteridaceae)
Adiantum edgeworthii Hook. (Pteridaceae)
Adiantum hispidulum Sw. (Pteridaceae)
Adiantum polyphyllum Willd. (Pteridaceae)
Adiantum raddianum C. Presl. (Pteridaceae)
Adiantum silvaticum Tindale (Pteridaceae)
Adiantum sp. (Pteridaceae)
Aglaomorpha heraclea Copel. (Polypodiaceae)
Allantodia aspera (Blume) Ching (Athyriaceae)
Angiopteris evecta (G. Forst.) Hoffm. (Marattiaceae)
Angiopteris sp. (Marattiaceae)
Antrophyum latifolium Blume (Pteridaceae)
Antrophyum sp. (Pteridaceae)
Arachniodes haniffi Ching (Dryopteridaceae)
Arthropteris palisotii (Desv.) Alston (Tectariaceae)
Aspidium crenatus (Cav.) Ching (Tectariaceae)
Asplenium bantamense (Blume) Baker (Aspleniaceae)
Asplenium batuense Alderw. (Aspleniaceae)
Asplenium caudatum G. Forst. (Aspleniaceae)

Asplenium nidus L. (Aspleniaceae)
Asplenium normale D. Don (Aspleniaceae)
Asplenium robustum Blume (Aspleniaceae)
Asplenium salignum Blume (Aspleniaceae)
Asplenium tenerum G. Forst. (Aspleniaceae)
Asplenium thunbergii Kunze (Aspleniaceae)
Asplenium sp. (Aspleniaceae)
Belvisia revoluta Copel. (Polypodiaceae)
Belvisia sp. (Polypodiaceae)
Blechnum orientale L. (Blechnaceae)
Blechnum sp. (Blechnaceae)
Bolbitis heteroclita (C. Presl) Ching (Dryopteridaceae)
Bolbitis sinuata Hennisman (Dryopteridaceae)
Bolbitis sp. (Dryopteridaceae)
Botrychium dauchifolium Wall. ex Hook & Grev. (Ophioglossaceae)
Botrychium sp. (Ophioglossaceae)
Calochlaena javanica (Blume) M.D. Turner & R.A. White (Dicksoniaceae)
Cheilanthes sp. (Pteridaceae)
Chingia clavipilosa Holttum (Thelypteridaceae)
Cibotium sp. (Cibotiaceae)
Colysis macrophylla (Blume) C. Presl. (Polypodiaceae)
Coniogramme fraxinea (D. Don) Fee ex Diels (Pteridaceae)
Coniogramme macrophylla (Blume) Hieron (Pteridaceae)
Coniogramme serrulata F (Pteridaceae)
Cornopteris opaca (D. Don) Tagawa (Athyriaceae)
Coryphopteris unidentata (Bedd.) Holttum (Thelypteridaceae)
Cyathea contaminans (Wall. ex Hook.) Copel. (Cyatheaceae)
Cyathea latebrosa (Wall. ex Hook.) Copel. (Cyatheaceae)
Cyathea sp. (Cyatheaceae)
Cyclosorus sp. (Thelypteridaceae)
Davallia denticulata (Burm. f.) Mett. ex Kuhn (Davalliaceae)

Davallia solida (G. Forst.) Sw. (Davalliaceae)
Davallia sp. (Davalliaceae)
Deparia petersenii (Kunze) M. Kato (Athyriaceae)
Dicksonia blumei (Kunze) Moore (Dicksoniaceae)
Dicksonia timorensis Adjie (Dicksoniaceae)
Dicranopteris linearis (Burm.f.) Underw. (Gleicheniaceae)
Didymochlaena sp. (Hypodematiaceae)
Diplazium accedens Blume (Athyriaceae)
Diplazium asperum Blume (Athyriaceae)
Diplazium esculentum (Retz.) Sw. (Athyriaceae)
Diplazium pallidum T. Moore (Athyriaceae)
Diplazium proliferum (Lam.) Thouars (Athyriaceae)
Diplazium tomentosum Blume (Athyriaceae)
Diplazium sp. (Athyriaceae)
Doodia dives Kunze (Blechnaceae)
Doodia sp. (Blechnaceae)
Drynaria quercifolia (L.) J. Sm. (Polypodiaceae)
Drynaria rigidula (Sw.) Bedd. (Polypodiaceae)
Drynaria sp. (Polypodiaceae)
Dryopteris sparsa (D. Don) Kuntze (Dryopteridaceae)
Dryopteris uniformis (Makino) Makino (Dryopteridaceae)
Dryopteris sp. (Dryopteridaceae)
Elaphoglossum callifolium (Blume) T. Moore (Dryopteridaceae)
Elaphoglossum sp. (Dryopteridaceae)
Equisetum ramosissimum Desf. (Equisetaceae)
Goniophlebium persicifolium (Desv.) Presl (Polypodiaceae)
Hymenophyllum sp. (Hymenophyllaceae)
Leptochilus decurrens Blume (Polypodiaceae)
Lindsaea regularis Rosenst. (Lindsaeaceae)
Lindsaea sp. (Lindsaeaceae)
Loxogramme avenia C. Presl (Polypodiaceae)

Lygodium circinnatum (Burm. f.) Sw. (Lygodiaceae)
Lygodium microphyllum (Cav.) R. Br. (Lygodiaceae)
Lygodium sp. (Lygodiaceae)
Marattia sp. (Marattiaceae)
Microlepia speluncae (L.) T. Moore (Dennstaedtiaceae)
Microlepia sp. (Dennstaedtiaceae)
Microsorium punctatum (L.) Copel (Polypodiaceae)
Microsorium sp. (Polypodiaceae)
Nephrolepis auriculata Trimen (Nephrolepidaceae)
Nephrolepis cordifolia (L.) C. Presl (Nephrolepidaceae)
Nephrolepis duffii T. Moore (Nephrolepidaceae)
Nephrolepis falcata (Cav.) C. Chr. (Nephrolepidaceae)
Nephrolepis hirsutula (G. Forst.) C. Presl (Nephrolepidaceae)
Nephrolepis sp. (Nephrolepidaceae)
Ophioglossum costatum R. Br. (Ophioglossaceae)
Ophioglossum pendulum L. (Ophioglossaceae)
Ophioglossum sp. (Ophioglossaceae)
Osmunda sp. (Osmundaceae)
Pellaea sp. (Pteridaceae)
Phymatodes sp. (Dipteridaceae)
Phymatosorus longissimus (Blume) Pic. Serm. (Polypodiaceae)
Phymatosorus membranifolium (R. Br.) S.G. Lu (Polypodiaceae)
Phymatosorus scolopendria (Burm. f.) Pic. Serm. (Polypodiaceae)
Pityrogramma calomelanos (L.) Link (Pteridaceae)
Platycerium bifurcatum (Cav.) C. Chr (Polypodiaceae)
Platycerium coronarrium (Mull.) Desv. (Polypodiaceae)
Pleocnemia sp. (Tectariaceae)
Pneumatopteris callosa (Blume) Nakai (Thelypteridaceae)
Pneumatopteris truncata (Poir.) Holttum (Thelypteridaceae)
Polypodium sp. (Polypodiaceae)
Polystichopis sp. (Dryopteridaceae)

Polystichum aculeatum (L.) Roth ex Mert. (Dryopteridaceae)
Polystichum sp. (Dryopteridaceae)
Psilotum nudum (L.) P. Beauv. (Psilotaceae)
Pteridium aquilinum (L.) Kuhn. (Dennstaedtiaceae)
Pteridium sp. (Dennstaedtiaceae)
Pteris biaurita L. (Pteridaceae)
Pteris cretica L. (Pteridaceae)
Pteris cretica L. "Albo-Lineata" (Pteridaceae)
Pteris ensiformis Burm. f. (Pteridaceae)
Pteris longipinnula Wall. ex J. Agardh. (Pteridaceae)
Pteris tripartita Sw. (Pteridaceae)
Pteris sp. (Pteridaceae)
Pyrrosia lanceolata (L.) Farw. (Polypodiaceae)
Pyrrosia penangiana Holttum (Polypodiaceae)
Pyrrosia stigmosa (Sw.) Ching (Polypodiaceae)
Pyrrosia sp. (Polypodiaceae)
Selaginella sp. (Selaginellaceae)
Selliguea enervis Ching (Polypodiaceae)
Selliguea sp. (Polypodiaceae)
Sphenomeris chinensis (L.) Maxon (Lindsaeaceae)
Stenochlaena sp. (Blechnaceae)
Tectaria angulata (Willd.) Copel (Tectariaceae)
Tectaria melanocaula (Blume) Copel. (Tectariaceae)
Tectaria sp. (Tectariaceae)
Thelypteris sp. (Thelypteridaceae)
Thylacopteris papillosa (Blume) J. Sm. (Polypodiaceae)
Vittaria sp. (Pteridaceae)



Chapter 5

List of *Begonia* Collections

Begonia aborensis Dunn

Begonia acetosa Vell.

Begonia acida Vell.

Begonia aconitifolia A.DC.

Begonia aptera Blume

Begonia × *argenteoguttata* ‘Coral rubra’

Begonia × *argenteoguttata* ‘Creeper’

Begonia × *argenteoguttata* ‘Fanfare’

Begonia × *argenteoguttata* ‘Hybrid’

Begonia × *argenteoguttata* ‘Lois Burks’

Begonia atricha (Miq.) Miq. ex A. DC.

Begonia auriculata Hook. f.

Begonia baliensis Girm.

Begonia bipinnatifida J.J. Sm.

Begonia bowerae ‘Cleoptera’

Begonia bowerae ‘Bethlehem Star’

Begonia bowerae ‘Ripples’

Begonia bowerae Ziensenh.
Begonia brevirimosa Irmsch.
Begonia calderonii Standl.
Begonia carolineifolia Regel
Begonia chivatoa Ziesenh.
Begonia coccinea Hook.
Begonia coriacea Hassk.
Begonia crassicaulis Lindl.
Begonia cucullata Willd.
Begonia didyma D.C. Thomas & Ardi
Begonia droopiae Ardi
Begonia echinocephala Regel
Begonia fusca Liebm.
Begonia guttapila D.C. Thomas & Ardi
Begonia goegoensis N.E. Br.
Begonia guaduensis Kunth
Begonia heracleifolia Cham. & Schltdl.
Begonia heracleifolia 'Black Falcon'
Begonia heracleifolia 'Ben Lexcen'
Begonia heracleifolia 'Hybrid'
Begonia heracleifolia 'King of Prusia'
Begonia hirtella Link
Begonia hooveriana Wiriad.
Begonia hydrocotylifolia Otto ex Hook.
Begonia imperialis Lem.
Begonia incarnata Link & Otto
Begonia karwinskyana A. DC.
Begonia koordersii Warb. ex L.B. Sm. & Wassh.

Begonia lempuyangensis Girm.
Begonia listada L.B. Sm. & Wassh.
Begonia lombokensis Girm.
Begonia longifolia Blume
Begonia cf. *longifolia*
Begonia maculata Raddi
Begonia manicata Brongn.
Begonia manicata var. *aureomaculata* Ziesenh.
Begonia manicata 'Essie Hunt'
Begonia manicata 'Fairyland'
Begonia manicata 'Hybrid'
Begonia multangula Blume
Begonia multibracteata Girm.
Begonia naumoniensis Irmsch
Begonia obscura Brade
Begonia oxyloba Welw. ex Hook. f.
Begonia pasamanensis M. Hughes
Begonia peltata Otto & Dietr.
Begonia pseudomuricata Girm.
Begonia puspitae Ardi
Begonia rachmatii Tebbitt
Begonia rex 'Brillians'
Begonia rex 'Christmas'
Begonia rex 'Hybrid'
Begonia rex 'Lettuce Magic'
Begonia rex 'Mystic Twist'
Begonia rex 'Rosy Morn'
Begonia rex 'Silver Circle'

Begonia robusta Blume
Begonia sarmentosa L.B.Sm. & Wassh.
Begonia scutifolia Hook. f.
Begonia serratifolia Irmsch (Lurik)
Begonia silhetensis (A. DC.) C.B. Clarke
Begonia subvillosa Klotzhsch
Begonia sudjanae C.A. Jansson
Begonia sychnantha L. B. Smith & DC. Wassh.
Begonia cf. *sychnanta*
Begonia tenuifolia Dryand
Begonia thelmae L.B.Sm. & Wassh.
Begonia cf. *thelmae*
Begonia tomentosa Schott
Begonia ulmifolia Willd.
Begonia variegata Y.M. Shui & W.H. Chen
Begonia venosa Skan ex Hook.f.
Begonia wallichiana Lehm.
Begonia sp.
Begonia 'Black Falcon'
Begonia 'Chantilly lace'
Begonia 'Fiji Islands'
Begonia 'Foloveniana'
Begonia 'Fuggy'
Begonia 'Jurrah'
Begonia 'Kimbrook'
Begonia 'Penny O'day'
Begonia 'Silver Queen'
Begonia 'U388'



Chapter 6

List of Ceremonial Plant Collections

Acacia nilotica (L.) Delile (Leguminosae)
Acalypha wilkesiana Mull. Arg. (Euphorbiaceae)
Acorus calamus L. (Acoraceae)
Aegle marmelos (L.) Correa (Rutaceae)
Aleurites moluccanus (L.) Willd. (Euphorbiaceae)
Allamanda cathartica L. (Apocynaceae)
Alocasia macrorrhizos (L.) G. Don (Araceae)
Alpinia galanga (L.) Willd. (Zingiberaceae)
Alyxia reinwardtii Blume (Apocynaceae)
Amorphophallus sp. (Araceae)
Ananas comosus (L.) Merr. (Bromeliaceae)
Antidesma bunius (L.) Spreng. (Phyllanthaceae)
Areca sp. (Arecaceae)
Arenga pinnata (Wurmb.) Merr. (Arecaceae)
Artocarpus heterophyllus Lam. (Moraceae)
Artocarpus integer (Thunb.) Merr. (Moraceae)

Asparagus setaceus (Kunth) Jessop. (Asparagaceae)
Baccaurea racemosa (Reinw. ex Blume) Müll. Arg. (Phyllanthaceae)
Bambusa vulgaris Schrad. (Poaceae)
Bixa orellana L. (Bixaceae)
Boesenbergia rotunda (L.) Mansf. (Zingiberaceae)
Bombax ceiba L. (Malvaceae)
Bougainvillea spectabilis Willd. (Nyctaginaceae)
Brassaiopsis sp. (Araliaceae)
Breonia chinensis (Lam.) Capuron (Rubiaceae)
Breynia microphylla (Kurz ex Teijsm. & Binn.) Mull.Arg. (Phyllanthaceae)
Brunfelsia sp. (Solanaceae)
Calamus sp. (Arecaceae)
Calotropis gigantea (L.) Dryand. (Apocynaceae)
Cananga odorata (Lam.) Hook. f. & Thomson (Annonaceae)
Caryota mitis Lour. (Arecaceae)
Casuarina junghuhniana Miq. (Casuarinaceae)
Ceiba pentandra (L.) Gaertn. (Malvaceae)
Celastrus paniculatus Willd. (Celastraceae)
Chionanthus ramiflorus Roxb. (Oleaceae)
Cinnamomum burmannii (Nees & T. Nees) Blume (Lauraceae)
Cinnamomum sp. (Lauraceae)
Citrus amblycarpa (Hassk.) Ochse (Rutaceae)
Citrus maxima (Burm.) Merr. (Rutaceae)
Citrus medica L. (Rutaceae)
Citrus nobilis Lour. var. *microcarpa* (Rutaceae)
Citrus sp. (Rutaceae)
Clerodendrum thomsonie Balf. f. (Lamiaceae)
Clitoria ternatea L. (Leguminosae)

Cocculus laurifolius DC. (Menispermaceae)
Cocculus orbiculatus (L.) DC. (Menispermaceae)
Codiaeum variegatum (L.) Rumph. ex A. Juss. (Euphorbiaceae)
Codiaeum sp. (Euphorbiaceae)
Coix lacryma-jobi L. (Poaceae)
Cordyline fruticosa (L.) A. Chev. (Asparagaceae)
Cordyline rubra Otto & A. Dietr. (Asparagaceae)
Cordyline sp. (Asparagaceae)
Costus sp. (Costaceae)
Crateva sp. (Capparaceae)
Crescentia cujete L. (Bignoniaceae)
Cryptocarya massoy (Oken) Kosterm. (Lauraceae)
Curculigo sp. (Hypoxidaceae)
Curcuma aeruginosa Roxb. (Zingiberaceae)
Curcuma longa L. (Zingiberaceae)
Curcuma viridiflora Roxb. (Zingiberaceae)
Curcuma zanthorrhiza Roxb. (Zingiberaceae)
Curcuma sp. (Zingiberaceae)
Cycas rumphii Miq. (Cycadaceae)
Dacryodes sp. (Burseraceae)
Daphniphyllum griffithianum (Wight) Noltie (Daphniphyllaceae)
Deeringia amaranthoides (Lam.) Merr. (Amaranthaceae)
Dendrocalamus sp. (Poaceae)
Dioscorea alata L. (Dioscoreaceae)
Dioscorea bulbifera L. (Dioscoreaceae)
Dioscorea hispida Dennst. (Dioscoreaceae)
Dioscorea pentaphylla L. (Dioscoreaceae)
Dioscorea sp. (Dioscoreaceae)

Dracaena angustifolia (Medik.) Roxb. (Asparagaceae)
Dracaena sp. (Asparagaceae)
Durio zibethinus Murr. (Malvaceae)
Dysoxylum parasiticum (Osbeck) Kosterm. (Meliaceae)
Dysoxylum sp. (Meliaceae)
Elaeocarpus bojeri R.E. Vaughan (Elaeocarpaceae)
Elaeocarpus glaber Blume (Elaeocarpaceae)
Elaeocarpus sp. (Elaeocarpaceae)
Etlingera elatior (Jack.) R.M. Sm. (Zingiberaceae)
Etlingera sp. (Zingiberaceae)
Erythrina fusca Lour. (Leguminosae)
Erythrina hypaphorus Boerl. ex Koord. (Leguminosae)
Erythrina subumbrans (Hassk.) Merr. (Leguminosae)
Erythrina sp. (Leguminosae)
Euonymus indicus B. Heyne ex Wall. (Celastraceae)
Euphorbia sp. (Euphorbiaceae)
Faradaya sp. (Verbenaceae)
Ficus benjamina L. (Moraceae)
Ficus lacor Buch.-Ham. (Moraceae)
Ficus septica Burm.f. (Moraceae)
Ficus virens Aiton (Moraceae)
Ficus sp. (Moraceae)
Flacourtia rukam Zoll.& Moritzi (Salicaceae)
Flacourtia sp. (Salicaceae)
Foeniculum vulgare Mill. (Apiaceae)
Garcinia × mangostana L. (Clusiaceae)
Garcinia sp. (Clusiaceae)
Gardenia jasminoides J. Ellis (Rubiaceae)

Gigantochloa sp. (Poaceae)
Gossypium barbadense L. (Malvaceae)
Graptophyllum pictum (L.) Griff. (Acanthaceae)
Graptophyllum sp. (Acanthaceae)
Harmsiopanax sp. (Araliaceae)
Hibiscus hybridus F.G. Dietr. (Malvaceae)
Hibiscus rosa-sinensis L. (Malvaceae)
Hibiscus schizopetalus (Mast.) Hook. f. (Malvaceae)
Hibiscus tilliaceous L. (Malvaceae)
Hibiscus sp. (Malvaceae)
Hiptage benghalensis (L.) Kurz (Malpighiaceae)
Homalomena cordata Schott (Araceae)
Homalomena sp. (Araceae)
Hoya sp. (Apocynaceae)
Ilex odorata Buch.-Ham. ex D. Don (Aquifoliaceae)
Inocarpus fagifer (Parkinson) Fosberg (Leguminosae)
Ixora chinensis Lamk (Rubiaceae)
Ixora coccinea L. (Rubiaceae)
Ixora sp. (Rubiaceae)
Jasminum sambac (L.) Aiton (Oleaceae)
Jasminum sp. (Oleaceae)
Leea aculeata Blume (Leeaceae)
Leea angulata Korth. ex Miq. (Leeaceae)
Leea sp. (Leeaceae)
Ligustrum sp. (Oleaceae)
Litsea sp. (Lauraceae)
Maesopsis eminii Engler (Rhamnaceae)
Magnolia champaca (L.) Baill. ex Pierre (Magnoliaceae)

Magnolia liliifera (L.) Baill. (Magnoliaceae)
Mangifera odorata Griff. (Anacardiaceae)
Manihot esculenta Crantz (Euphorbiaceae)
Maranta arundinacea L. (Marantaceae)
Matthaea sancta Blume (Monimiaceae)
Medinilla alpestris Blume (Melastomataceae)
Medinilla speciosa Blume (Melastomataceae)
Medinilla sp. (Melastomataceae)
Melicope sp. (Rutaceae)
Michelia alba DC. (Magnoliaceae)
Michelia sp. (Magnoliaceae)
Morus alba L. (Moraceae)
Murraya paniculata (L.) Jack (Rutaceae)
Musa x paradisiaca L. (Musaceae)
Musa sp. (Musaceae)
Nerium oleander L. (Apocynaceae)
Nothopanax sp. (Araliaceae)
Oxystelma sp. (Apocynaceae)
Pandanus amaryllifolius Roxb. (Pandanaceae)
Pandanus marginatus H. St. John (Pandanaceae)
Pandanus tectorius Parkinson ex Du Roi (Pandanaceae)
Pandanus sp. (Pandanaceae)
Pangium edule Reinw. (Achariaceae)
Pentas lanceolata (Forssk.) Deflers (Rubiaceae)
Phaleria octandra (L.) Baill. (Thymelaeaceae)
Phyllanthus acidus (L.) Skeels (Phyllanthaceae)
Phyllanthus buxifolius (Blume) Müll. Arg. (Phyllanthaceae)
Picrasma javanica Blume (Simaroubaceae)

Pinanga coronata (Blume ex Mart.) Blume (Arecaceae)
Piper betle L. (Piperaceae)
Piper nigrum L. (Piperaceae)
Piper sp. (Piperaceae)
Pisonia sp. (Nyctaginaceae)
Platea sp. (Icacinaceae)
Plectranthus amboinicus (Lour.) Spreng. (Lamiaceae)
Plumeria alba L. (Apocynaceae)
Plumeria rubra L. (Apocynaceae)
Pogostemon cablin (Blanco) Benth. (Lamiaceae)
Polyscias sp. (Araliaceae)
Prunus sp. (Rosaceae)
Pseuderanthemum sp. (Acanthaceae)
Psophocarpus tetragonolobus (L.) DC. (Leguminosae)
Psychotria sp. (Rubiaceae)
Pterospermum javanicum Jungh. (Sterculiaceae)
Punica granatum L. (Lythraceae)
Rhapis excelsa (Thunb.) Henry (Arecaceae)
Rhyticaryum elegans G. Schellenb. (Icacinaceae)
Rotheca serrata (L.) Steane & Mabb. (Lamiaceae)
Saccharum officinarum L. (Poaceae)
Saccharum sp. (Poaceae)
Salacca zalacca (Gaertn.) Voss (Arecaceae)
Sambucus javanica Blume (Adoxaceae)
Schefflera elliptica (Blume) Harms (Araliaceae)
Schizostachyum brachycladum (Kurz) Kurz (Poaceae)
Senna surattensis (Burm.f.) H.S.Irwin & Barneby
Solanum rudepannum Dunal (Solanaceae)

Solanum sp. (Solanaceae)
Sorghum bicolor (L.) Moench (Poaceae)
Spondias dulcis Parkinson (Anacardiaceae)
Symplocos sp. (Symplocaceae)
Syzygium aqueum (Burm. f.) Alston (Myrtaceae)
Syzygium polyanthum (Wight.) Walp. (Myrtaceae)
Syzygium polycephalum (Miq.) Merr. & L.M. Perry (Myrtaceae)
Syzygium sp. (Myrtaceae)
Tabernaemontana divaricata (L.) R.Br. ex Roem. & Schult (Apocynaceae)
Tamarindus indica L. (Leguminosae)
Tecomaria sp. (Bignoniaceae)
Tephrosia candida (Roxb.) DC (Leguminosae)
Tephrosia sp. (Leguminosae)
Tetractomia sp. (Rutaceae)
Thunbergia natalensis Hook. (Acanthaceae)
Thunbergia sp. (Acanthaceae)
Urena lobata L. (Malvaceae)
Urena sp. (Malvaceae)
Viburnum sambucinum Reinw. ex Blume (Caprifoliaceae)
Vitex trifolia L. (Verbenaceae)
Xanthosoma sagittifolium (L.) Schott (Araceae)
Zingiber montanum (J. Koenig) Link ex A. Dietr. (Zingiberaceae)
Zingiber officinale Roscoe (Zingiberaceae)
Zingiber sp. (Zingiberaceae)



Chapter 7

List of Nursery Collections

Acalypha chamaedrifolia (Lam.) Mull. Arg. (Euphorbiaceae)

Adiantum sp. (Pteridaceae)

Aeschynanthus radicans Jack (Gesneriaceae)

Aeschynanthus speciosus Hook. (Gesneriaceae)

Aglaonema costatum N.E.Br. (Araceae)

Aglaonema crispum (Pitcher & Manda) Nicolson (Araceae)

Aglaonema pictum (Roxb.) Kunth (Araceae)

Aglaonema sp. (Araceae)

Alocasia baginda Kurniawan & P.C. Boyce (Araceae)

Alocasia balgooyi A. Hay (Araceae)

Alocasia clypeolata A. Hay (Araceae)

Alocasia cucullata (Lour.) G. Don. (Araceae)

Alocasia cuprea K. Koch. (Araceae)

Alocasia longiloba Miq. (Araceae)

Alocasia macrorrhizos (L.) G. Don. (Araceae)

Alocasia micholitziana Sander (Araceae)

Alocasia portei Schott (Araceae)

Alocasia reginula A. Hay (Araceae)
Alocasia sandariana W. Bull. (Araceae)
Alocasia sp. (Araceae)
Amorphophallus bulbifer (Roxb.) Blume (Araceae)
Amorphophallus konjac K. Koch (Araceae)
Amorphophallus muelleri Blume (Araceae)
Amorphophallus paeoniifolius (Dennst.) Nicolson (Araceae)
Amorphophallus sp. (Araceae)
Amydrium sp. (Araceae)
Anthurium acaule (Jacq.) Schott (Araceae)
Anthurium andraeanum Linden ex André (Araceae)
Anthurium clarinervium Matuda (Araceae)
Anthurium crystallinum Linden & André (Araceae)
Anthurium × *ferrierense* auct. (Araceae)
Anthurium geitnerianum A. Regel (Araceae)
Anthurium sp. (Araceae)
Apoballis rupestris (Zoll. & Moritz ex Zoll) S. Y. Wong & P.C. Boyce (Araceae)
Arisaema filiforme (Reinw.) Blume (Araceae)
Bauhinia sp. (Leguminosae)
Bromelia sp. (Bromeliaceae)
Caladium bicolor (Aiton) Vent. (Araceae)
Caladium sp. (Araceae)
Calathea sp. (Marantaceae)
Cyrtosperma beccarianum A. Hay (Araceae)
Davallia solida (G.Forst.) Sw. (Davalliaceae)
Dieffenbachia hybrid 2 (Araceae)
Dieffenbachia sp. (Araceae)
Epipremnum pinnatum (L.) Engl. (Araceae)

Ginkgo biloba L. (Ginkgoaceae)
Gloxinia perennis (L.) Druce (Gesneriaceae)
Gloxinia sp. (Gesneriaceae)
Hedera helix Linn. (Araliaceae)
Hibiscus sp. (Malvaceae)
Holochlamys sp. (Verbenaceae)
Homalomena agens Kurniawan & P.C. Boyce (Araceae)
Homalomena humilis (Jack) Hook.f. (Araceae)
Homalomena sp. (Araceae)
Huperzia sp. (Lycopodiaceae)
Lantana sp. (Verbenaceae)
Lasia spinosa (L.) Thwaites (Araceae)
Lycopodium sp. (Lycopodiaceae)
Monstera deliciosa Liebm. (Araceae)
Nepenthes bellii K. Kondo (Nepenthaceae)
Nepenthes tomoriana Danser (Nepenthaceae)
Nepenthes sp. (Nepenthaceae)
Pelargonium zonale (L.) L'Hér. ex Aiton (Geraniaceae)
Peperomia sp. (Piperaceae)
Philodendron bipinnatifidum Schott ex Endl. (Araceae)
Philodendron "Black Cardinal" (Araceae)
Philodendron "Hybrid 1" (Araceae)
Philodendron rugosum Bogner & G.S. Bunting (Araceae)
Philodendron sp. (Araceae)
Platyterium coronarium (Mull.) Desv. (Polypodiaceae)
Pothos junghuhnii de Vriese (Araceae)
Pseudomussaenda flava Verdc. (Rubiaceae)
Rhaphidophora foraminifera (Engl.) Engl. (Araceae)

Rhododendron javanicum Benn. (Ericaceae)
Rhododendron radians J.J. Sm. (Ericaceae)
Rhododendron renschianum Sleumer (Ericaceae)
Rhododendron rhodopus Sleumer (Ericaceae)
Rhododendron seranicum J. J. Sm. (Ericaceae)
Rhododendron yedoense var. *poukhanense* Leveille (Ericaceae)
Rhododendron sp. (Ericaceae)
Rosa × *odorata* “Viridiflora” (Rosaceae)
Saintpaulia sp. (Gesneriaceae)
Sauromatum horsfieldii Miq. (Araceae)
Schismatoglottis calytrata (Roxb.) Zoll. & Moritzi (Araceae)
Schismatoglottis inculta Kurniawan & P.C. Boyce (Araceae)
Schismatoglottis sp. (Araceae)
Scindapsus sp. (Araceae)
Spathiphyllum cannifolium (Dryand. ex Sims) Schott (Araceae)
Spathiphyllum commutatum Schott (Araceae)
Spathiphyllum wallisii Regel (Araceae)
Syngonium sp. (Araceae)
Typhonium blumei Nicolson & Sivad. (Araceae)
Typhonium flageliforme (Lodd.) Blume (Araceae)
Xanthosoma sagittifolium cf. ‘Sting Ray’ (Araceae)
Zamioculcas sp. (Araceae)
Genus Dubius



Chapter 8

List of Labirin Collections

- Aeschynanthus* sp. (Gesneriaceae)
Agapanthus africanus (L.) Hoffmanns. (Amaryllidaceae)
Agapanthus praecox Willd. (Amaryllidaceae)
Asphodeline lutea (L.) Rchb. (Xanthorrhoeaceae)
Asystasia nemorum Nees (Acanthaceae)
Browallia americana L. (Solanaceae)
Calathea sp. (Marantaceae)
Canna indica L. (Cannaceae)
Canna sp. (Cannaceae)
Chlorophytum macrophyllum (A. Rich.) Asc. (Asparagaceae)
Cissus javana DC. (Vitaceae)
Clematis sp. (Ranunculaceae)
Crinum asiaticum L. (Amaryllidaceae)
Crinum sp. (Amaryllidaceae)
Cyrtanthera carnea (Lindl.) Bremek. (Acanthaceae)
Dioscorea alata L. (Dioscoreaceae)
Dioscorea bulbifera L. (Dioscoreaceae)

Dioscorea esculenta (Lour.) Burkill (Dioscoreaceae)
Dioscorea hispida Dennst. (Dioscoreaceae)
Dioscorea pentaphylla L. (Dioscoreaceae)
Dioscorea sp. (Dioscoreaceae)
Elaeagnus sp. (Elaeagnaceae)
Eucharis grandiflora Planch. & Linden (Amaryllidaceae)
Eucomis comosa (Houtt.) Wehrh. (Amaryllidaceae)
Euphorbia esula subsp. *tommasiniana* (Bertol.) Kuzmanov (Euphorbiaceae)
Flagellaria sp. (Flagellariaceae)
Fuchsia magellanica Lam. (Onagraceae)
Fuchsia sp. (Onagraceae)
Geitonoplesium cymosum (R. Br.) A. Cunn. ex R. Br. (Philesiaceae)
Gossypium sp. (Malvaceae)
Graptophyllum pictum (L.) Griff. (Acanthaceae)
Halopegia blumei (Koern.) K. Schum. (Marantaceae)
Halopegia sp. (Marantaceae)
Hibiscus rosa-sinensis L. (Malvaceae)
Hibiscus tilliaceous L. (Malvaceae)
Hippeastrum x hibidrum Hort. (Amaryllidaceae)
Hiptage benghalensis (L.) Kurz (Malpighiaceae)
Hiptage sp. (Malpighiaceae)
Homalocladium platycladum (F.Muell.) L.H.Bailey (Polygonaceae)
Hymenocallis littoralis (Jacq.) Salisb. (Amaryllidaceae)
Hypericum sp. (Hypericaceae)
Hypoestes floribunda R. Br. (Acanthaceae)
Iresine herbstii Hook. f. (Amaranthaceae)
Jacobinia sp. (Acanthaceae)
Justicia brandegeana Washh. & L. B. Sm. (Acanthaceae)

Kniphofia ensifolia Baker (Liliaceae)
Lilium longiflorum Thunb. (Liliaceae)
Malvaviscus sp. (Malvaceae)
Maranta arundinacea L. (Marantaceae)
Maranta lietzei (E.Morren) C.H.Nelson, Sutherl. & Fern.Casas (Marantaceae)
Maranta sp. (Marantaceae)
Medinilla sp. (Melastomataceae)
Melastoma malabathricum L. (Melastomataceae)
Melastoma sanguineum Sims (Melastomataceae)
Melastoma sp. (Melastomataceae)
Ochna sp. (Ochnaceae)
Oenothera biennis L. (Onagraceae)
Ophiopogon jaburan (Siebold) Lodd. (Asparagaceae)
Orthosiphon aristatus (Blume) Miq. (Lamiaceae)
Paeonia officinalis subsp. *microcarpa* Nyman (Paeoniaceae)
Passiflora ligularis Juss. (Passifloraceae)
Piper caninum Blume (Piperaceae)
Piper sp. (Piperaceae)
Plectranthus sp. (Lamiaceae)
Pseuderanthemum sp. (Acanthaceae)
Rinorea sp. (Violaceae)
Russelia equisetiformis Schldtl. & Cham. (Plantaginaceae)
Salvia farinacea Benth. (Lamiaceae)
Sarcandra glabra (Thunb.) Nakai (Chloranthaceae)
Sarcotheca sp. (Oxalidaceae)
Schisandra sp. (Schisandraceae)
Sida sp. (Malvaceae)
Sinningia carolinae (Wawra) Benth. & Hook. f. ex Siebert & Voss (Gesneriaceae)

Solanum pseudocapsicum L. (Solanaceae)

Solanum sp. (Solanaceae)

Strobilanthes sp. (Acanthaceae)

Symplocos sp. (Symplocaceae)

Thunbergia erecta (Benth.) T. Anderson (Acanthaceae)

Trachymene coerulea Graham (Araliaceae)

Turnera ulmifolia L. (Passifloraceae)

Tylophora sp. (Apocynaceae)

Urena lobata L. (Malvaceae)

Urena sp. (Malvaceae)

Veronica ornata Monjuschko (Plantaginaceae)

Woodfordia fruticosa (L.) Kurz (Lythraceae)



Chapter 9

List of Poaceae Collections

Anthoxanthum odoratum L. (Poaceae)

Arundo sp. (Poaceae)

Bambusa blumeana Schult. f. (Poaceae)

Bambusa maculata Widjaja (Poaceae)

Bambusa multiplex (Lour) Raeusch. ex J.A. J.H. Schult (Poaceae)

Bambusa ooh Widjaja (Poaceae)

Bambusa tuldoidea Munro (Poaceae)

Bambusa vulgaris Schrad. (Poaceae)

Bambusa sp. (Poaceae)

Brachypodium sylvaticum (Huds.) P. Beauv. (Poaceae)

Briza medica L. (Poaceae)

Bromus erectus Huds. (Poaceae)

Cymbopogon winterianus Jowitt. ex Bor (Poaceae)

Cymbopogon sp. (Poaceae)

Dactylis glomerata L. (Poaceae)

Dendrocalamus asper (Schult.) Backer (Poaceae)

Dendrocalamus sp. (Poaceae)

Deschampsia cespitosa (L.) P. Beauv. (Poaceae)
Dinochloa kostermansiana S. Dranfield (Poaceae)
Dinochloa sepang Widjaja & Astuti (Poaceae)
Dinochloa sp. (Poaceae)
Elymus virginicus L. (Poaceae)
Festuca alpina Suter (Poaceae)
Fimbribambusa sp. (Poaceae)
Gigantochloa apus (Schult.) Kurz (Poaceae)
Gigantochloa atrovioleacea Widjaja (Poaceae)
Gigantochloa atter (Hassk.) Kurz (Poaceae)
Gigantochloa aya Widjaja & Astuti (Poaceae)
Gigantochloa baliana Widjaja & Astuti (Poaceae)
Gigantochloa hasskarliana (Kurz) Backer (Poaceae)
Gigantochloa kuring Widjaja (Poaceae)
Gigantochloa luteostriata Widjaja (Poaceae)
Gigantochloa magentea Widjaja (Poaceae)
Gigantochloa manggong Widjaja (Poaceae)
Gigantochloa nigrociliata (Buse) Kurz (Poaceae)
Gigantochloa pubinervis Widjaja (Poaceae)
Gigantochloa pubipetiolata Widjaja (Poaceae)
Gigantochloa robusta Kurz (Poaceae)
Gigantochloa serik Widjaja (Poaceae)
Gigantochloa taluh Widjaja & Astuti (Poaceae)
Gigantochloa thoi K.M. Wong (Poaceae)
Gigantochloa velutina Widjaja (Poaceae)
Gigantochloa sp. (Poaceae)
Guadua chacoensis (Rojas Acosta) Londono & P.M. Peterson (Poaceae)
Koeleria vallesiana (Honck.) Bertol. (Poaceae)

Neololeba atra (Lindl.) Widjaja (Poaceae)
Neyraudia reynaudiana (Kunth.) Keng & Hitchc. (Poaceae)
Oatea acuminata (Munro) C.E.Calderón ex Soderstr. (Poaceae)
Panicum auritum J. Presl ex Nees (Poaceae)
Pennisetum alopecuroides (L.) Spreng. (Poaceae)
Pennisetum sp. (Poaceae)
Phyllostachys aurea Rivière & C. Rivière (Poaceae)
Phyllostachys nigra (Lodd. ex Lindl.) Munro (Poaceae)
Phyllostachys sp. (Poaceae)
Saccharum sp. (Poaceae)
Schizostachyum brachycladum (Kurz) Kurz (Poaceae)
Schizostachyum castaneum Widjaja (Poaceae)
Schizostachyum caudatum Backer ex K. Heyne (Poaceae)
Schizostachyum cuspidatum Widjaja (Poaceae)
Schizostachyum lima (Blanco) Merr. (Poaceae)
Schizostachyum silicatum Widjaja (Poaceae)
Schizostachyum zollingeri Steud (Poaceae)
Schizostachyum sp. (Poaceae)
Shibataea kumasasa (Steud.) Makino (Poaceae)
Themeda gigantea (Cav.) Hack. ex Duthie (Poaceae)
Themeda sp. (Poaceae)
Thyrsostachys siamensis Gamble (Poaceae)
Thysanolaena latifolia (Roxb. ex Hornem.) Honda (Poaceae)
Thysanolaena sp. (Poaceae)
Uniola paniculata L. (Poaceae)



Chapter 10

List of Medicinal Plant Collections

- Abelmoschus manihot* (L.) Medik. (Malvaceae)
Abelmoschus moschathus Medik. (Malvaceae)
Acalypha hispida Burm. f. (Euphorbiaceae)
Acalypha wilkesiana M. A. (Euphorbiaceae)
Acanthus ebracteatus Vahl (Acanthaceae)
Acanthus ilicifolius L. (Acanthaceae)
Acorus calamus L. (Acoraceae)
Actinorhysis calapparia (Blume) H. Wendl. & Drude ex Scheff. (Arecaceae)
Aerva sanguinolenta (L.) Blume (Amaranthaceae)
Agathis borneensis Warb. (Araucariaceae)
Aleurites moluccana (L.) Willd. (Euphorbiaceae)
Allamanda cathartica L. (Apocynaceae)
Allantodia aspera (Blume) Ching (Athyriaceae)
Aloe vera (L.) Burm. f. (Xanthorrhoeaceae)
Alpinia galanga (L.) Willd. (Zingiberaceae)
Alpinia purpurata (Vieill.) K. Schum. (Zingiberaceae)

Alstonia scholaris (L.) R. Br. (Apocynaceae)
Alstonia spectabilis R. Br. (Apocynaceae)
Alternanthera sp. (Amaranthaceae)
Alyogyne huegelii (Endl.) Fryxell (Malvaceae)
Amomum compactum Sol. ex Maton (Zingiberaceae)
Amomum maximum Roxb. (Zingiberaceae)
Amomum sp. (Zingiberaceae)
Ananas comosus (L.) Merr. (Bromeliaceae)
Ananas sp. (Bromeliaceae)
Andrographis laxiflora (Blume) Lindau (Acanthaceae)
Annona muricata L. (Annonaceae)
Annona squamosa L. (Annonaceae)
Anredera cordifolia (Ten.) Steenis (Basellaceae)
Antidesma bunius (L.) Spreng. (Phyllanthaceae)
Antigonon leptopus Hook. & Arn. (Polygonaceae)
Ardisia crenata Sims (Primulaceae)
Ardisia humilis Vahl (Primulaceae)
Areca catechu L. (Arecaceae)
Artocarpus elasticus Reinw. ex Blume (Moraceae)
Artocarpus heterophyllus Lam. (Moraceae)
Asparagus densiflorus (Kunth.) Jessop. (Asparagaceae)
Asystasia sp. (Acanthaceae)
Averrhoa carambola L. (Oxalidaceae)
Baccaurea racemosa (Reinw. ex Blume) Müll. Arg. (Phyllanthaceae)
Bambusa blumeana Schult. f. (Poaceae)
Bambusa vulgaris Schrad. (Poaceae)
Barleria lupulina Lindl. (Acanthaceae)
Barleria prionitis Linn (Acanthaceae)

Barleria sp. (Acanthaceae)
Basella alba L. (Basellaceae)
Blumea balsamifera (L.) DC. (Asteraceae)
Boenninghausenia albiflora (Hook.) Rchb. ex Meisn. (Rutaceae)
Boesenbergia rotunda (L.) Mansf. (Zingiberaceae)
Boesenbergia sp. (Zingiberaceae)
Breynia sp. (Phyllanthaceae)
Bryophyllum pinnatum (Lam.) Oken (Crassulaceae)
Callicarpa pedunculata R. Br. (Lamiaceae)
Cananga odorata (Lam.) Hook. f. & Thomson (Annonaceae)
Canthium glabrum Blume (Rubiaceae)
Carica papaya L. (Caricaceae)
Caryota sp. (Arecaceae)
Cascabela thevetia (L.) Lippold (Apocynaceae)
Casuarina junghuhniana Miq. (Casuarinaceae)
Catha edulis (Vahl) Endl. (Celastraceae)
Catharanthus roseus (L.) G. Don. (Apocynaceae)
Centella asiatica (L.) Urb. (Apiaceae)
Cerbera sp. (Apocynaceae)
Cheilocostus speciosus (J. Koenig) C.D. Specht (Costaceae)
Cinnamomum burmannii (Nees & T. Nees) Blume (Lauraceae)
Cinnamomum sintoc Blume (Lauraceae)
Cipadessa sp. (Meliaceae)
Cissus quadrangularis L. (Vitaceae)
Citrus aurantifolia (Christm.) Swingle (Rutaceae)
Citrus hystrix DC. (Rutaceae)
Citrus maxima (Burm.) Merr. (Rutaceae)
Citrus medica L. (Rutaceae)

Citrus nobilis Lour. (Rutaceae)
Citrus sp. (Rutaceae)
Clausena sp. (Rutaceae)
Clerodendrum buchananii (Roxb.) Walp. (Lamiaceae)
Clerodendrum thomsoniae Balf. f. (Lamiaceae)
Clerodendrum sp. (Lamiaceae)
Clitoria ternatea L. (Leguminosae)
Coccinia grandis (L.) Voight. (Cucurbitaceae)
Codiaeum variegatum (L.) Rumph. ex A. Juss. (Euphorbiaceae)
Coffea canephora Pierre ex A. Froehner (Rubiaceae)
Coix lacryma-jobi L. (Poaceae)
Conyza sp. (Compositae)
Cordia myxa L. (Boraginaceae)
Cordyline fruticosa (L.) A. Chev. (Asparagaceae)
Cordyline rubra Otto & A. Dietr. (Asparagaceae)
Cordyline sp. (Asparagaceae)
Costus spiralis (Jacq.) Roscoe Maas. (Costaceae)
Costus sp. (Costaceae)
Crassula sp. (Crassulaceae)
Crescentia cujete L. (Bignoniaceae)
Curcuma aeruginosa Roxb. (Zingiberaceae)
Curcuma heyneana Valetton & Zijp (Zingiberaceae)
Curcuma longa L. (Zingiberaceae)
Curcuma mangga Valetton & Zijp (Zingiberaceae)
Curcuma purpurascens Blume (Zingiberaceae)
Curcuma sylvatica Valetton (Zingiberaceae)
Curcuma viridiflora Roxb. (Zingiberaceae)
Curcuma zanthorrhiza Roxb. (Zingiberaceae)

Curcuma zedoaria (Berg.) Roscoe (Zingiberaceae)
Curcuma sp. (Zingiberaceae)
Cyathula prostrata (L.) Blume (Amaranthaceae)
Cyclea barbata Miers. (Menispermaceae)
Cymbopogon citratus DC. Stapf (Poaceae)
Cymbopogon winterianus Jowitt ex Bor (Poaceae)
Cymbopogon sp. (Poaceae)
Deeringia amaranthoides (Lam.) Merr. (Amaranthaceae)
Dendrocalamus asper (Schult.) Backer (Poaceae)
Dicksonia blumei (Kunze) Moore (Dicksoniaceae)
Dimocarpus longan Lour. (Sapindaceae)
Dioscorea bulbifera L. (Dioscoreaceae)
Dioscorea hispida Dennst. (Dioscoreaceae)
Dissochaeta reticulata Blume (Melastomataceae)
Dracaena angustifolia (Medik.) Roxb. (Asparagaceae)
Dracontomelon dao (Blanco) Merr. & Rolfe (Anacardiaceae)
Dracontomelon sp. (Anacardiaceae)
Dysoxylum parasiticum (Osbeck) Kosterm. (Meliaceae)
Ehretia microphylla Lam. (Boraginaceae)
Elaeagnus conferta Roxb. (Elaeagnaceae)
Elaeocarpus bojeri R.E. Vaughan (Elaeocarpaceae)
Elephantopus scaber L. (Compositae)
Elephantopus sp. (Compositae)
Elettaria cardamomum (L.) Maton (Zingiberaceae)
Elsholtzia sp. (Lamiaceae)
Etlingera elatior (Jack.) R.M. Sm. (Zingiberaceae)
Etlingera sp. (Zingiberaceae)
Emilia socchifolia (L.) DC. ex DC. (Compositae)

Entada phaseoloides (L.) Merr. (Leguminosae)
Epiphyllum crenatum (Lindl.) G. Don. (Cactaceae)
Equisetum ramosissimum Desf. (Equisetaceae)
Erythrina hypaphorus Boerl. ex Koord. (Leguminosae)
Eucalyptus alba Reinw. ex Blume (Myrtaceae)
Euchresta horsfieldii (Lesch.) Benn. (Leguminosae)
Euphorbia lactea Haw. (Euphorbiaceae)
Euphorbia pulcherrima Willd. ex Klotzsch (Euphorbiaceae)
Euphorbia tirucalli L. (Euphorbiaceae)
Euphorbia tithymaloides L. (Euphorbiaceae)
Ficus ampelas Burm. f. (Moraceae)
Ficus benjamina L. (Moraceae)
Ficus minahassae (Teijsm. & Vriese) Miq. (Moraceae)
Ficus montana Burm. f. (Moraceae)
Ficus septica Burm. f. (Moraceae)
Ficus sp. (Moraceae)
Flacourtia rukam Zoll.& Moritz (Salicaceae)
Foeniculum vulgare Mill. (Apiaceae)
Garcinia sp. (Clusiaceae)
Gardenia jasminoides J. Ellis (Rubiaceae)
Gigantochloa apus (Schult.) Kurz (Poaceae)
Gigantochloa aya Widjaja & Astuti (Poaceae)
Gigantochloa nigrociliata (Buse) Kurz (Poaceae)
Gigantochloa taluh Widjaja & Astuti (Poaceae)
Glochidion sp. (Euphorbiaceae)
Glycosmis sp. (Rutaceae)
Gossypium herbaceum L. (Malvaceae)
Graptophyllum pictum (L.) Griff. (Acanthaceae)

Graptophyllum sp. (Acanthaceae)
Gynura aurantiaca (Blume) Sch.Bip. ex DC. (Compositae)
Gynura procumbens (Lour.) Merr. (Compositae)
Hedychium coronarium J. Koenig (Zingiberaceae)
Hedychium sp. (Zingiberaceae)
Hemigraphis alternata (Burm.f.) T. Anderson (Acanthaceae)
Hemigraphis sp. (Acanthaceae)
Hibiscus mutabilis L. (Malvaceae)
Hibiscus pedunculatus L. f. (Malvaceae)
Hibiscus rosa-sinensis L. (Malvaceae)
Hibiscus sabdariffa L. (Malvaceae)
Hibiscus schizopetalus (Dyer) Hook. f. (Malvaceae)
Hibiscus tilliaceous L. (Malvaceae)
Hibiscus sp. (Malvaceae)
Hippobroma longiflora (L.) G. Don (Campanulaceae)
Homalomena cordata Schott (Araceae)
Homalomena sp. (Araceae)
Hoya sp. (Apocynaceae)
Hydnocarpus sp. (Achariaceae)
Hygrophila sp. (Acanthaceae)
Hypobathrum sp. (Rubiaceae)
Hyptis capitata Jacq. (Lamiaceae)
Imperata cylindrica (L.) Raeusch. (Poaceae)
Ipomoea batatas (L.) Lam. (Convolvulaceae)
Ixora sp. (Rubiaceae)
Jasminum multiflorum (Burm. f.) Andrews (Oleaceae)
Jasminum sambac (L.) Aiton (Oleaceae)
Jatropha curcas L. (Euphorbiaceae)

Jatropha gossypifolia L. (Euphorbiaceae)
Jatropha integerrima Jacq. (Euphorbiaceae)
Jatropha multifida L. (Euphorbiaceae)
Jatropha podagrica Hook. (Euphorbiaceae)
Justicia gendarussa Burm. f. (Acanthaceae)
Justicia sp. (Acanthaceae)
Kaempferia galanga L. (Zingiberaceae)
Kaempferia rotunda L. (Zingiberaceae)
Knema cinerea Warb. (Myristicaceae)
Kopsia arborea Blume (Apocynaceae)
Lansium parasiticum (Osbeck) K.C.Sahni & Bennet (Meliaceae)
Lantana camara L. (Verbenaceae)
Maesopsis sp. (Rhamnaceae)
Magnolia champaca (L.) Baill. ex Pierre (Magnoliaceae)
Magnolia sumatrana var. *glauca* (Blume) Figlar & Noot. (Magnoliaceae)
Malvaviscus sp. (Malvaceae)
Mangifera caesia Jack (Anacardiaceae)
Mangifera indica L. (Anacardiaceae)
Mangifera sp. (Anacardiaceae)
Manihot esculenta Crantz (Euphorbiaceae)
Manihot sp. (Euphorbiaceae)
Maranta arundinacea L. (Marantaceae)
Medinilla speciosa Blume (Melastomataceae)
Melastoma malabathricum L. (Melastomataceae)
Melicope latifolia (DC.) T.G. Hartley (Rutaceae)
Melochia umbellata (Houtt.) Stapf (Malvaceae)
Mentha arvensis L. (Lamiaceae)
Mimusops elengi L. (Sapotaceae)

Mirabilis jalapa L. (Nyctaginaceae)
Morus alba L. (Moraceae)
Muntingia calabura L. (Muntingiaceae)
Murraya paniculata (L.) Jack (Rutaceae)
Musa balbisiana Colla (Musaceae)
Musa x paradisiaca L. (Musaceae)
Musa sp. (Musaceae)
Nauclea sp. (Rubiaceae)
Nopalea cochenillifera (L.) Salm-Dyck (Cactaceae)
Ophiopogon japonicus (Thunb.) Ker Gawl. (Asparagaceae)
Ophiorrhiza sp. (Rubiaceae)
Orthosiphon aristatus (Blume) Miq. (Lamiaceae)
Orthosiphon sp. (Lamiaceae)
Oxalis corniculata L. (Oxalidaceae)
Oxalis debilis var. *corymbosa* (DC.) Lourteig (Oxalidaceae)
Oxalis sp. (Oxalidaceae)
Oxystelma esculentum (L. f.) Sm. (Apocynaceae)
Paederia foetida L. (Rubiaceae)
Pandanus tectorius Parkinson ex Du Roi (Pandanaceae)
Passiflora edulis f. *flavicarpa* O. Deg. (Passifloraceae)
Pavetta sp. (Rubiaceae)
Persea americana Mill. (Lauraceae)
Persicaria chinensis (L.) H. Gross (Polygonaceae)
Phaleria macrocarpa (Scheff.) Boerl. (Thymelaeaceae)
Phaleria octandra (L.) Baill. (Thymelaeaceae)
Phrynium sp. (Marantaceae)
Phyllanthus acidus (L.) Skeels (Phyllanthaceae)
Phyllanthus buxifolius (Blume) Müll. Arg. (Phyllanthaceae)

Phyllanthus niruri L. (Phyllanthaceae)
Phyllanthus urinaria L. (Phyllanthaceae)
Piper betle L. (Piperaceae)
Piper nigrum L. (Piperaceae)
Piper sp. (Piperaceae)
Pithecellobium sp. (Leguminosae)
Plagiostachys crocydocalyx (K. Schum.) B. L. Burt & R. M Sm. (Zingiberaceae)
Planchonia valida (Blume) Blume (Lecythidaceae)
Planchonia sp. (Lecythidaceae)
Plantago major L. (Plantaginaceae)
Plectranthus amboinicus (Lour.) Spreng. (Lamiaceae)
Plectranthus scutellarioides (L.) R.Br. (Lamiaceae)
Pluchea indica (L.) Less. (Compositae)
Plumbago zeylanica L. (Plumbaginaceae)
Plumbago sp. (Plumbaginaceae)
Plumeria alba L. (Apocynaceae)
Plumeria rubra L. (Apocynaceae)
Pogostemon cablin (Blanco) Benth. (Lamiaceae)
Polygonum sp. (Polygonaceae)
Polyscias sp. (Araliaceae)
Premna oblongata Miq. (Lamiaceae)
Premna sp. (Lamiaceae)
Protium javanicum Burm. f. (Burseraceae)
Psydrax dicoccos Gaertn. (Rubiaceae)
Pseudomussaenda flava Verdc. (Rubiaceae)
Psidium guajava L. (Myrtaceae)
Psychotria sp. (Rubiaceae)
Pterospermum javanicum Jungh. (Sterculiaceae)

Punica granatum L. (Lythraceae)
Pyrostegia venusta (Ker Gawl.) Miers (Bignoniaceae)
Rauvolfia sp. (Apocynaceae)
Rhinacanthus nasutus (L.) Kurz (Acanthaceae)
Rivina humilis L. (Phytolaccaceae)
Rubus rosifolius Sm. (Rosaceae)
Saccharum officinarum L. (Poaceae)
Saccharum spontaneum L. (Poaceae)
Salacia sp. (Celastraceae)
Salvia splendens Sellow ex Schult. (Lamiaceae)
Sambucus javanica Blume (Adoxaceae)
Sansevieria ehrenbergii Schweinf. ex Baker (Asparagaceae)
Sauropus androgynus (L.) Merr. (Phyllanthaceae)
Schefflera elliptica (Blume) Harms (Araliaceae)
Schismatoglottis calyptrata (Roxb.) Zoll. & Moritz (Araceae)
Schizostachyum brachycladum (Kurz) Kurz (Poaceae)
Schizostachyum lima (Blanco) Merr. (Poaceae)
Schleichera oleosa (Lour.) Merr. (Sapindaceae)
Scutellaria sp. (Lamiaceae)
Sericocalyx crispus (L.) Bremek. (Acanthaceae)
Sericocalyx sp. (Acanthaceae)
Setaria palmifolia (J. Koenig) Stapf (Poaceae)
Sida rhombifolia L. (Malvaceae)
Sisyrinchium palmifolium L. (Iridaceae)
Smilax zeylanica L. (Smilacaceae)
Smilax sp. (Smilacaceae)
Solanum rudepannum Dunal (Solanaceae)
Spondias dulcis Parkinson (Anacardiaceae)

Stachytarpheta indica (L.) Vahl (Verbenaceae)
Stachytarpheta mutabilis (Jacq.) Vahl (Verbenaceae)
Strobilanthes crispa Blume (Acanthaceae)
Strobilanthes sp. (Acanthaceae)
Swietenia macrophylla King (Meliaceae)
Symplocos odoratissima Choisy ex Zoll. (Symplocaceae)
Syzygium aqueum (Burm. f.) Alston (Myrtaceae)
Syzygium aromaticum (L.) Merr. & L. M. Perry (Myrtaceae)
Syzygium cumini (L.) Skeels (Myrtaceae)
Syzygium polyanthum (Wight) Walp. (Myrtaceae)
Syzygium polycephalum (Miq.) Merr.& L.M. Perry (Myrtaceae)
Syzygium zollingerianum (Miq.) Amshoff (Myrtaceae)
Tabernaemontana sp. (Apocynaceae)
Tadehagi triquetrum (L.) H. Ohashi (Leguminosae)
Talinum fruticosum (L.) Juss. (Talinaceae)
Talinum paniculatum (Jacq.) Gaertn. (Talinaceae)
Tamarindus indica L. (Leguminosae)
Thunbergia erecta (Benth.) T. Anderson (Acanthaceae)
Tinospora crispa (L.) Hook.f. & Thomson (Menispermaceae)
Toona sureni (Blume) Merr. (Meliaceae)
Tournefortia sarmentosa Lam. (Boraginaceae)
Trema orientalis (L.) Blume (Cannabaceae)
Uncaria sp. (Rubiaceae)
Urena lobata L. (Malvaceae)
Vitex trifolia L. (Lamiaceae)
Wendlandia sp. (Rubiaceae)
Wimmerella longitubus (E. Wimm.) Serra, M.B. Crespo & Lammers
 (Campanulaceae)

Woodfordia fruticosa (L.) Kurz (Lythraceae)

Woodfordia sp. (Lythraceae)

Wrightia pubescens R.Br. (Apocynaceae)

Wrightia religiosa (Teijsm. & Binn.) Benth. ex Kurz (Apocynaceae)

Xanthosoma sagittifolium (L.) Schott (Araceae)

Zingiber montanum (J. Koenig) Link ex A. Dietr. (Zingiberaceae)

Zingiber officinale Roscoe (Zingiberaceae)

Zingiber zerumbet (L.) Roscoe ex Sm. (Zingiberaceae)

Zingiber sp. (Zingiberaceae)



Conclusion

Peter Wyse Jackson (1999) defined a Botanic Garden as an institution that holds and documents a collection of living plants for the purposes of scientific research, conservation, display and education. Botanic Gardens Conservation International (BGCI) reported in 2012 that for the past four decades, botanic gardens have been one of the most important stakeholders concerning the issue of global loss of plant diversity around the world.

Several strategies have been addressed for challenging this threat by BGCI, namely The Global Strategy for Plant Conservation (GSPC). One of the objectives of GSPC is developing well understood, documented, and recognized plant diversity. Furthermore, Target 1 of GSPC requires an online flora of all known plants. This target states that a widely accessible database of flora of all known plant species is a fundamental requirement for plant conservation and provides a baseline for the achievement and monitoring of other targets of the Strategy. The Plant List (<http://theplantlist.org>) is a successful result of the previous target at the end of 2010 to create a globally accessible working list of known plant species.

Bali Botanic Garden, as a part of Indonesia's Botanic Gardens, has taken part in developing the GSPC's objectives and its targets. Concerned with these matters, this catalogue is used to meet the Objectives (Objective 1), a well-documented, understood and

recognized database of living plant species at Bali Botanic Garden. Indeed, to meet the targets, this list was created from a regular and rigorous data collection, tracking, updating and maintenance. Even though this database exists as a book, once the data is collected, it is also stored online at the Bali Botanic Garden official website (<http://krbali.lipi.go.id>) and is accessible to the general public.



References

- Anonymous. 2014. "The Plant List. A Working List of All Plant Species." Available at <http://www.theplantlist.org/>
- Anonymous. 2014. "Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES)." Available at <https://www.cites.org/eng/app/appendices.php>
- Berg, C. C., E. J. H. Corner and F.M. Jarrett. 2006. *Flora Malesiana, Series I, Volume 17, Part 1*. Leiden: Nationaal Herbarium Nederland.
- BGCI. 2012. International Agenda for Botanic Gardens in Conservation: 2nd edition. Botanic Gardens Conservation International, Richmond, UK.
- BGCI. 2016. From Idea to Realisation - BGCI's Manual on Planning, Developing and Managing Botanic Gardens. Chapter 5: Collection Record Management Systems. <http://www.bgci.org/files/Resources/chapter5.pdf>
- Brummitt, R.K. and C.E. Powell (eds.). 1992. *Authors of Plant Name*. Kew: Royal Botanic Gardens.
- Christenhusz, M.J.M., X-C Zhang, and H. Schneider. 2011. "A Linier Sequence of Extant Families and Genera of Lycophytes And Ferns." *Phytotaxa* 19: 7–54.
- Comber, J.K. 1990. *Orchids of Java*. Kew: Bentham Moxon Trust, Royal Botanic Gardens.
- Convention on Biological Diversity (CBD), 2012. Global Strategy for Plant Conservation: 2011-2020. Botanic Gardens Conservation International (BGCI), Richmond, UK.
- IPNI. 2014. "The International Plant Names Index." Available at <http://ipni.org/>
- IUCN. 2013. "The IUCN Red List of Threatened Species." Available at <http://www.iucnredlist.org/>

- Jackson, P.W. 1999. Experimentation on a Large Scale-An Analysis of the Holdings and Resources of Botanic Gardens. BGC News 3(3) December 1999. Botanic Gardens Conservation International, UK. <https://www.bgci.org/resources/article/0080/>
- Middleton, D. J. 2007. *Flora Malesiana Series I. Vol. 18: Apocynaceae (subfamilies Rauvolfioideae and Apocynoideae)*. Leiden: Nationaal Herbarium Nederland.
- Noteboom, H.P (ed.). 2012. *Flora Malesiana Series II - Ferns and Ferns Allies Vol. 4: Blechnaceae, Hypodematiaceae, Monachooraceae, Nephrolepidaceae, Oleandraceae, Pteridaceae subfam. Parkerioidaceae, Tectaria group: Arthopteris*. Leiden: Naturalis Biodiversity Center.
- Tebbitt, Mark C. 2005. *Begonias: Cultivation, Identification and Natural History*. Portland: Timber Press, in association with Brooklyn Botanic Garden.
- The Angiosperm Phylogeny Group. 2009. "An Update of the Angiosperm Phylogeny Group Classification for the Orders and Families of Flowering Plants: APG III." *Botanical Journal of the Linnean Society* 161: 105–121.
- van Steenis, C.G.G.J, et al. 1998. *Flora Malesiana Series II - Ferns and Ferns Allies Vol. 3: Polypodiaceae, Davalliaceae, Azollaceae, Cheiroleuriaceae & Equisetaceae, Matoniaceae, Plagiogyriaceae*. Leiden: Rijksherbarium/Hortus Botanicus.



Index of Plant Names

PTERYDOPHYTES

Aspleniaceae

<i>Asplenium bantamense</i> (Blume) Baker	36, 291
<i>Asplenium batuense</i> Alderw.	36, 291
<i>Asplenium caudatum</i> G. Forst.	36, 291
<i>Asplenium nidus</i> L.	37, 291
<i>Asplenium normale</i> D. Don	37, 291
<i>Asplenium robustum</i> Blume	37, 291
<i>Asplenium salignum</i> Blume	37, 291
<i>Asplenium tenerum</i> G. Forst.	37, 291
<i>Asplenium thunbergii</i> Kunze	37, 291
<i>Asplenium</i> sp.	37, 291

Athyriaceae

<i>Allantodia aspera</i> (Blume) Ching	16, 291, 321
<i>Cornopteris opaca</i> (D. Don) Tagawa	87, 292
<i>Deparia petersenii</i> (Kunze) M. Kato	108, 293
<i>Diplazium accedens</i> Blume	115, 293
<i>Diplazium esculentum</i> (Retz.) Sw.	115, 293
<i>Diplazium pallidum</i> T. Moore	115, 293
<i>Diplazium proliferum</i> (Lam.) Thouars	115, 293

Athyriaceae - *Contd.*

<i>Diplazium tomentosum</i> Blume	115, 293
<i>Diplazium</i> sp.	115, 293

Blechnaceae

<i>Blechnum orientale</i> L.	50, 292
<i>Blechnum</i> sp.	50, 292
<i>Doodia dives</i> Kunze	118, 293
<i>Doodia</i> sp.	118, 293
<i>Stenochlaena</i> sp.	254, 295

Cibotiaceae

<i>Cibotium</i> sp.	74, 292
---------------------	---------

Cyatheaceae

<i>Cyathea contaminans</i> (Wall. ex Hook.) Copel.	93, 292
<i>Cyathea latebrosa</i> (Wall. ex Hook) Copel.	93, 292
<i>Cyathea</i> sp.	93, 94, 292

Davalliaceae

<i>Davallia denticulata</i> (Burm. f.) Mett. ex Kuhn	100, 292
<i>Davallia solida</i> (G. Forst.) Sw.	100, 293, 310
<i>Davallia</i> sp.	100, 293

Dennstaedtiaceae

<i>Microlepia speluncae</i> (L.) T. Moore	192, 294
<i>Microlepia</i> sp.	192, 294
<i>Pteridium aquilinum</i> (L.) Kuhn.	230, 295
<i>Pteridium</i> sp.	230, 295

Dicksoniaceae

<i>Calochlaena javanica</i> (Blume) M.D. Turner & R.A. White	292
<i>Dicksonia blumei</i> (Kunze) Moore	293, 325
<i>Dicksonia timorensis</i> Adjie	109, 293

Dipteridaceae

<i>Phymatodes</i> sp.	214, 294
-----------------------	----------

Dryopteridaceae

<i>Arachniodes haniffii</i> Ching	29, 291
<i>Bolbitis heteroclita</i> (C. Presl) Ching	51, 292
<i>Bolbitis sinuata</i> Hennipman	51, 292
<i>Bolbitis</i> sp.	52, 292
<i>Dryopteris sparsa</i> (D. Don) Kuntze	119, 293
<i>Dryopteris uniformis</i> (Makino) Makino	119, 293
<i>Dryopteris</i> sp.	120, 293
<i>Elaphoglossum callifolium</i> (Blume) T. Moore	125, 293
<i>Elaphoglossum</i> sp.	125, 293
<i>Polystichum aculeatum</i> (L.) Roth ex Mert.	226, 294
<i>Polystichum</i> sp.	226, 294
<i>Polystichopsis</i> sp.	226, 294

Equisetaceae

<i>Equisetum ramosissimum</i> Desf.	128, 289, 293, 326
-------------------------------------	-----------------------

Gleicheniaceae

<i>Dicranopteris linearis</i> (Burm. f.) Underw.	109, 293
--	----------

Hymenophyllaceae

<i>Hymenophyllum</i> sp.	164, 293
--------------------------	----------

Hypodematiaceae

<i>Didymochlaena</i> sp.	109, 293
--------------------------	----------

Lindsaeaceae

<i>Lindsaea regularis</i> Rosenst.	175, 293
<i>Lindsaea</i> sp.	175, 293
<i>Sphenomeris chinensis</i> (L.) Maxon	254, 295

Lycopodiaceae

<i>Huperzia</i> sp.	163, 311
<i>Lycopodium</i> sp.	180, 311

Lygodiaceae

<i>Lygodium circinnatum</i> (Burm. f.) Sw.	180, 294
<i>Lygodium microphyllum</i> (Cav.) R. Br.	180, 294
<i>Lygodium</i> sp.	180, 294

Marattiaceae

<i>Angiopteris evecta</i> (G. Forst.) Hoffm.	25, 291
<i>Angiopteris</i> sp.	25, 291
<i>Marattia</i> sp.	187, 294

Nephrolepidaceae

<i>Nephrolepis auriculata</i> Trimen	198, 294
<i>Nephrolepis cordifolia</i> (L.) C. Presl	198, 294
<i>Nephrolepis duffii</i> T. Moore	199, 294
<i>Nephrolepis falcata</i> (Cav.) C. Chr.	199, 294
<i>Nephrolepis hirsutula</i> (G. Forst.) C. Presl	199, 294
<i>Nephrolepis</i> sp.	199, 294

Ophioglossaceae

<i>Botrychium dauchifolium</i> Wall. ex Hook & Grev.	52, 292
<i>Botrychium</i> sp.	52, 292
<i>Ophioglossum costatum</i> R. Br.	202, 294
<i>Ophioglossum pendulum</i> L.	202, 294
<i>Ophioglossum</i> sp.	202, 294

Osmundaceae

<i>Osmunda</i> sp.	202, 294
--------------------	----------

Polypodiaceae

<i>Aglaomorpha heraclea</i> Copel.	12, 291
<i>Belvisia revoluta</i> Copel.	49, 292
<i>Belvisia</i> sp.	49, 292
<i>Colysis macrophylla</i> (Blume) Prsl.	85, 292
<i>Drynaria quercifolia</i> (L.) J. Sm.	119, 293
<i>Drynaria rigidula</i> (Sw.) Bedd.	119, 293
<i>Drynaria</i> sp.	119, 293
<i>Goniophlebium persicifolium</i> (Desv.) Bedd.	151, 293
<i>Leptochilus decurrens</i> Blume	173, 293
<i>Loxogramme avenia</i> C. Presl	179, 293
<i>Microsorium punctatum</i> (L.) Copel	192, 294
<i>Microsorium</i> sp.	192, 292
<i>Phymatosorus longissimus</i> (Blume) Pic. Serm.	214, 294
<i>Phymatosorus membranifolium</i> (R. Br.) S.G. Lu	215, 294
<i>Phymatosorus scolopendria</i> (Burm. f.) Pic. Serm.	215, 294
<i>Platycterium bifurcatum</i> (Cav.) C. Chr	222, 294
<i>Platycterium coronarium</i> (Mull.) Desv.	222, 294
<i>Polypodium</i> sp.	225, 294
<i>Pyrrosia lanceolata</i> (L.) Farw.	233, 295
<i>Pyrrosia penangiana</i> Holttum	233, 295
<i>Pyrrosia stigmosa</i> (Sw.) Ching	233, 295
<i>Pyrrosia</i> sp.	233, 295
<i>Selliguea enervis</i> Ching	250, 295
<i>Selliguea</i> sp.	250, 295
<i>Thylacopteris papillosa</i> (Blume) J. Sm.	268, 295

Psilotaceae

<i>Psilotum nudum</i> (L.) P. Beauv.	229, 295
--------------------------------------	----------

Pteridaceae

<i>Adiantum diaphanum</i> Blume	8, 291
<i>Adiantum edgeworthii</i> Hook.	8, 291
<i>Adiantum hispidulum</i> Sw.	8, 291

Pteridaceae - Contd.

<i>Adiantum polyphyllum</i> Willd.	8, 291
<i>Adiantum raddianum</i> C. Presl.	8, 291
<i>Adiantum silvaticum</i> Tindale	8, 291
<i>Adiantum</i> sp.	8, 291, 309
<i>Antrophyum callifolium</i> Blume	27, 291
<i>Antrophyum latifolium</i> Blume	27, 291
<i>Antrophyum</i> sp.	27, 291
<i>Cheilanthes</i> sp.	73, 292
<i>Coniogramme fraxinea</i> (D. Don) Fee ex Diels	86, 292
<i>Coniogramme macrophylla</i> (Blume) Hieron	86, 292
<i>Coniogramme serrulata</i> F	86, 292
<i>Pellaea</i> sp.	208, 294
<i>Pityrogramma calomelanos</i> (L.) Link	220, 294
<i>Pteris biaurita</i> L.	230, 295
<i>Pteris cretica</i> L.	230, 295
<i>Pteris cretica</i> "Albo-Lineata"	230, 295
<i>Pteris ensiformis</i> Burm. f.	230, 295
<i>Pteris longipinnula</i> Wall. ex J. Agardh.	231, 295
<i>Pteris tripartita</i> Sw.	231, 295
<i>Pteris</i> sp.	231, 295
<i>Vittaria</i> sp.	274, 295

Selaginellaceae

<i>Selaginella</i> sp.	249, 250, 295
------------------------	---------------

Tectariaceae

<i>Arthropteris palisotii</i> (Desv.) Alston	34, 291
<i>Aspidium crenatus</i> (Cav.) Ching	38, 291
<i>Pleocnemia</i> sp.	222, 294
<i>Tectaria angulata</i> (Willd.) Copel.	263, 295
<i>Tectaria melanocaula</i> (Blume) Copel.	263, 295
<i>Tectaria</i> sp.	263, 295

Thelypteridaceae

<i>Chingia clavipilosa</i> Holttum	73, 292
<i>Coryphopteris unidentata</i> (Bedd.) Holttum	88, 292
<i>Cyclosorus</i> sp.	95, 96, 292
<i>Pneumatopteris callosa</i> (Blume) Nakai	223, 294
<i>Pneumatopteris truncata</i> (Poir.) Holttum	223, 294
<i>Thelypteris</i> sp.	266, 295

GYMNOSPERMS

Araucariaceae

<i>Agathis australis</i> (D. Don) Lindl.	10
<i>Agathis borneensis</i> Warb.	10, 321
<i>Agathis dammara</i> (Lamb.) Rich. & A. Rich.	10
<i>Agathis robusta</i> (C. Moore ex F. Muell.) F. M. Bailey	10
<i>Agathis</i> sp.	10
<i>Araucaria bidwillii</i> Hook.	30
<i>Araucaria cunninghamii</i> Mudie	30
<i>Araucaria heterophylla</i> (Salisb.) Franco	30

Cupressaceae

<i>Callitris endlicheri</i> (Parl.) F.M.Bailey	63
<i>Callitris rhomboidea</i> R.Br. ex Rich. & A.Rich.	63
<i>Calocedrus formosana</i> (Florin) Florin	63
<i>Chamaecyparis lawsoniana</i> (A.Murray bis) Parl.	72
<i>Chamaecyparis lawsoniana</i> 'Alumii'	72
<i>Chamaecyparis lawsoniana</i> 'Coerulea'	72
<i>Chamaecyparis lawsoniana</i> 'Globosa'	72
<i>Chamaecyparis lawsoniana</i> 'Golden King'	72
<i>Chamaecyparis nootkatensis</i> D. Don	72
<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.	72
<i>Chamaecyparis obtusa</i> var. <i>formosana</i> (Hayata) Hayata	72
<i>Chamaecyparis thyoides</i> (L.) Britton, Sterns & Poggenb.	72

Cupressaceae - Contd.

<i>Cryptomeria japonica</i> (Thunb. ex L.f.) D. Don	90
<i>Cryptomeria</i> sp.	90
<i>Cunninghamia lanceolata</i> (Lamb.) Hook.	90
<i>Cupressus arizonica</i> Greene	90, 91
<i>Cupressus cashmeriana</i> Royle ex Carriere	91
<i>Cupressus duclouxiana</i> Hickel	91
<i>Cupressus funebris</i> Endl.	91
<i>Cupressus lusitanica</i> Mill.	91
<i>Cupressus lusitanica</i> var. <i>bentharii</i> (Endl.) Carrière	91
<i>Cupressus macrocarpa</i> Hartw.	91
<i>Cupressus sempervirens</i> L.	91
<i>Cupressus torulosa</i> D. Don	91
<i>Juniperus procera</i> Hochst. ex Endl.	168
<i>Libocedrus</i> sp.	174
<i>Platycladus orientalis</i> (L.) Franco	222
<i>Thuja occidentalis</i> L.	267
<i>Thuja occidentalis</i> 'Gracilis'	267
<i>Thuja occidentalis</i> 'Malonyana'	267
<i>Thuja plicata</i> Donn ex D. Don	267
<i>Thuja plicata</i> 'Zibrina'	267
<i>Thujopsis dolabrata</i> (L. f.) Siebold & Zucc.	267
<i>Widdringtonia whytei</i> Rendle	276

Cycadaceae

<i>Cycas circinalis</i> L.	94
<i>Cycas rumphii</i> Miq.	94, 95, 303

Ginkgoaceae

<i>Ginkgo biloba</i> L.	148, 311
-------------------------	----------

Pinaceae

<i>Pinus armandii</i> Franch.	217
<i>Pinus canariensis</i> C. Sm.	217

Pinaceae - Contd.

<i>Pinus caribaea</i> Morelet	217
<i>Pinus echinata</i> Mill.	217
<i>Pinus kesiya</i> var. <i>langbianensis</i> (A.Chev.) Gausсен ex Bui	217
<i>Pinus massoniana</i> Lamb.	217
<i>Pinus merkusii</i> Jungh. & de Vriese	217
<i>Pinus nigra</i> J.F. Arnold	217
<i>Pinus radiata</i> D. Don	218
<i>Pinus serotina</i> Michx.	218
<i>Pinus taeda</i> L.	218
<i>Pinus thunbergii</i> Parl.	218
<i>Pinus</i> sp.	218

Podocarpaceae

<i>Dacrydium</i> sp.	99
<i>Dacrycarpus imbricatus</i> (Blume) de Laub.	99
<i>Nageia</i> sp.	197
<i>Podocarpus neriifolius</i> D. Don	224
<i>Podocarpus</i> sp.	224
<i>Sundacarpus amarus</i> (Blume) C.N. Page	256

Taxodiaceae

<i>Taxodium huegelii</i> C. Lawson	263
------------------------------------	-----

ANGIOSPERMS - MONOCOTYLEDONES

Acoraceae

<i>Acorus calamus</i> L.	6, 301, 321
--------------------------	-------------

Alismataceae

<i>Sagittaria lancifolia</i> L.	242, 289
---------------------------------	----------

Alstroemeriaceae

<i>Luzuriaga</i> sp.	180
----------------------	-----

Amaryllidaceae

<i>Agapanthus africanus</i> (L.) Hoffmanns.	10, 313
<i>Agapanthus praecox</i> Willd.	10, 313
<i>Crinum asiaticum</i> L.	89, 313
<i>Crinum</i> sp.	89, 313
<i>Hippeastrum</i> x <i>hibidrum</i> Hort.	160, 314
<i>Hymenocallis littoralis</i> (Jacq.) Salisb.	164, 314

Araceae

<i>Aglaonema costatum</i> N. E. Br.	12, 309
<i>Aglaonema crispum</i> (Pitcher & Manda) Nicolson	13, 309
<i>Aglaonema marantifolium</i> Blume	13
<i>Aglaonema pictum</i> (Roxb.) Kunth	13, 309
<i>Aglaonema simplex</i> (Blume) Blume	13
<i>Aglaonema</i> sp.	13, 309
<i>Alocasia alba</i> Schott	17
<i>Alocasia baginda</i> Kurniawan & P.C. Boyce	17, 309
<i>Alocasia balgooyi</i> A. Hay	17, 309
<i>Alocasia brancifolia</i> (Schott) A. Hay	17
<i>Alocasia clypeolata</i> A. Hay	17, 309
<i>Alocasia cucullata</i> (Lour.) G. Don.	17, 309
<i>Alocasia cuprea</i> K. Koch.	17, 309
<i>Alocasia longiloba</i> Miq.	17, 309
<i>Alocasia macrorrhizos</i> (L.) G. Don.	17, 309
<i>Alocasia nicholitziana</i> Sander	17, 309
<i>Alocasia portei</i> Schott	17, 309
<i>Alocasia reginula</i> A. Hay	17, 310
<i>Alocasia sanderiana</i> W. Bull.	17, 310
<i>Alocasia</i> sp.	17, 310
<i>Amorphophallus bulbifer</i> (Roxb.) Blume	22, 310
<i>Amorphophallus konjac</i> K. Koch	22, 310

Araceae - Contd.

<i>Amorphophallus muelleri</i> Blume	22, 310
<i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson	23, 310
<i>Amorphophallus variabilis</i> Blume	23
<i>Amorphophallus</i> sp.	24, 310
<i>Amydrium zippelianum</i> (Schott) Nicolson	24
<i>Amydrium</i> sp.	24, 310
<i>Anadendrum montanum</i> Schott	24
<i>Anthurium acaule</i> (Jacq.) Schott	26, 310
<i>Anthurium andraeanum</i> Linden ex André	26, 310
<i>Anthurium clarinervium</i> Matuda	26, 310
<i>Anthurium crystallinum</i> Linden & André	26, 310
<i>Anthurium</i> × <i>ferrierense</i> auct.	26, 310
<i>Anthurium geitnerianum</i> A. Regel	26, 310
<i>Anthurium</i> sp.	26, 310
<i>Apoballis rupestris</i> (Zoll. & Moritz ex Zoll) S. Y. Wong & P.C. Boyce	28, 310
<i>Arisaema filiforme</i> (Reinw.) Blume	33, 310
<i>Caladium bicolor</i> (Aiton) Vent.	60, 310
<i>Caladium</i> sp.	60, 310
<i>Colocasia esculenta</i> (L.) Schott	85
<i>Colocasia gigantea</i> (Blume) Hook. f.	85
<i>Cyrtosperma beccarianum</i> A. Hay	98, 310
<i>Dieffenbachia</i> hibrid 1	109
<i>Dieffenbachia</i> hibrid 2	109, 310
<i>Dieffenbachia</i> hibrid 3	109
<i>Dieffenbachia</i> sp.	109, 310
<i>Epipremnum aureum</i> (Linden ex Andre) G.S. Bunting	128
<i>Epipremnum</i> cv <i>aureum</i> (Andre) Nicolson	128
<i>Epipremnum nobile</i> (Schott) Engl.	128
<i>Epipremnum pinnatum</i> (L.) Engl.	128, 310
<i>Epipremnum</i> sp.	128
<i>Holochlamys</i> sp.	161, 310
<i>Homalomena agens</i> Kurniawan & P.C. Boyce	162, 310
<i>Homalomena cordata</i> Schott	162, 327

Araceae - *Contd.*

<i>Homalomena pendula</i> (Blume) Bakh. f.	162
<i>Homalomena humilis</i> (Jack) Hook.f.	162
<i>Homalomena</i> sp.	162, 327
<i>Lasia spinosa</i> (L.) Thwaites	171, 311
<i>Monstera deliciosa</i> Liebm.	194, 311
<i>Philodendron bipinnatifidum</i> Schott ex Endl.	211, 311
<i>Philodendron</i> "Black Cardinal"	211, 311
<i>Philodendron gloriosum</i> Andre	211
<i>Philodendron</i> "hybrid 1"	211, 311
<i>Philodendron pinnatifidum</i> (Jacq.) Schott	211
<i>Philodendron rugosum</i> Bogner & G.S. Bunting	211, 311
<i>Philodendron</i> sp.	211, 311
<i>Pistia stratiotes</i> L.	219
<i>Pothos junghuhnii</i> de Vriese	227, 311
<i>Remusatia vivipara</i> (Roxb.) Schott	235
<i>Rhaphidophora foraminifera</i> (Engl.) Engl.	235, 311
<i>Rhaphidophora minor</i> Hook. f.	235
<i>Rhaphidophora</i> sp.	235
<i>Sauromatum horsfieldii</i> Miq.	243, 312
<i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi	246, 312, 331
<i>Schismatoglottis inculta</i> Kurniawan & P.C. Boyce	246, 312
<i>Schismatoglottis plurivenia</i> Alderw.	246
<i>Schismatoglottis</i> sp.	246, 312
<i>Scindapsus pictus</i> Hassk.	249
<i>Scindapsus</i> sp.	249, 312
<i>Spathiphyllum cannifolium</i> (Dryand. ex Sims) Schott	253, 312
<i>Spathiphyllum commutatum</i> Schott	253, 312
<i>Spathiphyllum wallisii</i> Regel	253, 312
<i>Syngonium</i> "hybrid 1"	256, 312
<i>Syngonium</i> sp.	257, 312
<i>Typhonium blumei</i> Nicolson & Sivad.	272, 312
<i>Typhonium flageliforme</i> (Lodd.) Blume	272, 312
<i>Xanthosoma sagittifolium</i> (L.) Schott	277, 308, 333
<i>Xanthosoma</i> cf. "Sting Ray"	277, 312

Araceae - Contd.

<i>Zamioculcas</i> sp.	278, 312
<i>Zantedeschia aethiopica</i> (L.) Spreng.	278

Areaceae

<i>Actinorhynchus calapparia</i> (Blume) H. Wendl. & Drude ex Scheff.	7, 321
<i>Aiphanes horrida</i> (Jacq.) Burret	14
<i>Archontophoenix alexandrae</i> (F. Muell.) H. Wendl. & Drude	31
<i>Archontophoenix purpurea</i> Hodel & Dowe	31
<i>Areca catechu</i> L.	32, 322
<i>Areca vestiaria</i> Giseke	32
<i>Areca</i> sp.	33, 301
<i>Arenga microcarpa</i> Becc.	33
<i>Arenga pinnata</i> (Wurmb.) Merr.	33, 301
<i>Arenga</i> sp.	33
<i>Borassodendron</i> sp.	52
<i>Brahea edulis</i> H. Wendl. ex S. Watson	53
<i>Butia capitata</i> (Mart.) Becc. var. <i>capitata</i>	59
<i>Calamus ciliaris</i> Blume	60
<i>Calamus</i> sp.	60, 302
<i>Calypotrocalyx</i> sp.	64
<i>Caryota mitis</i> Lour.	67, 302
<i>Caryota rumphiana</i> Mart.	67
<i>Caryota</i> sp.	67, 323
<i>Coccothrinax orinata</i> Bosc.	80
<i>Cyrtostachys</i> sp.	98
<i>Daemonorops</i> sp.	99
<i>Heterospatha delicatula</i> H.E. Moore	159
<i>Heterospatha elata</i> Scheff.	159
<i>Hydriastele rostrata</i> Burret	164
<i>Hydriastele</i> sp.	164
<i>Licuala spinosa</i> Wurmb	174
<i>Licuala</i> sp.	174
<i>Livistona rotundifolia</i> (Lam.) Mart.	178

Areaceae - Contd.

<i>Phoenix roebelenii</i> O'Brien.	211
<i>Pigafetta elata</i> (Mart.) H. Wendl.	215
<i>Pigafetta filaris</i> (Giseke) Becc.	215
<i>Pinanga arinasae</i> Witono	216
<i>Pinanga caesia</i> Blume	216
<i>Pinanga celebica</i> Scheff.	216
<i>Pinanga coronata</i> (Blume ex Mart.) Blume	243, 307
<i>Pinanga</i> sp.	217
<i>Plectocomia</i> sp.	222
<i>Ptychococcus paradoxus</i> (Scheff.) Becc.	232
<i>Ptychosperma macarthurii</i> (H. Wendl. ex H.J. Veitch) H. Wendl. ex Hook. f.	232
<i>Ptychosperma</i> sp.	233
<i>Rhapis excelsa</i> (Thunb.) Henry	236, 307
<i>Rhopaloblaste</i> sp.	239
<i>Salacca zalacca</i> (Gaertn.) Voss	242, 307
<i>Thrinax radiata</i> Lodd. ex Schult. & Schult. f.	266
<i>Trachycarpus fortunei</i> (Hook.) H.Wendl.	269
<i>Veitchia arecina</i> Becc.	274

Asparagaceae

<i>Agave attenuata</i> Salm-Dyck	10
<i>Agave</i> sp.	10
<i>Asparagus densiflorus</i> (Kunth.) Jessop.	36, 322
<i>Asparagus setaceus</i> (Kunth) Jessop.	36, 302
<i>Asparagus racemosus</i> Willd.	36
<i>Chlorophytum macrophyllum</i> (A. Rich.) Asc.	73, 313
<i>Cordyline fruticosa</i> (L.) A. Chev.	86, 303, 324
<i>Cordyline rubra</i> Otto & A. Dietr.	86, 303, 324
<i>Cordyline</i> sp.	87, 303, 324
<i>Dracaena angustifolia</i> (Medik.) Roxb.	118, 304, 325
<i>Dracaena draco</i> (L.) L.	118
<i>Dracaena elliptica</i> Thunb. & Dalm.	118
<i>Dracaena fragrans</i> (L.) Ker Gawl.	118

Asparagaceae

<i>Dracaena surculosa</i> Lindl.	118
<i>Dracaena</i> sp.	118, 304
<i>Eucharis grandiflora</i> Planch. & Linden	132, 314
<i>Eucomis comosa</i> (Houtt.) Wehrh.	132, 314
<i>Eustrephus latifolius</i> R. Br.	134
<i>Ophiopogon jaburan</i> (Siebold) Lodd.	202, 315
<i>Ophiopogon japonicus</i> (Thunb.) Ker Gawl.	202, 330
<i>Sansevieria ehrenbergii</i> Schweinf. ex Baker	242, 331
<i>Sansevieria trifasciata</i> Prain	243
<i>Yucca</i> sp.	278

Bromeliaceae

<i>Acanthostachys strobilacea</i> (Schult. & Schult.f.) Klotzsch	5
<i>Ananas comosus</i> (L.) Merr.	25, 301, 322
<i>Ananas</i> sp.	25, 322
<i>Bromelia</i> sp.	54, 310
<i>Cryptanthus bromelioides</i> Otto & A. Deitr.	90
<i>Cryptanthus fosterianus</i> L.B. Sm.	90
<i>Cryptanthus zonatus</i> (Vis.) Beer	90
<i>Neoregelia</i> sp.	198
<i>Vriesea</i> sp.	275

Cannaceae

<i>Canna indica</i> L.	65, 289, 313
<i>Canna</i> sp.	65, 313

Colchicaceae

<i>Disporum</i> sp.	117
---------------------	-----

Asparagaceae

<i>Cheilocostus speciosus</i> (J. Koenig) C.D. Specht	73, 323
<i>Costus malortieanus</i> H. Wendl.	88
<i>Costus spiralis</i> (Jacq.) Roscoe	88, 324

Asparagaceae - Contd.

<i>Costus</i> sp.	88, 303, 352
-------------------	--------------

Cyperaceae

<i>Carex extensa</i> Gooden.	66, 289
<i>Carex</i> sp.	66, 289
<i>Cyperus haspan</i> L.	98, 289
<i>Cyperus involucratus</i> Rottb.	98, 289
<i>Cyperus papyrus</i> L.	98, 289
<i>Cyperus</i> sp.	98, 289
<i>Fimbristyllis umbellaris</i> (Lam.) Vahl	140, 289
<i>Schoenoplectiella mucronata</i> (L.) J. Jung & H.K. Choi	249, 289

Dioscoreaceae

<i>Dioscorea alata</i> L.	113, 303, 313
<i>Dioscorea bulbifera</i> L.	113, 303, 313, 325
<i>Dioscorea esculenta</i> (Lour.) Burkill	113, 303, 314
<i>Dioscorea hispida</i> Dennst.	114, 303, 314, 325
<i>Dioscorea pentaphylla</i> L.	114, 303, 314
<i>Dioscorea</i> sp.	114, 303, 314
<i>Tacca palmatifida</i> Baker	261

Flagellariaceae

<i>Flagellaria</i> sp.	141, 314
------------------------	----------

Heliconiaceae

<i>Heliconia bihai</i> (L.) L.	158
<i>Heliconia collinsiana</i> Griggs	158
<i>Heliconia dasyantha</i> K. Koch & C.D. Bouche	158
<i>Heliconia hirsuta</i> L. f.	158
<i>Heliconia psittacorum</i> L. f.	158
<i>Heliconia rostrata</i> Ruiz & Pav.	158
<i>Heliconia stricta</i> Huber	158
<i>Heliconia wagneriana</i> Petersen	158

Hypoxidaceae

<i>Curculigo</i> sp.	92, 303
<i>Molineria capitulata</i> (Lour.) Herb.	194

Iridaceae

<i>Sisyrinchium palmifolium</i> L.	252, 331
<i>Watsonia pillansii</i> L.Bolus	275

Juncaginaceae

<i>Lomandra longifolia</i> Labill.	178
------------------------------------	-----

Liliaceae

<i>Lilium longiflorum</i> Thunb.	175, 315
----------------------------------	----------

Marantaceae

<i>Calathea</i> sp.	61, 310, 313
<i>Halopegia blumei</i> (Korn.) K. Schum.	155, 314
<i>Halopegia</i> sp.	155, 314, 315
<i>Maranta arundinacea</i> L.	187, 306, 328
<i>Maranta lietzei</i> (E. Morren) C.H.Nelson, Sutherl. & Fern. Casas	187, 315
<i>Maranta</i> sp.	187, 315
<i>Phrynium</i> sp.	213, 329
<i>Stachyphrynium placentarium</i> (Lour.) Clausager & Borchs.	254

Musaceae

<i>Ensete superbum</i> (Roxb.) Cheesman	126
<i>Musa balbisiana</i> Colla	195, 329
<i>Musa balbisiana</i> var. <i>brachycarpa</i> (Backer) Häkkinen	195
<i>Musa</i> x <i>paradisiaca</i> L.	195, 306, 329
<i>Musa velutina</i> H. Wendl. & Drude	195
<i>Musa</i> sp.	195, 306, 329

Orchidaceae

<i>Acampe</i> sp.	5
<i>Acanthephippium striatum</i> Lindl.	5
<i>Acanthephippium</i> sp.	5
<i>Acriopsis liliifolia</i> (J. Koenig) Seidenf.	6
<i>Acriopsis</i> sp.	6
<i>Aerides odorata</i> Lour.	9
<i>Aerides</i> sp.	9
<i>Agrostophyllum glumaceum</i> Hook. f.	13
<i>Agrostophyllum longifolium</i> (Blume) Rchb. f.	13
<i>Agrostophyllum majus</i> Hook. f.	13
<i>Agrostophyllum stipulatum</i> subsp. <i>bicuspidatum</i> (J. J. Sm.) Schult.	13
<i>Agrostophyllum tenue</i> J.J. Sm.	14
<i>Agrostophyllum</i> sp.	14
<i>Appendicula cornuta</i> Blume	28
<i>Appendicula elegans</i> Rchb. f.	28
<i>Appendicula infundibuliformis</i> J. J. Sm.	28
<i>Appendicula pendula</i> Blume	28
<i>Appendicula ramosa</i> Blume	28
<i>Appendicula undulata</i> Blume	28
<i>Appendicula</i> sp.	28
<i>Arachnis flos-aeris</i> (L.) Rchb. f.	30
<i>Arachnis</i> sp.	30
<i>Armodorum sulingi</i> (Blume) Schltr.	34
<i>Arundina graminifolia</i> (D. Don) Hochr.	35
<i>Ascidieria cymbidifolia</i> (Ridl.) W.Suarez & Cootes	35
<i>Ascidieria longifolia</i> (Hook. f) Seidenf.	35
<i>Ascocentrum</i> sp.	36
<i>Ascoglossum calopterum</i> (Rchb.f.) Schltr.	36
<i>Brassavola nodosa</i> (L.) Lindl.	53
<i>Bromheadia</i> sp.	54
<i>Bryobium hyacinthoides</i> (Blume) Y.P.Ng & P.J.Cribb	59
<i>Bulbophyllum absconditum</i> J.J.Sm.	55
<i>Bulbophyllum angustifolium</i> (Blume) Lindl.	55

Orchidaceae - Contd.

<i>Bulbophyllum baileyi</i> F. Muell.	55
<i>Bulbophyllum beccarii</i> Rchb. f.	55
<i>Bulbophyllum biflorum</i> Teijsm. & Binn.	55
<i>Bulbophyllum echinolabium</i> J.J. Sm.	55
<i>Bulbophyllum flavidiflorum</i> Carr.	55
<i>Bulbophyllum fletcherianum</i> Rolfe	56
<i>Bulbophyllum grandiflorum</i> Blume	56
<i>Bulbophyllum graveolens</i> (F. M. Bailey) J.J. Sm.	56
<i>Bulbophyllum hahlianum</i> Schltr.	56
<i>Bulbophyllum lemniscatoides</i> Rolfe	56
<i>Bulbophyllum lobbii</i> Lindl.	56
<i>Bulbophyllum macranthoides</i> Kraenzl.	56
<i>Bulbophyllum odoratum</i> (Blume) Lindl.	57
<i>Bulbophyllum ovalifolium</i> (Blume) Lindl.	57
<i>Bulbophyllum phalaenopsis</i> J. J. Sm.	57
<i>Bulbophyllum saltatorium</i> var. <i>alvociliatum</i> (Finet) J.J.Verm.	57
<i>Bulbophyllum sulcatum</i> (Blume) Lindl.	57
<i>Bulbophyllum tortuosum</i> (Blume) Lindl.	57
<i>Bulbophyllum vaginatum</i> (Lindl.) Rchb. f.	57
<i>Bulbophyllum</i> sp.	57
<i>Calanthe baliensis</i> J.J.Wood & J.B. Comber	61
<i>Calanthe sylvatica</i> (Thouars) Lindl.	61
<i>Calanthe triplicata</i> (Willemet) Ames	61
<i>Calanthe zollingeri</i> Rchb. f.	61
<i>Calanthe</i> sp.	61
<i>Campanulorchis leiophylla</i> (Lindl.) Y.P.Ng & P.J.Cribb	63
<i>Cattleya</i> sp.	69
<i>Ceratostylis crassifolia</i> J.J. Sm.	71
<i>Ceratostylis</i> sp.	71
<i>Chelonistele</i> sp.	73
<i>Cleisostoma litoreum</i> (Schltr.) Garay	77
<i>Cleisostoma subulatum</i> Blume	77
<i>Cleisostoma</i> sp.	77
<i>Coelogyne asperata</i> Lindl.	81

Orchidaceae - *Contd.*

<i>Coelogyne beccarii</i> Rchb. f.	82
<i>Coelogyne celebensis</i> J.J. Sm.	82
<i>Coelogyne cumingii</i> Lindl.	82
<i>Coelogyne fragrans</i> Schltr.	82
<i>Coelogyne flexuosa</i> Rolfe	82
<i>Coelogyne foerstermannii</i> Rchb. f.	82
<i>Coelogyne mayeriana</i> Rchb. f.	82
<i>Coelogyne miniata</i> (Blume) Lindl.	82
<i>Coelogyne multiflora</i> Schltr.	83
<i>Coelogyne pandurata</i> Lindl.	83
<i>Coelogyne prasina</i> Ridl.	83
<i>Coelogyne pulverula</i> Teijsm. & Binn.	83
<i>Coelogyne rochussenii</i> De Vriese	83
<i>Coelogyne speciosa</i> (Blume) Lindl.	83
<i>Coelogyne swaniana</i> Rolfe	83
<i>Coelogyne</i> sp.	83
<i>Corymborkis veratrifolia</i> (Reinw.) Blume	87
<i>Cryptostylis arachnites</i> (Blume) Hassk.	90
<i>Cymbidium atropurpureum</i> (Lindl.) Rolfe	96
<i>Cymbidium bicolor</i> subsp. <i>pubescens</i> (Lindl.) Du Puy & P.J.Cribb	97
<i>Cymbidium chloranthum</i> Lindl.	97
<i>Cymbidium ensifolium</i> (L.) S.W.	97
<i>Cymbidium finlaysonianum</i> Lindl.	97
<i>Cymbidium lancifolium</i> Hook.	97
<i>Cymbidium</i> sp.	97
<i>Dendrobium acerosum</i> Lindl.	101
<i>Dendrobium acuminatissimum</i> (Blume) Lindl.	101
<i>Dendrobium amboinense</i> Hook.	101
<i>Dendrobium anosmum</i> Lindl.	101
<i>Dendrobium bifalce</i> Lindl.	101
<i>Dendrobium bilobum</i> Lindl.	101
<i>Dendrobium branderhorstii</i> J.J. Sm.	101
<i>Dendrobium capituliflorum</i> Rolfe	101

Orchidaceae - Contd.

<i>Dendrobium coeloglossum</i> Schltr.	101
<i>Dendrobium compressicaule</i> J.J. Sm.	101
<i>Dendrobium convexum</i> (Blume) Lindl.	101
<i>Dendrobium convexipes</i> J.J. Sm.	102
<i>Dendrobium crumenatum</i> Sw.	102
<i>Dendrobium cymbidioides</i> (Blume) Lindl.	102
<i>Dendrobium discolor</i> Lindl.	102
<i>Dendrobium erosum</i> (Blume) Lindl.	102
<i>Dendrobium fimbriatum</i> Hook.	102
<i>Dendrobium gibsonii</i> Paxton	102
<i>Dendrobium helix</i> P. J. Cribb.	102
<i>Dendrobium heterocarpum</i> Wall ex Lindl.	102
<i>Dendrobium hydrophilum</i> J.J.Sm.	102
<i>Dendrobium insigne</i> (Blume) Rchb. f. ex Miq	102
<i>Dendrobium kauldorumii</i> T. M. Reevee	102
<i>Dendrobium lamellatum</i> (Blume) Lindl.	102
<i>Dendrobium lasiantherum</i> J. J. Sm.	102
<i>Dendrobium leonis</i> (Lindl.) Rchb. f.	103
<i>Dendrobium linearifolium</i> Teijsm. & Binn.	103
<i>Dendrobium lineale</i> Rolfe	103
<i>Dendrobium macrophyllum</i> A. Rich.	103
<i>Dendrobium macrostachyum</i> Lindl.	103
<i>Dendrobium malbrownii</i> Dockrill	103
<i>Dendrobium moschathum</i> Swartz	103
<i>Dendrobium mutabile</i> (Blume) Lindl.	103
<i>Dendrobium palpebrae</i> Lindl.	103
<i>Dendrobium platygastrium</i> Rchb. f.	103
<i>Dendrobium pleianthum</i> Schltr.	103
<i>Dendrobium plicatile</i> Lindl.	103
<i>Dendrobium polysema</i> Schltr.	104
<i>Dendrobium purpureum</i> Roxb.	104
<i>Dendrobium reflexitepalum</i> J. J. Sm.	104
<i>Dendrobium rigidum</i> R. Br.	104
<i>Dendrobium rugosum</i> (Blume) Lindl.	104

Orchidaceae - Contd.

<i>Dendrobium sagittatum</i> J.J. Sm.	104
<i>Dendrobium salaccense</i> (Blume) Lindl.	104
<i>Dendrobium secundum</i> (Blume) Lindl. ex Wall.	104
<i>Dendrobium smilliae</i> F. Muell.	104
<i>Dendrobium spathilingue</i> J.J. Sm.	104
<i>Dendrobium spectabile</i> (Blume) Miq.	104
<i>Dendrobium spurium</i> (Blume) J. J. Sm.	104
<i>Dendrobium stelliferum</i> J. J. Sm.	105
<i>Dendrobium subclausum</i> Rolfe	105
<i>Dendrobium summerhayesianum</i> A.D. Hawkes A.H. Heller	105
<i>Dendrobium teretifolium</i> R. Br.	105
<i>Dendrobium truncatum</i> Lindl.	105
<i>Dendrobium</i> sp.	105
<i>Dendrochilum celebesense</i> H.A. Pederson & Gravend.	107
<i>Dendrochilum longifolium</i> Rchb. f	107
<i>Dendrochilum</i> sp.	107
<i>Diplocaulobium</i> sp.	116
<i>Dipodium scandens</i> (Blume) J.J. Sm.	117
<i>Epiblastus auriculatus</i> Schltr.	127
<i>Epiblastus basilis</i> Schltr.	127
<i>Epiblastus montihageni</i> P. Royen	127
<i>Epiblastus</i> sp.	127
<i>Epidendrum ciliare</i> L.	127
<i>Epigeneium</i> sp.	127
<i>Eria albidotomentosa</i> (Blume) Lindl.	128
<i>Eria javanica</i> (Sw.) Blume	128
<i>Eria junghuhnii</i> J.J. Sm.	129
<i>Eria lamonganensis</i> Rchb. f.	129
<i>Eria ornata</i> (Blume) Lindl.	129
<i>Eria verruculosa</i> J.J. Smith.	129
<i>Eria</i> sp.	129
<i>Flickingeria</i> sp.	142
<i>Gastrochilus</i> sp.	145

Orchidaceae - Contd.

<i>Glomera amboinensis</i> (Ridl.) J.J.Sm.	150
<i>Goodyera bifida</i> (Blume) Blume	152
<i>Goodyera procera</i> (Ker-Gawl.) Hook.	152
<i>Goodyera</i> sp.	152
<i>Grammatophyllum speciosum</i> Blume	152
<i>Grammatophyllum stapeliiflorum</i> (Teijsm. & Binn.) J.J. Sm.	153
<i>Grammatophyllum</i> sp.	153
<i>Habenaria</i> sp.	155
<i>Hippeophyllum</i> sp.	161
<i>Liparis caespitosa</i> (Thunb.) Lindl.	175
<i>Liparis condylobulbon</i> Rchb. f.	175
<i>Liparis elliptica</i> Wight	175
<i>Liparis hirundo</i> Holtum	175
<i>Liparis pallida</i> (Blume) Lindl.	175
<i>Liparis</i> sp.	175
<i>Luisia javanica</i> J.J. Sm.	179
<i>Luisia tristis</i> (G. Forst.) Hook. f.	179
<i>Luisia</i> sp.	179
<i>Macodes sanderiana</i> (Kraenzl.) Rolfe	182
<i>Malaxis</i> sp.	183
<i>Malleola baliensis</i> J.J. Sm.	184
<i>Malleola</i> sp.	184
<i>Maxillariella tenuifolia</i> (Lindl.) M.A.Blanco & Carnevali	188
<i>Mediocalcar decoratum</i> Schuit.	188
<i>Mediocalcar uniflorum</i> Schltr.	188
<i>Mycaranthes latifolia</i> Blume	193
<i>Mycaranthes monostachya</i> (Lindl.) Rauschert	193
<i>Mycaranthes oblitterata</i> Blume	193
<i>Myrmecophila tibicinis</i> (Bateman ex Lindl.) Rolfe	196
<i>Oberonia lycopodioides</i> (J. Koneig) Ormerod	200
<i>Oberonia similis</i> (Blume) Lindl.	200
<i>Oberonia</i> sp.	200
<i>Oncidium</i> "Americanum"	201
<i>Oncidium</i> "Golden Shower"	201

Orchidaceae - Contd.

<i>Oncidium sphacelatum</i> Lindl.	201
<i>Paphiopedilum javanicum</i> (Reinw. ex Lindl.) Pfitzer	206
<i>Paphiopedilum lowii</i> var. <i>richardianum</i> (Asher & Beaman) O. Gruss	206
<i>Paphiopedilum schoseri</i> Braem & H. Mohr	206
<i>Paphiopedilum victoria-regina</i> (Sander) M.W.Wood	206
<i>Phaius amboinensis</i> Blume	209
<i>Phaius flavus</i> (Blume) Lindl.	209
<i>Phaius tankervilleae</i> (Banks) Blume	209
<i>Phalaenopsis amabilis</i> (L.) Blume	209
<i>Phalaenopsis amboinensis</i> J.J. Sm.	209
<i>Phalaenopsis celebensis</i> H.R. Sweet.	209
<i>Phalaenopsis corningiana</i> Rchb. f.	209
<i>Phalaenopsis fimbriata</i> (Lindl.) J.J. Sm.	209
<i>Phalaenopsis gigantea</i> J.J. Sm.	209
<i>Phalaenopsis schilleriana</i> Rchb. f.	209
<i>Phalaenopsis tetraspis</i> Rchb. f.	209
<i>Phalaenopsis violacea</i> H. Witte	209
<i>Phalaenopsis</i> sp.	209
<i>Pholidota carnea</i> (Blume) Lindl.	211
<i>Pholidota gibbosa</i> (Blume) Lindl. ex de Vriese	212
<i>Pholidota imbricata</i> Lindl.	212
<i>Pholidota ventricosa</i> (Blume) Rchb. f.	212
<i>Pholidota</i> sp.	212
<i>Phreatia elongata</i> Schltr.	213
<i>Phreatia plantaginifolia</i> (J. Koenig) Ormerod	213
<i>Phreatia plexauroides</i> Rchb. f.	213
<i>Phreatia sulcata</i> (Blume) J.J. Sm.	213
<i>Phreatia</i> sp.	213
<i>Pinalia bractescens</i> (Lindl.) Kuntze	215
<i>Pinalia multiflora</i> (Blume) Kuntze	215
<i>Pinalia rhynchostyloides</i> (O'Brien) Y.P.Ng & P.J.Cribb	216
<i>Plocoglottis plicata</i> (Roxb.) Ormerod	223
<i>Podochilus lucescens</i> Blume	224

Orchidaceae - Contd.

<i>Podochilus serpyllifolius</i> (Blume) Lindl.	224
<i>Podochilus</i> sp.	224
<i>Polystachya concreta</i> (Jacq.) Garay & H.R. Sweet	226
<i>Pomatocalpa diffusum</i> Breta	227
<i>Pomatocalpa spicatum</i> Breda, Kuhl & Hasselt	227
<i>Pomatocalpa</i> sp.	227
<i>Pteroceras</i> sp.	231
<i>Rhynchostylis retusa</i> (L.) Blume	239
<i>Robiquetia</i> sp.	240
<i>Saccolabium</i> sp.	240
<i>Schoenorchis juncifolia</i> Reinw. ex Blume	248
<i>Schoenorchis micrantha</i> Reinw. ex Blume	248
<i>Spathoglottis plicata</i> Blume	253
<i>Spathoglottis</i> sp.	253
<i>Stichorkis compressa</i> (Blume) J.J.Wood	255
<i>Taeniophyllum</i> sp.	262
<i>Thelasis capitata</i> Blume	265
<i>Thelasis carinata</i> Blume	265
<i>Thelasis pygmaea</i> (Griff.) Lindl.	265
<i>Thelasis</i> sp.	265
<i>Thrixspermum acutilobum</i> J.J. Sm.	266
<i>Thrixspermum centipeda</i> Lour.	266
<i>Thrixspermum pensile</i> Schltr.	267
<i>Thrixspermum</i> sp.	267
<i>Trichoglottis celebica</i> Rolfe	270
<i>Trichoglottis</i> sp.	270
<i>Trichotosia annulata</i> Blume	270
<i>Trichotosia ferox</i> Blume	270
<i>Trichotosia latifolia</i> (Blume) Seidenf.	271
<i>Trichotosia pauciflora</i> Blume	271
<i>Tropidia angulosa</i> (Lindl.) Blume	271
<i>Tuberolabium</i> sp.	271
<i>Vanda helvola</i> Blume	273
<i>Vanda tricolor</i> Lind.	273

Orchidaceae - Contd.

<i>Vanda</i> sp.	273
<i>Vanilla</i> sp.	274

Pandanaceae

<i>Freycinetia insignis</i> Blume	143
<i>Freycinetia</i> sp.	143
<i>Pandanus amaryllifolius</i> Roxb.	205, 306
<i>Pandanus conoideus</i> Lam.	205
<i>Pandanus marginatus</i> H. St. John	205, 306
<i>Pandanus tectorius</i> Parkinson ex Du Roi	205, 306, 329
<i>Pandanus</i> sp.	205, 206

Poaceae

<i>Anthoxanthum odoratum</i> L.	26, 317
<i>Arundo</i> sp.	35, 317
<i>Bambusa blumeana</i> Schult. f.	39, 317
<i>Bambusa maculata</i> Widjaja	40, 317
<i>Bambusa multiplex</i> (Lour) Raeusch. ex J. A. J. H. Schult	40, 317
<i>Bambusa ooh</i> Widjaja	40, 317
<i>Bambusa tuldoidea</i> Munro	40, 317
<i>Bambusa vulgaris</i> Schrad. ex Wendl.	40, 302, 322
<i>Bambusa</i> sp.	40, 317
<i>Brachypodium sylvaticum</i> (Huds.) P. Beauv.	52, 317
<i>Briza medica</i> L.	54, 317
<i>Bromus erectus</i> Huds.	54, 317
<i>Coix lacryma-jobi</i> L.	84, 303, 324
<i>Cymbopogon citratus</i> DC. Stapf	97, 325
<i>Cymbopogon winterianus</i> Jowitt ex Bor	97, 98, 317, 325
<i>Cymbopogon</i> sp.	98, 317, 325
<i>Dactylis glomerata</i> L.	99, 317
<i>Dendrocalamus asper</i> (Schult.) Backer	106, 317, 314
<i>Dendrocalamus</i> sp.	107, 317
<i>Deschampsia cepitosa</i> P. Beauv.	108, 317

Poaceae - Contd.

<i>Dinochloa kostermansiana</i> S. Dranfield	111, 318
<i>Dinochloa sepang</i> Widjaja & Astuti	111, 318
<i>Dinochloa</i> sp.	111, 318
<i>Elymus virginicus</i> L.	126, 318
<i>Festuca alpina</i> Suter	134, 318
<i>Fimbribambusa</i> sp.	140, 318
<i>Gigantochloa apus</i> (Schult.) Kurz	146, 318, 326
<i>Gigantochloa atrovioleacea</i> Widjaja	146, 318
<i>Gigantochloa atter</i> (Hassk.) Kurz	146, 318
<i>Gigantochloa aya</i> Widjaja & Astuti	146, 318, 326
<i>Gigantochloa baliana</i> Widjaja & Astuti	146, 318
<i>Gigantochloa hasskarliana</i> (Kurz) Backer	146, 318
<i>Gigantochloa kuring</i> Widjaja	146, 318
<i>Gigantochloa luteostriata</i> Widjaja	146, 318
<i>Gigantochloa magentea</i> Widjaja	147, 318
<i>Gigantochloa manggong</i> Widjaja	147, 318
<i>Gigantochloa nigrociliata</i> (Buse) Kurz	147, 318, 326
<i>Gigantochloa pubinervis</i> Widjaja	147, 318
<i>Gigantochloa pubipetiolata</i> Widjaja	147, 318
<i>Gigantochloa robusta</i> Kurz	147, 318
<i>Gigantochloa serik</i> Widjaja	147, 318
<i>Gigantochloa taluh</i> Widjaja & Astuti	147, 318, 326
<i>Gigantochloa thoi</i> K.M. Wong	147, 318
<i>Gigantochloa velutina</i> Widjaja	147, 318
<i>Gigantochloa</i> sp.	147, 148, 318
<i>Guadua chacoensis</i> (Rojas Acosta) Londono & P.M. Peterson	154, 318
<i>Imperata cylindrica</i> (L.) Raeusch.	165, 327
<i>Koeleria vallesiana</i> (Honck.) Bertol. ex Schult.	170, 318
<i>Neololeba atra</i> (Lindl.) Widjaja	198, 319
<i>Neyraudia reynaudiana</i> (Kunth.) Keng & Hitchc.	199, 319
<i>Oatea acuminata</i> (Munro) C.E. Calderón ex Soderstr.	203, 319
<i>Panicum auritum</i> J. Presl ex Nees	206, 319
<i>Pennisetum alopecuroides</i> (L.) Spreng.	208, 319

Poaceae - *Contd.*

<i>Pennisetum</i> sp.	208, 318
<i>Phyllostachys aurea</i> Rivière & C. Rivière	214, 319
<i>Phyllostachys nigra</i> (Lodd. ex Lindl.) Munro	214, 319
<i>Phyllostachys</i> sp.	214, 319
<i>Saccharum officinarum</i> L.	241, 307
<i>Saccharum spontaneum</i> L.	241
<i>Saccharum</i> sp.	241, 307
<i>Schizostachyum brachycladum</i> (Kurz) Kurz	246, 307
<i>Schizostachyum castaneum</i> Widjaja	247, 319
<i>Schizostachyum caudatum</i> Backer ex K. Heyne	247, 319
<i>Schizostachyum cuspidatum</i> Widjaja	247, 319
<i>Schizostachyum lima</i> (Blanco) Merr.	247, 319
<i>Schizostachyum silicatum</i> Widjaja	247, 319
<i>Schizostachyum zollingeri</i> Steud	247, 319
<i>Schizostachyum</i> sp.	247, 319
<i>Setaria palmifolia</i> (J. Koenig) Stapf	251
<i>Shibataea kumasasa</i> (Steud.) Makino	251, 319
<i>Sorghum bicolor</i> (L.) Moench	253, 308
<i>Themeda gigantea</i> (Cav.) Hack. ex Duthie	266, 319
<i>Themeda</i> sp.	266, 319
<i>Thyrsostachys siamensis</i> Gamble	268, 319
<i>Thysanolaena latifolia</i> (Roxb. ex Hornem.) Honda	268, 319
<i>Thysanolaena</i> sp.	268, 319
<i>Uniola paniculata</i> L.	273, 319

Pontederiaceae

<i>Eichhornia crassipes</i> (Mart.) Solms	123, 289
<i>Pontederia cordata</i> L.	227, 289

Smilacaceae

<i>Smilax odoratissima</i> Blume	237, 252
<i>Smilax zeylanica</i> L.	252, 331
<i>Smilax</i> sp.	252, 331

Typhaceae

<i>Typha angustifolia</i> L.	272, 289
------------------------------	----------

Xanthorrhoeaceae

<i>Aloe arborescens</i> Mill.	20
<i>Aloe vera</i> (L.) Burm. f.	20, 321
<i>Asphodeline lutea</i> (L.) Rchb.	38, 313
<i>Dianella ensifolia</i> (L.) DC.	108
<i>Dianella tasmanica</i> Hook. f.	108
<i>Gasteria brevifolia</i> Haw.	145
<i>Gasteria obliqua</i> (Aiton) Duval	145
<i>Geitonoplesium cymosum</i> (R. Br.) A. Cunn. ex R. Br.	145, 314
<i>Haworthia cymbiformis</i> (Haw.) Duval	156
<i>Haworthia</i> sp.	156
<i>Kniphofia ensifolia</i> Baker	170, 315
<i>Xanthorrhoea preissii</i> Endl.	277

Zingiberaceae

<i>Alpinia odontonema</i> K. Schum.	20, 301
<i>Alpinia galanga</i> (L.) Willd.	20, 301, 321
<i>Alpinia luteocarpa</i> Elmer.	20
<i>Alpinia purpurata</i> (Vieill.) K. Schum.	20, 321
<i>Alpinia</i> sp.	20
<i>Amomum compactum</i> Sol. ex Maton	22, 322
<i>Amomum maximum</i> Roxb.	22, 322
<i>Amomum</i> sp.	22, 322
<i>Boesenbergia rotunda</i> (L.) Mansf.	51, 301, 323
<i>Boesenbergia</i> sp.	51, 323
<i>Curcuma aeruginosa</i> Roxb.	92, 303, 324
<i>Curcuma heyneana</i> Valeton & Zijp	92, 324
<i>Curcuma longa</i> L.	92, 303, 324
<i>Curcuma mangga</i> Valeton & Zijp	92, 324
<i>Curcuma purpurascens</i> Blume	92, 324
<i>Curcuma sylvatica</i> Valeton	92, 324

Zingiberaceae - *Contd.*

<i>Curcuma viridiflora</i> Roxb.	92, 303, 324
<i>Curcuma zanthorrhiza</i> Roxb.	92, 303, 324
<i>Curcuma zedoaria</i> (Berg.) Roscoe	93, 324
<i>Curcuma</i> sp.	93, 303, 324
<i>Etlingera elatior</i> (Jack.) R.M. Sm.	131, 304, 325
<i>Etlingera</i> sp.	131, 304, 325
<i>Elettaria cardamomum</i> (L.) Maton	125, 325
<i>Hedychium coronarium</i> J. Koenig	157, 325
<i>Hedychium</i> sp.	157, 325
<i>Kaempferia galanga</i> L.	169, 328
<i>Kaempferia rotunda</i> L.	169, 328
<i>Plagiostachys crocydocalyx</i> (K. Schum.) B. L. Burtt & R. M Sm.	220, 330
<i>Zingiber montanum</i> (J. Koenig) Link ex A. Dietr.	279, 308, 333
<i>Zingiber officinale</i> Roscoe	308, 333
<i>Zingiber zerumbet</i> (L.) Roscoe ex Sm.	280, 333
<i>Zingiber</i> sp.	280, 308, 333

ANGIOSPERMS - NON-MONOCOTYLEDONES (DICOTYLEDONES, ETC.)

Acanthaceae

<i>Acanthus ebracteatus</i> Vahl	5, 321
<i>Acanthus ilicifolius</i> L.	5, 321
<i>Andrographis laxiflora</i> (Blume) Lindau	25, 321
<i>Asystasia nemorum</i> Nees	38, 313
<i>Asystasia</i> sp.	38, 322
<i>Barleria lupulina</i> Lindl.	41, 322
<i>Barleria prionitis</i> L.	41, 322
<i>Barleria</i> sp.	41, 322
<i>Cyrtanthera carnea</i> (Lindl.) Bremek.	98, 313
<i>Graptophyllum pictum</i> (L.) Griff.	153, 305, 314, 326
<i>Graptophyllum</i> sp.	153, 305, 327

Acanthaceae - Contd.

<i>Hemigraphis alternata</i> (Burm. f.) T. Anderson	158, 327
<i>Hemigraphis</i> sp.	158, 327
<i>Hygrophila</i> sp.	164, 327
<i>Hypoestes floribunda</i> R. Br.	165, 314
<i>Jacobinia</i> sp.	167, 314
<i>Justicia brandegeana</i> Wassh. & L. B. Sm.	169, 314
<i>Justicia gendarussa</i> Burm. f.	169, 328
<i>Justicia</i> sp.	169, 328
<i>Pseuderanthemum</i> sp.	228, 307, 315
<i>Rhinacanthus nasutus</i> (L.) Kurz	236, 331
<i>Sericocalyx crispus</i> (L.) Bremek.	250, 331
<i>Sericocalyx</i> sp.	251, 331
<i>Strobilanthes crispus</i> Blume	255, 332
<i>Strobilanthes</i> sp.	255, 316, 332
<i>Thunbergia erecta</i> (Benth.) T. Anderson	267, 316, 332
<i>Thunbergia natalensis</i> Hook.	268, 308
<i>Thunbergia</i> sp.	268, 308

Aceraceae

<i>Acer carpinifolium</i> Siebold & Zucc.	5
<i>Acer caudatifolium</i> Hayata	5
<i>Acer laurinum</i> Hassk.	6
<i>Acer oblongum</i> Wall. ex DC.	6
<i>Acer</i> sp.	6

Achariaceae

<i>Hydnocarpus</i> sp.	163, 327
<i>Pangium edule</i> Reinw.	206, 306

Actinidiaceae

<i>Saurauia blumiana</i> Benn.	244
<i>Saurauia bracteosa</i> DC.	244
<i>Saurauia cauliflora</i> DC.	244

Actinidiaceae - Contd.

<i>Saurauia pendula</i> Blume	244
<i>Saurauia reinwardtiana</i> Blume	244
<i>Saurauia</i> sp.	244

Adoxaceae

<i>Sambucus javanica</i> Blume	242, 307, 331
<i>Viburnum odoratissimum</i> Ker Gawl.	274
<i>Viburnum rhytidophyllum</i> Hemsl.	274
<i>Viburnum sambucinum</i> Reinw. ex Blume	274, 307
<i>Viburnum</i> sp.	274

Aizoaceae

<i>Delosperma davyi</i> N.E.Br.	101
<i>Glottiphyllum depressum</i> (Haw.) N.E. Br.	150
<i>Glottiphyllum longum</i> (Haw.) N.E. Br.	150
<i>Glottiphyllum surrectum</i> (Haw.) L. Bolus	151

Altingiaceae

<i>Altingia excelsa</i> Noronha	19
---------------------------------	----

Amaranthaceae

<i>Aerva sanguinolenta</i> (L.) Blume	9, 321
<i>Alternanthera</i> sp.	21, 322
<i>Cyathula prostrata</i> (L.) Blume	94, 325
<i>Deeringia amaranthoides</i> (Lam.) Merr.	101, 303, 325
<i>Deeringia</i> sp.	101
<i>Iresine herbstii</i> Hook.	166, 314

Anacardiaceae

<i>Anacardium</i> sp.	21
<i>Buchanania arborescens</i> (Blume) Blume	49
<i>Buchanania</i> sp.	49
<i>Dracontomelon dao</i> (Blanco) Merr. & Rolfe	119, 325

Anacardiaceae - Contd.

<i>Dracontomelon</i> sp.	119, 325
<i>Koordersiodendron</i> sp.	170
<i>Mangifera caesia</i> Jack	185, 328
<i>Mangifera indica</i> L.	185, 328
<i>Mangifera odorata</i> Griff.	185, 306
<i>Mangifera</i> sp.	186, 328
<i>Pleiogynium timoriense</i> (A. DC.) Leenh.	222
<i>Rhus taitensis</i> Guill.	239
<i>Rhus</i> sp.	239
<i>Semecarpus</i> sp.	250
<i>Spondias dulcis</i> Parkinson	254, 308, 331
<i>Spondias</i> sp.	254

Annonaceae

<i>Annona muricata</i> L.	25, 322
<i>Annona squamosa</i> L.	25, 322
<i>Annona</i> sp.	25
<i>Cananga odorata</i> (Lam.) Hook. f. & Thomson	64, 302, 323
<i>Cananga</i> sp.	65
<i>Goniothalamus</i> sp.	152
<i>Polyalthia</i> sp.	225
<i>Uvaria</i> sp.	273

Apiaceae

<i>Bupleurum fruticosum</i> L.	58
<i>Centella asiatica</i> (L.) Urb.	70, 323
<i>Foeniculum vulgare</i> Mill.	142, 304, 326

Apocynaceae

<i>Allamanda cathartica</i> L.	16, 301, 321
<i>Allamanda</i> sp.	16
<i>Alstonia angustiloba</i> Miq.	21
<i>Alstonia scholaris</i> (L.) R. Br.	21, 322

Apocynaceae - Contd.

<i>Alstonia spectabilis</i> R. Br.	21, 322
<i>Alstonia</i> sp.	21
<i>Alyxia reinwardtii</i> Blume	23, 301
<i>Alyxia</i> sp.	23
<i>Asclepias</i> sp.	36
<i>Calotropis gigantea</i> (L.) Dryand.	64, 302
<i>Cascabela thevetia</i> (L.) Lippold	67, 323
<i>Catharanthus roseus</i> (L.) G. Don.	69, 323
<i>Cerbera manghas</i> L.	71
<i>Cerbera</i> sp.	71, 322
<i>Dregea volubilis</i> (L. f.) Benth. ex Hook. f.	119
<i>Hoya</i> sp.	163, 305, 327
<i>Kopsia arborea</i> Blume	170, 328
<i>Kopsia</i> sp.	170
<i>Lepiniopsis</i> sp.	172
<i>Melodinus orientalis</i> Blume	191
<i>Melodinus</i> sp.	191
<i>Nerium oleander</i> L.	199, 306
<i>Ochrosia acuminata</i> Trimen ex Valetton	201
<i>Ochrosia</i> sp.	201
<i>Oxystelma esculentum</i> (L. f.) Sm.	204, 329
<i>Oxystelma</i> sp.	204, 306
<i>Plumeria alba</i> L.	223, 307, 330
<i>Plumeria rubra</i> L.	223, 307, 330
<i>Plumeria</i> sp.	223
<i>Rauvolfia kamarora</i> Hendrian	234
<i>Rauvolfia serpentina</i> (L.) Benth. ex Kurz	234
<i>Rauvolfia tetraphylla</i> L.	234
<i>Rauvolfia verticillata</i> (Lour.) Baill.	234
<i>Rauvolfia</i> sp.	234, 331
<i>Strophanthus</i> sp.	255
<i>Tabernaemontana divaricata</i> (L.) R.Br. ex Roem. & Schult.	261, 308
<i>Tabernaemontana macrocarpa</i> Jack.	261, 308

Apocynaceae - Contd.

<i>Tabernaemontana pandacaqui</i> Poir.	261
<i>Tabernaemontana</i> sp.	332
<i>Thevetia</i> sp.	266
<i>Tylophora</i> sp.	272, 316
<i>Voacanga</i> sp.	275
<i>Willughbeia coriacea</i> Wall.	276
<i>Willughbeia</i> sp.	276
<i>Wrightia pubescens</i> R. Br.	277, 333
<i>Wrightia pubescens</i> subsp. <i>lanitii</i> (Blanco) Ngan	277
<i>Wrightia religiosa</i> (Teijsm. & Binn.) Benth. ex Kurz	277, 333
<i>Wrightia</i> sp.	277

Aquifoliaceae

<i>Ilex odorata</i> Buch.-Ham. ex D. Don	165, 305
<i>Ilex rotunda</i> Thunb.	165

Araliaceae

<i>Aralia</i> sp.	30
<i>Brassaiopsis</i> sp.	53, 302
<i>Gastonia</i> sp.	145
<i>Harmsiopanax aculeatus</i> (Blume) Warb. ex Boerl.	155
<i>Harmsiopanax</i> sp.	156, 305
<i>Hedera helix</i> L.	157, 311
<i>Macropanax dispermus</i> (Blume) Kuntze	182
<i>Nothopanax</i> sp.	200, 306
<i>Osmoxylon celebicum</i> Philipson	203
<i>Osmoxylon</i> sp.	203
<i>Polyscias diversifolia</i> (Blume) Lowry & G.M.Plunkett	225
<i>Polyscias javanica</i> Koord. & Valetton	225
<i>Polyscias nodosa</i> (Blume) Seem.	225

Araliaceae - Contd.

<i>Polyscias serratifolia</i> (Miq.) Lowry & G.M.Plunkett	225
<i>Polyscias</i> sp.	226, 307, 330
<i>Schefflera actinophylla</i> (Endl.) Harms	245
<i>Schefflera elliptica</i> (Blume) Harms	245, 307, 331
<i>Schefflera</i> sp.	245
<i>Trachymene coerulea</i> Graham	269, 316
<i>Trevesia sundaica</i> Miq.	271

Aristolochiaceae

<i>Aristolochia tagala</i> Cham.	33
<i>Aristolochia</i> sp.	33

Asteraceae

<i>Blumea balsamifera</i> (L.) DC.	51, 323
<i>Coreopsis grandiflora</i> Hogg ex Sweet	87
<i>Emilia socchifolia</i> (L.) DC. ex DC.	126, 325
<i>Gynura aurantiaca</i> (Blume) Sch. Bip. ex DC.	155, 327
<i>Gynura procumbens</i> (Lour.) Merr.	155, 327
<i>Montanoa mollissima</i> Brongn. ex Brongn.	194
<i>Sphagnetocola trilobata</i> (L.) Pruski	253

Basellaceae

<i>Anredera cordifolia</i> (Ten.) Steenis	26, 322
<i>Basella alba</i> L.	41, 323

Begoniaceae

<i>Begonia aborensis</i> Dunn	42, 297
<i>Begonia acetosa</i> Vell.	42, 297
<i>Begonia acida</i> Vell.	42, 297
<i>Begonia aconitifolia</i> A.DC.	42, 297
<i>Begonia aptera</i> Blume	42, 297
<i>Begonia</i> × <i>argenteoguttata</i> 'Coral rubra'	42, 297

Begoniaceae - Contd.

<i>Begonia</i> × <i>argenteoguttata</i> ‘Creeper’	42, 297
<i>Begonia</i> × <i>argenteoguttata</i> ‘Fanfare’	42, 297
<i>Begonia</i> × <i>argenteoguttata</i> ‘Hybrid’	42, 297
<i>Begonia</i> × <i>argenteoguttata</i> ‘Lois Burks’	42, 297
<i>Begonia atricha</i> (Miq.) Miq. ex A. DC.	42, 297
<i>Begonia auriculata</i> Hook. f.	42, 297
<i>Begonia baliensis</i> Girm.	42, 297
<i>Begonia bipinnatifida</i> J.J. Sm.	44, 297
<i>Begonia bowerae</i> Ziensenh.	44, 297
<i>Begonia bowerae</i> ‘Cleoptera’	44, 297
<i>Begonia bowerae</i> ‘Bethlehem Star’	44, 297
<i>Begonia bowerae</i> ‘Ripples’	44, 297
<i>Begonia brevirimosa</i> Irmsch.	44, 298
<i>Begonia calderonii</i> Standl.	44, 298
<i>Begonia carolineifolia</i> Regel	44, 298
<i>Begonia chivatoa</i> Ziesenh.	44, 298
<i>Begonia coccinea</i> Hook.	44, 298
<i>Begonia coriacea</i> Hassk.	44, 298
<i>Begonia crassicaulis</i> Lindl.	44, 298
<i>Begonia cucullata</i> Willd.	44, 298
<i>Begonia cucullata</i> ‘Thousand Wonders’	44, 298
<i>Begonia cucullata</i> ‘Tinkerbelle’	44, 298
<i>Begonia didyma</i> D.C. Thomas & Ardi	44, 298
<i>Begonia droopiae</i> Ardi	44, 298
<i>Begonia echinocephala</i> Regel	44, 298
<i>Begonia fusca</i> Liebm.	44, 298
<i>Begonia guttapila</i> D.C. Thomas & Ardi	44, 298
<i>Begonia goegoensis</i> N.E. Br.	44, 298
<i>Begonia guaduensis</i> Kunth	44, 298
<i>Begonia heracleifolia</i> Cham. & Schltld.	44, 298
<i>Begonia heracleifolia</i> ‘Black Falcon’	44, 298
<i>Begonia heracleifolia</i> ‘Ben Lexcen’	45, 298
<i>Begonia heracleifolia</i> ‘Hybrid’	48, 298
<i>Begonia heracleifolia</i> ‘King of Prusia’	45, 298

Begoniaceae - Contd.

<i>Begonia hirtella</i> Link	45, 298
<i>Begonia hooveriana</i> Wiriad.	45, 298
<i>Begonia hydrocotylifolia</i> Otto ex Hook.	45, 298
<i>Begonia imperialis</i> Lem.	45, 298
<i>Begonia incarnata</i> Link & Otto	45, 298
<i>Begonia karwinskyana</i> A. DC.	45, 298
<i>Begonia koordersii</i> Warb. ex L.B. Sm. & Wassh.	45, 298
<i>Begonia lempuyangensis</i> Girm.	45, 299
<i>Begonia listada</i> L.B. Sm. & Wassh.	45, 299
<i>Begonia lombokensis</i> Girm.	45, 299
<i>Begonia longifolia</i> Blume	45, 299
<i>Begonia</i> cf. <i>longifolia</i>	45, 299
<i>Begonia maculata</i> Raddi	45, 299
<i>Begonia manicata</i> Brongn.	45, 299
<i>Begonia manicata</i> var. <i>aureomaculata</i> Ziesenh.	46, 299
<i>Begonia manicata</i> 'Essie Hunt'	46, 299
<i>Begonia manicata</i> 'Fairylad'	46, 299
<i>Begonia manicata</i> 'Hybrid'	46, 299
<i>Begonia multangula</i> Blume	46, 299
<i>Begonia multibracteata</i> Girm.	46, 299
<i>Begonia naumoniensis</i> Irmsch	46, 299
<i>Begonia obscura</i> Brade	46, 299
<i>Begonia oxyloba</i> Welw. ex Hook. f.	46, 299
<i>Begonia pasamanensis</i> M. Hughes	46, 299
<i>Begonia peltata</i> Otto & Dietr.	46, 299
<i>Begonia pseudomuricata</i> Girm.	46, 299
<i>Begonia puspitae</i> Ardi	46, 299
<i>Begonia rachmatii</i> Tebbitt	46, 299
<i>Begonia rex</i> 'Brillians'	46, 299
<i>Begonia rex</i> 'Christmas'	46, 299
<i>Begonia rex</i> 'Hybrid'	46, 299
<i>Begonia rex</i> 'Lettuse Magic'	46, 299
<i>Begonia rex</i> 'Mystic Twist'	46, 299
<i>Begonia rex</i> 'Rosy Morn'	46, 299

Begoniaceae - Contd.

<i>Begonia rex</i> 'Silver Circle'	46, 299
<i>Begonia robusta</i> Blume	46, 300
<i>Begonia sarmentosa</i> L.B.Sm. & Wassh.	46, 300
<i>Begonia scutifolia</i> Hook. f.	46, 300
<i>Begonia serratifolia</i> Irmsch (Lurik)	46, 300
<i>Begonia silhetensis</i> (A. DC.) C.B. Clarke	46, 300
<i>Begonia subvillosa</i> Klotzhsch	47, 300
<i>Begonia sudjanae</i> C.A. Jansson	47, 300
<i>Begonia sychnantha</i> L. B. Smith & DC. Wassh.	47, 300
<i>Begonia</i> cf. <i>sychnanta</i>	47, 300
<i>Begonia tenuifolia</i> Dryand	47, 300
<i>Begonia thelmae</i> L.B.Sm. & Wassh.	47, 300
<i>Begonia</i> cf. <i>thelmae</i>	47, 300
<i>Begonia tomentosa</i> Schott	47, 300
<i>Begonia ulmifolia</i> Willd.	47, 300
<i>Begonia variegata</i> Y.M. Shui & W.H. Chen	47, 300
<i>Begonia venosa</i> Skan ex Hook.f.	47, 300
<i>Begonia wallichiana</i> Lehm.	47, 300
<i>Begonia</i> 'Black Falcon'	47, 300
<i>Begonia</i> 'Chantilly lace'	47, 300
<i>Begonia</i> 'Fiji Islands'	47, 300
<i>Begonia</i> 'Foloveniana'	47, 300
<i>Begonia</i> 'Fuggy'	47, 300
<i>Begonia</i> 'Jurrah'	47, 300
<i>Begonia</i> 'Kimbrook'	47, 300
<i>Begonia</i> 'Penny O'day'	47, 300
<i>Begonia</i> 'Silver Queen'	47, 300
<i>Begonia</i> 'U388'	47, 300
<i>Begonia</i> sp.	48, 300

Berberidaceae

<i>Berberis amurensis</i> Rupr.	49
<i>Berberis fortunei</i> Lindl.	49
<i>Berberis vulgaris</i> L.	49

Berberidaceae - Contd.

<i>Berberis wilsoniae</i> Hemsl.	50
<i>Berberis yunnanensis</i> Franch.	50
<i>Nandina domestica</i> Thunb.	197

Bignoniaceae

<i>Bignonia magnifica</i> W. Bull.	50
<i>Crescentia cujete</i> L.	89, 303, 324
<i>Jacaranda caucana</i> Pittier	167
<i>Jacaranda obtusifolia</i> Bonpl.	167
<i>Oroxylum indicum</i> (L.) Kurz	203
<i>Parmentiera cereifera</i> Seem.	207
<i>Pyrostegia venusta</i> (Ker Gawl.) Miers	233, 331
<i>Radermachera gigantea</i> (Blume) Miq.	234
<i>Radermachera</i> sp.	234
<i>Roseodendron donnell-smithii</i> (Rose) Miranda	240
<i>Spathodea campanulata</i> P. Beauv.	253
<i>Tecoma stans</i> (L.) Juss. ex Kunth	263
<i>Tecomaria</i> sp.	263, 308

Bixaceae

<i>Bixa orellana</i> L.	50, 302
-------------------------	---------

Boraginaceae

<i>Cordia myxa</i> L.	86, 324
<i>Ehretia javanica</i> Blume	123
<i>Ehretia microphylla</i> Lam.	123, 325
<i>Ehretia</i> sp.	123
<i>Tournefortia sarmentosa</i> Lam.	269, 332

Burseraceae

<i>Canarium asperum</i> Benth.	65
<i>Canarium hirsutum</i> Willd.	65
<i>Canarium</i> sp.	65

Burseraceae - Contd.

<i>Dacryodes rostrata</i> (Blume) H.J. Lam	99
<i>Dacryodes</i> sp.	99, 303
<i>Garuga floribunda</i> Decne.	142
<i>Protium javanicum</i> Burm. f.	228, 330

Buxaceae

<i>Buxus sempervirens</i> L.	59
------------------------------	----

Cactaceae

<i>Acantholobivia</i> sp.	5
<i>Armatocereus matucanensis</i> Backeb.	34
<i>Astrophytum myriostigma</i> Lem	38
<i>Astrophytum ornatum</i> (DC) Britton & Rose	38
<i>Austrocylindropuntia floccose</i> (Salm-Dyck ex Winterfeld) F.Ritter	39
<i>Aylosteria</i> sp.	39
<i>Cactus niger</i> Kuntze	60
<i>Cactus</i> sp.	60
<i>Cephalocereus palmeri</i> var. <i>sartorianus</i> (Rose) Krainz	70
<i>Cereus jamacaru</i> DC.	70
<i>Cereus</i> sp.	71
<i>Cactus niger</i> Kuntze	60
<i>Cactus</i> sp.	60
<i>Cephalocereus palmeri</i> var. <i>sartorianus</i> (Rose) Krainz	70
<i>Cereus jamacaru</i> DC.	70
<i>Cereus</i> sp.	71
<i>Cleistocactus samaipatanus</i> (Cárdenas) D.R. Hunt	78
<i>Cleistocactus smaragdiflorus</i> (F.A.C.Weber) Britton & Rose	78
<i>Cleistocactus straussii</i> (Heese) Backeb.	78
<i>Cleistocactus tominensis</i> subsp. <i>micropetalus</i> (F.Ritter) Mottram	78

Cactaceae - Contd.

<i>Cleistocactus</i> sp.	78
<i>Coryphantha compacta</i> (Engelm.) Orcutt	88
<i>Cylindropuntia alcahes</i> (F.A.C. Weber) F. M. Kunth	96
<i>Dolichothele longimamma</i> DC.	118
<i>Echinocactus grusonii</i> Hildm	122
<i>Echinocereus subnervis</i> Salm-Dyck ex Scheer	123
<i>Echinopsis atacamensis</i> (Phil.) Friedrich & G.D. Rowley	123
<i>Echinopsis mirabilis</i> Speg.	123
<i>Echinopsis oxygona</i> (Link) Zucc. ex Pfeiff. & Otto	123
<i>Echinopsis spinibarbis</i> (Otto) A.E. Hoffm.	123
<i>Echinopsis subdenudata</i> Cardenas	123
<i>Epiphyllum angulifer</i> (Lem.) G.Don	127
<i>Epiphyllum crenatum</i> (Lindl.) G. Don.	127, 326
<i>Epiphyllum</i> sp.	127
<i>Eriocereus tortuosus</i> (F.B.Forbes ex Dietr.) Riccob.	130
<i>Ferocactus hamatacanthus</i> (Muehlenpf.) Britton & Rose	134
<i>Ferocactus viridescens</i> (Nutt. ex Torr. & A. Gray) Britton & Rose	134
<i>Gymnocalycium monvillei</i> subsp. <i>achirasense</i> (H.Till & Schatzl) H.Till	148
<i>Gymnocalycium monvillei</i> (Lem.) Pfeiff. ex Britton & Rose	148
<i>Harrisia bonplandii</i> (Parm.) Britton & Rose	156
<i>Harrisia tortuosa</i> (J. Forbes ex Otto & A. Dietr.) Britton & Rose	156
<i>Hildewintera aureispina</i> (F.Ritter) F.Ritter ex G.D.Rowley	160
<i>Mammillaria bocasana</i> Poselger	185
<i>Mammillaria elongata</i> DC.	185
<i>Mammillaria haageana</i> subsp. <i>acultzingensis</i> (Linzen & et al.) D.R. Hunt	185
<i>Mammillaria heyderi</i> subsp. <i>meiacantha</i> (Engelm.) D.R. Hunt	185
<i>Mammillaria mystax</i> Mart.	185
<i>Mammillaria neocoronaria</i> F.M. Kunth.	185
<i>Mammillaria parkinsonii</i> Ehrenb.	185

Cactaceae - Contd.

<i>Mammillaria polythele</i> subsp. <i>durispina</i> (Boed.) D.R. Hunt	185
<i>Mammillaria prolifera</i> (Mill.) Haw.	185
<i>Mammillaria prolifera</i> subsp. <i>haitiensis</i> (K. Schum.) D.R. Hunt	185
<i>Mammillaria prolifera</i> subsp. <i>multiceps</i> (Salm-Dyck) U. Guzmán	185
<i>Mammillaria rhodantha</i> Link & Otto	185
<i>Mammillaria rossiana</i> Heinr.	185
<i>Mammillaria wiesingeri</i> Boed.	185
<i>Mammillaria</i> sp.	185
<i>Melocactus concinnus</i> Buining & Brederoo	190
<i>Melocactus curvispinus</i> subsp. <i>caesius</i> (H.L. Wendl.) N.P.Taylor	190
<i>Melocactus intortus</i> (Mill.) Urb.	190
<i>Myrtillocactus geometrizans</i> (Mart. ex Pfeiff.) Console	193
<i>Nopalea cochenillifera</i> (L.) Salm-Dyck	200, 329
<i>Opuntia crassa</i> Haw.	202
<i>Opuntia cubensis</i> Britton & Rose	202
<i>Opuntia ficus-indica</i> (L.) Mill.	202
<i>Opuntia hanburyana</i> F.A.C. Weber ex A. Berger	202
<i>Opuntia microdasys</i> (Lehm.) Pfeiff.	202
<i>Opuntia microdasys</i> subsp. <i>rufida</i> (Engelm.) U. Guzmán & Mandujano	202
<i>Opuntia robusta</i> J.C. Wendl.	202
<i>Opuntia stricta</i> (Haw.) Haw.	202
<i>Opuntia tomentosa</i> Salm-Dyck	202
<i>Opuntia</i> sp.	203
<i>Pereskia</i> sp.	208
<i>Pfeiffera ianthothele</i> (Monv.) F.A.C. Weber	209
<i>Pseudolobivia kermesina</i> Krainz	228
<i>Rebutia minuscula</i> K. Schum.	235
<i>Rhipsalis baccifera</i> (J.S. Muell.) Stearn	236
<i>Rhipsalis cereuscula</i> Haw.	236
<i>Rhipsalis micrantha</i> (Kunth) DC.	236

Cactaceae - Contd.

<i>Rhipsalis neves-armondii</i> K. Schum.	236
<i>Rhipsalis teres</i> (Vell.) Steud.	236
<i>Rhipsalis</i> sp.	236
<i>Schlumbergera truncata</i> (Haw.) Moran	248
<i>Setiechinopsis mirabilis</i> Backeb. ex de Hass	251
<i>Thelocactus setispinus</i> (Engelm.) E.F. Anderson	265
<i>Weingartia lanata</i> F. Ritter	275

Calophyllaceae

<i>Mesua ferrea</i> L.	191
------------------------	-----

Campanulaceae

<i>Hippobroma longiflora</i> (L.) G. Don	161, 327
<i>Lobelia laxiflora</i> Kunth	178
<i>Wimmerella longitubus</i> (E. Wimm.) Serra, M.B. Crespo & Lammers	276, 332

Cannabaceae

<i>Aphananthe aspera</i> (Thunb.) Planch.	28
<i>Celtis philippensis</i> Blanco	70
<i>Celtis sinensis</i> Pers.	70
<i>Celtis</i> sp.	70
<i>Trema orientalis</i> (L.) Blume	270, 332

Capparaceae

<i>Capparis</i> sp.	66
<i>Cleoserrata serrata</i> (Jacq.) Iltis	79
<i>Crateva</i> sp.	89, 303

Caprifoliaceae

<i>Kolkwitzia amabilis</i> Graebn.	170
<i>Diabelia spathulata</i> (Siebold & Zucc.) Landrein	108
<i>Morina longifolia</i> Wall. ex DC.	194

Caricaceae

<i>Carica papaya</i> L.	66, 323
-------------------------	---------

Caryophyllaceae

<i>Dianthus armeria</i> L.	109
----------------------------	-----

Casuarinaceae

<i>Allocasuarina distyla</i> (Vent.) L. A. S. Johnson	16
<i>Allocasuarina littoralis</i> (Salisb.) L.A.S. Johnson	16
<i>Casuarina glauca</i> Seiber ex Spreng.	68
<i>Casuarina junghuhniana</i> Miq.	68, 302, 323
<i>Casuarina obesa</i> Miq.	68
<i>Casuarina</i> sp.	69
<i>Gymnostoma nodiflorum</i> (Thunb.) L.A.S. Johnson	154
<i>Gymnostoma sumatranum</i> (Jungh. ex de Vriese) L.A.S. Johnson	154

Cecropisaceae

<i>Poikilospermum cordifolium</i> (Barg.-Petr.) Merr.	224
---	-----

Celastraceae

<i>Catha edulis</i> (Vahl.) Endl.	69, 323
<i>Celastrus paniculatus</i> Willd.	70, 302
<i>Celastrus</i> sp.	70
<i>Euonymus indicus</i> B. Heyne ex Wall.	133, 304
<i>Euonymus</i> sp.	133
<i>Lophopetalum javanum</i> Turcz.	179
<i>Lophopetalum</i> sp.	179
<i>Salacia miqueliana</i> Loes.	242
<i>Salacia</i> sp.	242, 331
<i>Tripterygium wilfordii</i> Hook. f.	271

Chrysobalanaceae

<i>Licania tomentosa</i> (Benth.) Fritsch	174
---	-----

Clethraceae

<i>Clethra javanica</i> Turcz.	79
<i>Clethra</i> var. <i>lombokensis</i>	79
<i>Clethra</i> sp.	80

Chloranthaceae

<i>Sarcandra glabra</i> (Thunb.) Nakai	243, 315
--	----------

Clusiaceae

<i>Calophyllum soulattri</i> Burm. f.	63
<i>Calophyllum</i> sp.	64
<i>Garcinia celebica</i> L.	143
<i>Garcinia lateriflora</i> Blume	143
<i>Garcinia dulcis</i> (Roxb.) Kurz	143
<i>Garcinia</i> × <i>mangostana</i> L.	143, 304
<i>Garcinia parviflora</i> Benth.	143
<i>Garcinia</i> sp.	143, 326

Combretaceae

<i>Terminalia</i> sp.	264
-----------------------	-----

Compositae

<i>Conyza</i> sp.	86, 324
<i>Elephantopus scaber</i> L.	125, 325
<i>Elephantopus</i> sp.	126, 325
<i>Emilia sonchifolia</i> (L.) DC. ex DC.	126, 325
<i>Pluchea indica</i> (L.) Less.	223, 330
<i>Rudbeckia fulgida</i> Aiton	241
<i>Stokesia laevis</i> (Hill) Greene	255
<i>Tanacetum</i> sp.	262
<i>Vernonia arborea</i> Buch.-Ham.	274

Convolvulaceae

<i>Ipomoea batatas</i> (L.) Lam.	166, 383
<i>Ipomoea fistulosa</i> Mort. ex Choisy	166, 383

Cornaceae

<i>Alangium chinense</i> (Lour.) Harms	15
<i>Alangium</i> sp.	15
<i>Nyssa</i> sp.	200

Crassulaceae

<i>Bryophyllum pinnatum</i> (Lam.) Oken	54, 323
<i>Crassula</i> sp.	88, 324
<i>Echeveria</i> sp.	122
<i>Sedum acre</i> L.	249
<i>Sedum treleasei</i> Rose	249
<i>Sedum</i> sp.	249

Cucurbitaceae

<i>Coccinia grandis</i> (L.) Voigt.	80, 324
-------------------------------------	---------

Cunoniaceae

<i>Callicoma serratifolia</i> Andrews	62
<i>Weinmannia blumei</i> Planch.	275

Daphniphyllaceae

<i>Daphniphyllum griffithianum</i> (Wight) Noltie	100, 303
<i>Daphniphyllum</i> sp.	100

Datisceae

<i>Octomeles sumatrana</i> Miq.	201
---------------------------------	-----

Dilleniaceae

<i>Dillenia pteropoda</i> (Miq.) Hoogland	109
<i>Dillenia serrata</i> Thunb.	109
<i>Dillenia</i> sp.	111
<i>Tetracera scandens</i> (L.) Merr.	264
<i>Tetracera willdenowiana</i> Steud.	264

Dipterocarpaceae

<i>Dipterocarpus hasseltii</i> Blume	117
<i>Dipterocarpus retusus</i> Blume	117
<i>Dipterocarpus</i> sp.	117
<i>Shorea</i> sp.	251

Ebenaceae

<i>Diospyros discolor</i> Willd.	114
<i>Diospyros kaki</i> L.f.	114
<i>Diospyros korthalsiana</i> Hiern	115
<i>Diospyros lolin</i> Bakh.	115
<i>Diospyros macrophylla</i> Blume	115
<i>Diospyros</i> sp.	115

Elaeagnaceae

<i>Elaeagnus conferta</i> Roxb.	123, 325
<i>Elaeagnus</i> sp.	123, 313

Elaeocarpaceae

<i>Elaeocarpus angustifolius</i> Blume	124
<i>Elaeocarpus bojeri</i> R.E. Vaughan	124, 304, 325
<i>Elaeocarpus floribundus</i> Blume	124
<i>Elaeocarpus glaber</i> Blume	124, 304
<i>Elaeocarpus macrocerus</i> (Turcz.) Merr.	124
<i>Elaeocarpus pierrei</i> Koord. & Valeton	124
<i>Elaeocarpus serratus</i> L.	124
<i>Elaeocarpus stipularis</i> Blume	124
<i>Elaeocarpus</i> sp.	124, 304
<i>Sloanea sigun</i> (Blume) K. Schum.	252
<i>Sloanea</i> sp.	252

Ericaceae

<i>Dimorphanthera</i> sp.	111
<i>Rhododendron augustinii</i> Hemsl.	236

Ericaceae - Contd.

<i>Rhododendron dilatatum</i> Miq.	236
<i>Rhododendron indicum</i> (L.) Sweet	236
<i>Rhododendron inundatum</i> Sleumer	236
<i>Rhododendron javanicum</i> Benn.	238, 312
<i>Rhododendron javanicum</i> ssp. <i>teysmannii</i>	238
<i>Rhododendron konori</i> Becc.	238
<i>Rhododendron macgregoriae</i> F. Muell.	238
<i>Rhododendron macrosepalum</i> Maxim.	238
<i>Rhododendron maximum</i> L.	238
<i>Rhododendron micranthum</i> Turcz.	238
<i>Rhododendron minus</i> Michx.	238
<i>Rhododendron mucronatum</i> (Blume) G. Don.	238
<i>Rhododendron oldhamii</i> Maxim.	238
<i>Rhododendron racemosum</i> Franch.	238
<i>Rhododendron radians</i> J.J. Sm.	238, 312
<i>Rhododendron renschianum</i> Sleumer	238, 312
<i>Rhododendron rhodopus</i> Sleumer	238, 312
<i>Rhododendron seranicum</i> J.J. Sm.	238, 312
<i>Rhododendron simsii</i> Planch.	238
<i>Rhododendron yedoense</i> var. <i>poukhanense</i> Leveille	238, 312
<i>Rhododendron</i> sp.	238, 312
<i>Vaccinium lucidum</i> Miq.	273
<i>Vaccinium varingiaefolium</i> Miq.	273
<i>Vaccinium</i> sp.	273

Escalloniaceae

<i>Polyosma integrifolia</i> Blume	225
------------------------------------	-----

Euphorbiaceae

<i>Acalypha angustifolia</i> Sw.	4
<i>Acalypha argentii</i> Sagun & G. A. Levin	4
<i>Acalypha caturus</i> Blume	4
<i>Acalypha chamaedrifolia</i> (Lam.) Mull. Arg.	4, 309

Euphorbiaceae - Contd.

<i>Acalypha hispida</i> Burm. f.	4, 321
<i>Acalypha spiciflora</i> Burm.f.	4
<i>Acalypha wilkesiana</i> Mull. Arg.	4, 301
<i>Acalypha</i> sp.	5
<i>Aleurites moluccana</i> (L.) Willd.	15, 301, 321
<i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk.	76
<i>Claoxylon</i> sp.	77
<i>Cleidion javanicum</i> Blume	77
<i>Codiaeum variegatum</i> (L.) Rumph. ex A. Juss.	81, 303, 324
<i>Codiaeum</i> sp.	81, 303
<i>Croton argyratus</i> Blume	89
<i>Croton oblongus</i> Burm. f.	89
<i>Croton</i> sp.	89
<i>Endospermum moluccanum</i> (Teijsm. & Binn.) Kurz	126
<i>Euphorbia esula</i> subsp. <i>tommasiniana</i> (Bertol.) Kuzmanov	132, 314
<i>Euphorbia lactea</i> Haw.	133, 326
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch	133, 326
<i>Euphorbia tirucalli</i> L.	133, 326
<i>Euphorbia tithymaloides</i> L.	133, 326
<i>Euphorbia</i> sp.	133, 304
<i>Homalanthus giganteus</i> Zoll. & Moritzi	161
<i>Homalanthus populneus</i> (Geiseler) Pax	161
<i>Homalanthus</i> sp.	161
<i>Jatropha curcas</i> L.	168, 327
<i>Jatropha gossypifolia</i> L.	168, 328
<i>Jatropha integerrima</i> Jacq.	168, 328
<i>Jatropha multifida</i> L.	168, 328
<i>Jatropha podagrica</i> Hook.	168, 328
<i>Joannesia princeps</i> Vell.	168
<i>Macaranga hispida</i> (Blume) Mull. Arg.	181
<i>Macaranga tanarius</i> (L.) Mull. Arg.	181
<i>Macaranga</i> sp.	181
<i>Mallotus barbatus</i> Muell. Arg.	184
<i>Mallotus mollissimus</i> (Geiseler) Airy Shaw	184

Euphorbiaceae - Contd.

<i>Mallotus paniculatus</i> (Lam) Muell. Arg.	184
<i>Mallotus</i> sp.	184
<i>Manihot esculenta</i> Crantz	186, 306, 328
<i>Manihot</i> sp.	186, 328
<i>Megistostigma</i> sp.	188
<i>Pimelodendron</i> sp.	215
<i>Suregada glomerulata</i> (Blume) Baill.	256
<i>Triadica sebifera</i> (L.) Small	270

Fagaceae

<i>Castanopsis acuminatissima</i> (Blume) A. DC.	68
<i>Castanopsis argentea</i> (Blume) A. DC.	68
<i>Lithocarpus bennettii</i> (Miq.) Rehder	176
<i>Lithocarpus</i> sp.	176
<i>Quercus ilex</i> L.	233
<i>Quercus myrsinifolia</i> Blume	233
<i>Quercus rubra</i> L.	233
<i>Quercus velutina</i> Lam.	234
<i>Quercus</i> sp.	234

Flacourtiaceae

<i>Scolopia spinosa</i> Warb.	249
-------------------------------	-----

Garryaceae

<i>Aucuba japonica</i> Thunb.	38
-------------------------------	----

Gentianaceae

<i>Fagraea blumei</i> G. Don	134
<i>Fagraea ceilanica</i> Thunb.	134
<i>Fagraea</i> sp.	134

Geraniaceae

<i>Pelargonium zonale</i> (L.) L'Hér. ex Aiton	208, 311
--	----------

Gesneriaceae

<i>Aeschynanthus radicans</i> Jack	9, 309
<i>Aeschynanthus speciosus</i> Hook.	9, 309
<i>Aeschynanthus</i> sp.	9, 313
<i>Gloxinia perennis</i> (L.) Druce	151, 311
<i>Gloxinia</i> sp.	151, 311
<i>Saintpaulia</i> sp.	242, 312
<i>Sinningia carolinae</i> (Wawra) Benth. & Hook. f. ex Siebert & Voss	252, 315

Goodeniaceae

<i>Scaevola taccada</i> (Gaertn.) Roxb.	244
---	-----

Haloragaceae

<i>Myriophyllum aquaticum</i> (Vell.) Verdc.	196, 289
--	----------

Hamamelidaceae

<i>Rhodoleia championii</i> Hook. f.	239
<i>Rhodoleia</i> sp.	239
<i>Sycopsis phillippinensis</i> Hemsl.	256

Hydrangeaceae

<i>Dichroa febrifuga</i> Lour.	109
<i>Hydrangea macrophylla</i> (Thunb.) Ser.	164

Hypericaceae

<i>Cratoxylum</i> sp.	88
<i>Hypericum annulatum</i> Moris	164
<i>Hypericum calycinum</i> L.	164
<i>Hypericum hookerianum</i> Wight & Arn.	164
<i>Hypericum</i> sp.	164, 314

Icacinaceae

<i>Platea excelsa</i> Blume	221
-----------------------------	-----

Icacinaceae - Contd.

<i>Platea</i> sp.	221, 307
<i>Rhyticaryum elegans</i> G. Schellenb.	240, 307

Iteaceae

<i>Itea macrophylla</i> Wall.	166
-------------------------------	-----

Juglandaceae

<i>Engelhardia spicata</i> Blume	126
<i>Engelhardia</i> sp.	126
<i>Pterocarya fraxinifolia</i> (Poir.) Spach	231
<i>Pterocarya stenoptera</i> C. DC.	231

Lamiaceae

<i>Anisomeles indica</i> (L.) Kuntze	24
<i>Callicarpa japonica</i> Thunb.	62
<i>Callicarpa pedunculata</i> R. Br.	62, 323
<i>Callicarpa</i> sp.	62
<i>Clerodendrum buchananii</i> (Roxb.) Walp.	79, 323
<i>Clerodendrum calamitosum</i> L.	79
<i>Clerodendrum hastatum</i> (Roxb.) Lindl.	72
<i>Clerodendrum japonicum</i> (Thunb.) Sweet.	72
<i>Clerodendrum laevifolium</i> Blume	72
<i>Clerodendrum speciosissimum</i> Drapiez.	72
<i>Clerodendrum thomsoniae</i> Balf. f.	72, 302, 324
<i>Clerodendrum</i> sp.	72, 324
<i>Congea</i> sp.	86
<i>Elsholtzia</i> sp.	125, 325
<i>Faradaya</i> sp.	134, 304
<i>Gmelina arborea</i> Roxb.	151
<i>Gmelina asiatica</i> L.	151
<i>Gmelina</i> sp.	151
<i>Holmskioldia sanguinea</i> Retz.	161
<i>Hyptis capitata</i> Jacq.	163, 327

Lamiaceae - Contd.

<i>Mentha arvensis</i> L.	191, 328
<i>Orthosiphon aristatus</i> (Blume) Miq.	203, 315, 329
<i>Orthosiphon</i> sp.	203, 329
<i>Peronema canescens</i> Jack	208
<i>Plectranthus amboinicus</i> (Lour.) Spreng.	222, 307, 330
<i>Plectranthus scutellarioides</i> (L.) R.Br.	222, 330
<i>Plectranthus</i> sp.	222, 315
<i>Pogostemon cablin</i> (Blanco) Benth.	224, 307, 330
<i>Premna oblongata</i> Miq.	227, 330
<i>Premna</i> sp.	227, 330
<i>Rotheca serrata</i> (L.) Steane & Mabb.	241, 307
<i>Salvia farinacea</i> Benth.	242, 315
<i>Salvia splendens</i> Sellow ex Schult.	242, 331
<i>Scutellaria</i> sp.	249, 331

Lauraceae

<i>Actinodaphne glomerata</i> (Blume) Nees	7
<i>Actinodaphne</i> sp.	7
<i>Alseodaphne</i> sp.	21
<i>Beilschmiedia gigantocarpa</i> Kosterm.	49
<i>Beilschmiedia lucidula</i> (Miq.) Kosterm.	49
<i>Beilschmiedia</i> sp.	49
<i>Cinnamomum burmannii</i> (Nees & T. Nees) Blume	74, 302, 323
<i>Cinnamomum camphora</i> (L.) J. Presl.	74
<i>Cinnamomum cassia</i> (L.) J. Presl.	74
<i>Cinnamomum iners</i> Reinw. ex Blume	74
<i>Cinnamomum porrectum</i> (Roxb.) Kosterm.	74
<i>Cinnamomum sintoc</i> Blume	323
<i>Cinnamomum verum</i> J. S. Pres.	74
<i>Cinnamomum</i> sp.	74, 302
<i>Cryptocarya densiflora</i> Blume	90
<i>Cryptocarya massoy</i> (Oken) Kosterm.	90, 303
<i>Cryptocarya</i> sp.	90

Lauraceae - Contd.

<i>Endiandra rubescens</i> (Blume) Miq.	126
<i>Lindera polyantha</i> (Blume) Boerl.	175
<i>Lindera</i> sp.	175
<i>Litsea confusa</i> Koord. & Valetton	177
<i>Litsea firma</i> (Blume) Hook. f.	177
<i>Litsea glutinosa</i> (Lour.) C.B. Rob.	177
<i>Litsea hypophaea</i> Hayata	177
<i>Litsea resinosa</i> Blume	177
<i>Litsea subumbelliflora</i> (Blume) Ng	177
<i>Litsea timoriana</i> Span.	177
<i>Litsea tomentosa</i> Blume	177
<i>Litsea</i> sp.	178, 305
<i>Machilus thunbergii</i> Siebold & Zucc.	181
<i>Neolitsea javanica</i> (Blume) Backer	198
<i>Neolitsea sericea</i> (Blume) Koidz.	198
<i>Neolitsea</i> sp.	198
<i>Persea americana</i> Mill.	209, 329
<i>Persea rimosa</i> Zoll. ex Meisn.	209
<i>Phoebe</i> sp.	211

Lecythidaceae

<i>Barringtonia</i> sp.	41
<i>Chydenanthus excelsus</i> (Blume) Miers	74
<i>Chydenanthus</i> sp.	74
<i>Couroupita guianensis</i> Aubl.	88
<i>Planchonia valida</i> (Blume) Blume	221, 330
<i>Planchonia</i> sp.	221, 330

Leguminosae

<i>Abrus precatorius</i> L.	3
<i>Adenanthera microsperma</i> Teijsm. & Binn.	8
<i>Adenanthera</i> sp.	8
<i>Acacia auriculiformis</i> Benth.	3

Leguminosae - Contd.

<i>Acacia crassicarpa</i> Benth.	3
<i>Acacia farnesiana</i> (L.) Willd.	3
<i>Acacia maidenii</i> F. Muell.	3
<i>Acacia nilotica</i> (L.) Delile	3, 301
<i>Acacia polystachya</i> Benth.	3
<i>Acacia robusta</i> ssp. <i>clavigera</i> (E. Mey) Brenan	4
<i>Acacia rugata</i> (Lam.) Fawc. & Rendle	4
<i>Acacia spectabilis</i> Benth.	4
<i>Acacia</i> sp.	4
<i>Albizia chinensis</i> (Osbeck) Merr.	15
<i>Albizia procera</i> (Roxb.) Benth.	15
<i>Albizia saman</i> (Jacq.) Merr.	15
<i>Albizia</i> sp.	15
<i>Arachis</i> sp.	29
<i>Archidendron clypearia</i> (Jack) Nielsen	30
<i>Archidendron fagifolium</i> (Miq.) I. C. Nielsen	30
<i>Archidendron</i> sp.	30, 31
<i>Bauhinia fulva</i> Korth. Benth.	42
<i>Bauhinia purpurea</i> L.	42
<i>Bauhinia</i> sp.	42, 310
<i>Caesalpinia</i> sp.	60
<i>Calliandra calothyrsus</i> Meissn.	62
<i>Calliandra haematocephala</i> Hassk.	62
<i>Calliandra surinamensis</i> Benth.	62
<i>Canavalia</i> sp.	65
<i>Cassia javanica</i> L.	67
<i>Cassia</i> sp.	68
<i>Castanospermum australe</i> A. Cunn. & C. Fraser ex Hook.	68
<i>Cercis chinensis</i> Bunge	72
<i>Clitoria ternatea</i> L.	80, 302, 324
<i>Crotalaria</i> sp.	89
<i>Cynometra ramiflora</i> L.	98
<i>Cynometra</i> sp.	98
<i>Dalbergia latifolia</i> Roxb.	99

Leguminosae - Contd.

<i>Dalbergia</i> sp.	99
<i>Delonix regia</i> (Hook.) Raf.	101
<i>Derris elliptica</i> (Wall.) Benth.	108
<i>Derris</i> sp.	108
<i>Dialium</i> sp.	108
<i>Entada phaseoloides</i> (L.) Merr.	127, 326
<i>Entada</i> sp.	127
<i>Enterolobium cyclocarpum</i> (Jacq.) Griseb.	127
<i>Enterolobium timbouva</i> Mart.	127
<i>Erythrina crista-galli</i> L.	131
<i>Erythrina fusca</i> Lour.	131, 304
<i>Erythrina hypaphorus</i> Boerl. ex Koord.	131, 304, 326
<i>Erythrina subumbrans</i> (Hassk.) Merr.	131, 304
<i>Erythrina variegata</i> L.	131
<i>Erythrina</i> sp.	131, 304
<i>Euchresta horsfieldii</i> (Lesch.) Benn.	132, 236
<i>Falcataria moluccana</i> (Miq.) Barneby & J.W. Grimes	134
<i>Flemingia strobilifera</i> (L.) W.T. Aiton	141
<i>Gleditsia assamica</i> Bor	148
<i>Gleditsia fera</i> (Lour.) Merr.	149
<i>Indigofera tinctoria</i> L.	165
<i>Inga laurina</i> (Sw.) Willd.	166
<i>Inocarpus fagifer</i> (Parkinson) Fosberg	304
<i>Intsia bijuga</i> (Colebr.) Kuntze	166
<i>Intsia</i> sp.	166
<i>Lathyrus latifolius</i> L.	172
<i>Leucaena pulverulenta</i> (Schltdl.) Benth.	174
<i>Leucaena</i> sp.	174
<i>Maniltoa</i> sp.	186
<i>Ormosia calavensis</i> Blanco	203
<i>Ormosia penangensis</i> Ridl.	203
<i>Parkia</i> sp.	207
<i>Phanera</i> sp.	210
<i>Pithecellobium dulce</i> (Roxb.) Benth.	219

Leguminosae - Contd.

<i>Pithecellobium</i> sp.	21, 330
<i>Pongamia pinnata</i> (L.) Pierre	227
<i>Psophocarpus tetragonolobus</i> (L.) DC.	229, 307
<i>Pterocarpus indicus</i> Willd.	231
<i>Saraca</i> sp.	243
<i>Senna alata</i> (L.) Roxb.	250
<i>Senna floribunda</i> (Cav.) H.S.Irwin & Barneby	250
<i>Senna hirsuta</i> (L.) H.S.Irwin & Barneby	250
<i>Senna multijuga</i> (Rich.) H.S.Irwin & Barneby	250
<i>Senna surattensis</i> (Burm.f.) H.S.Irwin & Barneby	250
<i>Tadehagi triquetrum</i> (L.) H. Ohashi	262, 332
<i>Tamarindus indica</i> L.	262, 308, 332
<i>Tephrosia candida</i> Roxb. ex DC	264, 308
<i>Tephrosia</i> sp.	264, 308
<i>Zapoteca tetragona</i> (Willd.) H.M. Hern.	278

Loganiaceae

<i>Geniostoma oblongifolium</i> Koord. & Valetton	145
<i>Geniostoma rupestre</i> J.R. Forst. & G. Forst.	145

Lythraceae

<i>Cuphea micropetala</i> Kunth	90
<i>Duabanga mollucana</i> Blume	120
<i>Galpinia</i> sp.	143
<i>Heimia myrtifolia</i> Cham. & Schltdl.	157
<i>Lagerstroemia floribunda</i> Jack.	171
<i>Lagerstroemia indica</i> L.	171
<i>Punica granatum</i> L.	233, 307, 331
<i>Woodfordia fruticosa</i> (L.) Kurz	276, 316, 333
<i>Woodfordia</i> sp.	276, 333

Magnoliaceae

<i>Magnolia champaca</i> (L.) Baill. ex Pierre	182, 305, 328
--	---------------

Magnoliaceae - Contd.

<i>Magnolia grandiflora</i> L.	182
<i>Magnolia liliifera</i> (L.) Baill.	183, 306
<i>Magnolia montana</i> (Blume) Figlar	183
<i>Magnolia obovata</i> Thunb.	183
<i>Magnolia sumatrana</i> var. <i>glauca</i> (Blume) Figlar & Noot.	183
<i>Magnolia</i> sp.	183
<i>Michelia alba</i> DC.	191, 306
<i>Michelia</i> sp.	191, 306
<i>Talauma</i> sp.	262

Malpighiaceae

<i>Hiptage benghalensis</i> (L.) Kurz	161, 305, 314
---------------------------------------	---------------

Malpighiaceae - Contd.

<i>Hiptage</i> sp.	161, 314
--------------------	----------

Malvaceae

<i>Abelmoschus manihot</i> (L.) Medik.	3, 321
<i>Abelmoschus moschathus</i> Medik.	3, 321
<i>Alyogyne huegelii</i> (Endl.) Fryxell	22, 322
<i>Bombax anceps</i> Pierre	52
<i>Bombax ceiba</i> L.	52, 302
<i>Bombax</i> sp.	52
<i>Byttneria</i> sp.	59
<i>Ceiba pentandra</i> (L.) Gaertn.	69, 302
<i>Colona</i> sp.	85
<i>Commersonia bartramia</i> (L.) Merr.	86
<i>Corchorus cunninghamii</i> F. Muell.	86
<i>Durio zibethinus</i> L.	120, 304
<i>Durio</i> sp.	121
<i>Firmiana malayana</i> Kosterm.	140
<i>Firmiana simplex</i> (L.) W. Wight	140
<i>Firmiana</i> sp.	140
<i>Gossypium barbadense</i> L.	152, 305

Malvaceae - Contd.

<i>Gossypium herbaceum</i> L.	152, 326
<i>Gossypium</i> sp.	152, 314
<i>Grewia</i> sp.	154
<i>Hermannia incana</i> Cav.	158
<i>Heritiera</i> sp.	158
<i>Hibiscus hybridus</i> F. Dietr.	159, 305
<i>Hibiscus macrophyllus</i> Roxb. ex Hornem	159
<i>Hibiscus mutabilis</i> L.	159, 327
<i>Hibiscus pedunculatus</i> L. f.	159, 327
<i>Hibiscus rosa-sinensis</i> L.	159, 305, 314, 327
<i>Hibiscus sabdariffa</i> L.	160, 327
<i>Hibiscus schizopetalus</i> (Dyer) Hook. f.	160, 305, 327
<i>Hibiscus tilliaceous</i> L.	160, 305, 314, 327
<i>Hibiscus vitifolius</i> L.	160
<i>Hibiscus</i> sp.	160, 305, 311, 327
<i>Kitaibelia vitifolia</i> Willd.	169
<i>Malvaviscus arboreus</i> Cav.	184
<i>Malvaviscus</i> sp.	184, 315, 328
<i>Melochia umbellata</i> (Houtt.) Stapf	191, 328
<i>Microcos hirsuta</i> (Korth.) Burret	192
<i>Microcos paniculata</i> L.	192
<i>Napaea dioica</i> L.	197
<i>Pterygota alata</i> (Roxb.) R. Br.	232
<i>Pterygota</i> sp.	232
<i>Sida rhombifolia</i> L.	251, 331
<i>Sida</i> sp.	251, 315
<i>Talipariti simile</i> (Blume) Fryxell	262
<i>Theobroma cacao</i> L.	266
<i>Urena lobata</i> L.	273, 308, 316, 332
<i>Urena</i> sp.	273, 308, 316

Melastomataceae

<i>Dissochaeta reticulata</i> Blume	117, 325
<i>Medinilla alpestris</i> Blume	188, 306
<i>Medinilla speciosa</i> Blume	188, 306, 328
<i>Medinilla tapete-magicum</i> Camara Leret & Veldk.	188
<i>Medinilla</i> sp.	188, 306, 315
<i>Melastoma malabathricum</i> L.	189, 315, 328
<i>Melastoma sanguineum</i> Sims	189, 315
<i>Melastoma setigerum</i> Blume	189
<i>Melastoma</i> sp.	189, 315
<i>Tibouchina langsdorffiana</i> Baill.	268

Meliaceae

<i>Aglaia argentea</i> Blume	12
<i>Aglaia elliptica</i> (C. DC.) Blume	12
<i>Aglaia eximia</i> Miq.	12
<i>Aglaia grandis</i> Korth. ex Miq.	12
<i>Aglaia</i> sp.	12
<i>Aphanamixis polystachya</i> (Wall.) R. Parker	28
<i>Chisocheton macrophyllus</i> King.	73
<i>Cipadessa baccifera</i> (Roth) Miq.	75
<i>Cipadessa</i> sp.	75, 323
<i>Dysoxylum cauliflorum</i> Hiern	121
<i>Dysoxylum excelsum</i> Blume	121
<i>Dysoxylum gaudichaudianum</i> (A. Juss.) Miq.	121
<i>Dysoxylum nutans</i> (Blume) Miq.	121
<i>Dysoxylum parasiticum</i> (Osbeck) Kosterm.	121, 304, 325
<i>Dysoxylum</i> sp.	122, 304
<i>Lansium parasiticum</i> (Osbeck) K.C.Sahni & Bennet	171, 328
<i>Melia azedarach</i> L.	189
<i>Melia</i> sp.	189
<i>Pseudoclausena</i> sp.	228
<i>Sandoricum koetjape</i> (Burm. f.) Merr.	242

Meliaceae - Contd.

<i>Sandoricum</i> sp.	242
<i>Swietenia macrophylla</i> King	256, 328
<i>Toona sureni</i> (Blume) Merr.	269, 332

Menispermaceae

<i>Arcangelisia</i> sp.	30
<i>Cocculus laurifolius</i> DC.	80, 303
<i>Cocculus orbiculatus</i> (L.) DC.	80, 303
<i>Cyclea barbata</i> Miers.	95, 325
<i>Tinospora crispa</i> (L.) Hook. f. & Thomson	269, 332

Menyanthaceae

<i>Nymphoides indica</i> (L.) Kuntze	200, 289
--------------------------------------	----------

Monimiaceae

<i>Kibara macrophylla</i> (A. Cunn.) Benth.	169
<i>Matthaea sancta</i> Blume	187, 306
<i>Matthaea</i> sp.	187

Moraceae

<i>Artocarpus altilis</i> (Parkinson) Fosberg	34
<i>Artocarpus elasticus</i> Reinw. ex Blume	34, 322
<i>Artocarpus heterophyllus</i> Lam.	34, 301, 322
<i>Artocarpus integer</i> (Thunb.) Merr.	34, 301
<i>Artocarpus</i> sp.	35
<i>Ficus adenosperma</i> Miq.	135
<i>Ficus ampelas</i> Burm. f.	135, 326
<i>Ficus aurata</i> (Miq.) Miq.	135
<i>Ficus balica</i> Miq.	135
<i>Ficus benghalensis</i> L.	135
<i>Ficus benjamina</i> L.	135, 304, 326
<i>Ficus binnendijkii</i> Miq.	135

Moraceae - Contd.

<i>Ficus callosa</i> Willd.	135
<i>Ficus carica</i> L.	135
<i>Ficus celebensis</i> Corner	135
<i>Ficus consociata</i> Blume	135
<i>Ficus depressa</i> Blume	135
<i>Ficus drupacea</i> Thunb.	135
<i>Ficus elastica</i> Roxb. ex Hornem.	136
<i>Ficus elmeri</i> Merr.	136
<i>Ficus fistulosa</i> Reinw. ex Blume	136
<i>Ficus fistulosa</i> var. <i>tengerensis</i> (Miq.) Kuntze	136
<i>Ficus fulva</i> Reinw. ex Blume	136
<i>Ficus glaberrima</i> Blume	136
<i>Ficus heterophylla</i> L. f.	136
<i>Ficus heteropleura</i> Blume	136
<i>Ficus hirta</i> Vahl	136
<i>Ficus hispida</i> L. f.	136
<i>Ficus lacor</i> Buch.-Ham.	136, 304
<i>Ficus minahassae</i> (Teijsm. & Vriese) Miq.	136, 326
<i>Ficus montana</i> Burm. f.	136, 326
<i>Ficus nervosa</i> subsp. <i>pubinervis</i> (Blume) C.C.Berg	137
<i>Ficus oleifolia</i> subsp. <i>intermedia</i> (Corner) C.C.Berg	137
<i>Ficus padana</i> Burm. f.	137
<i>Ficus parietalis</i> Blume	137
<i>Ficus punctata</i> Thunb.	137
<i>Ficus racemosa</i> L.	137
<i>Ficus religiosa</i> L.	137
<i>Ficus ribes</i> Reinw. ex Blume	137
<i>Ficus riedelii</i> Teysm. ex Miq.	137
<i>Ficus septica</i> Burm. f.	137, 304, 326
<i>Ficus sinuata</i> Thunb.	137
<i>Ficus sohotonensis</i> C.C. Berg.	138
<i>Ficus submontana</i> C.C. Berg.	138
<i>Ficus superba</i> Miq.	138
<i>Ficus tinctoria</i> G. Forst.	138

Moraceae - Contd.

<i>Ficus variegata</i> Blume	138
<i>Ficus virens</i> Aiton	138, 139, 304
<i>Ficus wassa</i> Roxb.	138
<i>Ficus</i> sp.	138, 304, 326
<i>Maclura cochinchinensis</i> (Lour.) Corner	181
<i>Maclura</i> sp.	181
<i>Morus alba</i> L.	194, 306, 329
<i>Parartocarpus venenosus</i> (Zoll. & Moritzi) Becc.	207
<i>Streblus asper</i> Lour.	255
<i>Streblus glaber</i> (Merr.) Corner	255

Muntingiaceae

<i>Muntingia calabura</i> L.	195, 329
------------------------------	----------

Myricaceae

<i>Myrica esculenta</i> Buch.-Ham. ex D. Don	196
<i>Myrica californica</i> Cham. & Schltdl.	196
<i>Myrica rubra</i> (Lour.) Sieb. & Zucc.	196
<i>Myrica</i> sp.	196

Myristicaceae

<i>Horsfieldia</i> sp.	163
<i>Knema cinerea</i> Warb.	328
<i>Knema</i> sp.	169, 170
<i>Myristica rumphii</i> (Blume) Kosterm.	196
<i>Myristica</i> sp.	196

Myrtaceae

<i>Baeckea</i> sp.	39
<i>Callistemon coccineus</i> F. Muell.	62
<i>Callistemon formosus</i> S.T. Blake	62
<i>Callistemon lanceolatus</i> (Sm.) Sweet	62

Myrtaceae - Contd.

<i>Callistemon linearis</i> (Schrad. & J.C. Wendl.) Colv. ex Sweet	62
<i>Callistemon pachyphyllus</i> Cheel	62
<i>Callistemon pallidus</i> (Bonpl.) DC.	63
<i>Callistemon pinifolius</i> (J. C. Wendl.) Sweet	63
<i>Callistemon salignus</i> (Sm.) Colv. ex Sweet	63
<i>Callistemon sieberi</i> DC.	63
<i>Callistemon viminalis</i> (Gaertn.) G. Don.	63
<i>Callistemon</i> sp.	63
<i>Corymbia citriodora</i> (Hook.) K. D. Hill & L.A.S. Johnson	87
<i>Corymbia papuana</i> (F. Muell.) K. D. Hill & L.A.S. Johnson	87
<i>Corymbia terminalis</i> (F. Muell.) K. D. Hill & L.A.S. Johnson	87
<i>Decaspermum fruticosum</i> J. R. & G. Forst.	100
<i>Decaspermum</i> sp.	100
<i>Eucalyptus alba</i> Reinw. ex Blume	132, 326
<i>Eucalyptus argoploia</i> Blakely	132
<i>Eucalyptus deglupta</i> Blume	132
<i>Eucalyptus globulus</i> subsp. <i>maidenii</i> (F. Muell.) J.B. Kirkp.	132
<i>Eucalyptus microcorys</i> F. Muell.	132
<i>Eucalyptus robusta</i> Sm.	132
<i>Eucalyptus umbra</i> F. Muell. ex R.T. Baker	132
<i>Eucalyptus urophylla</i> S.T. Blake	132
<i>Eugenia cuprea</i> (O. Berg) Nied.	132
<i>Eugenia uniflora</i> L.	132
<i>Eugenia</i> sp.	133
<i>Leptospermum brachyandrum</i> (F. Muell.) Druce	173
<i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i>	173
<i>Leptospermum javanicum</i> Blume	173
<i>Leptospermum scoparium</i> J.R. Forst. & G. Forst.	173
<i>Leptospermum woornooran</i> F.M. Bailey	173
<i>Leptospermum</i> sp.	173
<i>Lophostemon confertus</i> (R. Br.) Peter G. Wilson & J.T. Waterh	179
<i>Melaleuca armillaris</i> (Sol. ex Gaertn.) Sm.	189
<i>Melaleuca elliptica</i> Labill.	189

Myrtaceae - Contd.

<i>Melaleuca lanceolata</i> Otto	189
<i>Melaleuca leucadendra</i> (L.) L.	189
<i>Melaleuca quinquenervia</i> (Cav.) S.T. Blake	189
<i>Melaleuca styphelioides</i> Sm.	189
<i>Metrosideros</i> sp.	191
<i>Octamyrtus pleiopetala</i> Diels	201
<i>Plinia edulis</i> (Vell.) Sobral	223
<i>Psidium cattleianum</i> Afzel. ex Sabine	229
<i>Psidium guajava</i> L.	229, 330
<i>Syzygium antisepticum</i> (Blume) Merr. & L.M. Perry	257
<i>Syzygium aqueum</i> (Burm. f.) Alston	257, 308, 332
<i>Syzygium aromaticum</i> (L.) Merr. & L.M. Perry	257, 332
<i>Syzygium cormiflorum</i> (F. Muell.) B. Hayland	257
<i>Syzygium cumini</i> (L.) Skeels	257, 332
<i>Syzygium formosum</i> (Wall.) Masam.	257
<i>Syzygium malacense</i> (L.) Merr. & L.M. Perry	257
<i>Syzygium muelleri</i> (Miq.) Miq.	257
<i>Syzygium paniculatum</i> Gaertn.	257
<i>Syzygium polyanthum</i> (Wight) Walp.	257, 308, 332
<i>Syzygium polycephalum</i> (Miq.) Merr. & L.M. Perry	258, 308, 332
<i>Syzygium polycephaloides</i> (C. B. Rob.) Merr.	258
<i>Syzygium pycnanthum</i> Merr. & L.M. Perry	258
<i>Syzygium racemosum</i> (Blume) DC.	258
<i>Syzygium syzygioides</i> (Miq.) Merr. & L.M. Perry	258
<i>Syzygium verstegii</i> (Lauterb.) Merr. & L.M. Perry	258
<i>Syzygium zeylanicum</i> (L.) DC.	258
<i>Syzygium zollingerianum</i> (Miq.) Amshoff	258, 332
<i>Syzygium</i> sp.	258, 259, 260, 261, 308
<i>Tristaniopsis</i> sp.	271
<i>Whiteodendron</i> sp.	276

Nepenthaceae

<i>Nepenthes bellii</i> K. Kondo	198, 311
----------------------------------	----------

Nepenthaceae - Contd.

<i>Nepenthes tomoriana</i> Danser	198, 311
<i>Nepenthes</i> sp.	198, 311

Nothofagaceae

<i>Nothofagus</i> sp.	199
-----------------------	-----

Nyctaginaceae

<i>Bougainvillea spectabilis</i> Willd.	52, 302
<i>Mirabilis jalapa</i> L.	193, 329
<i>Pisonia cauliflora</i> Scheff.	218
<i>Pisonia umbellifera</i> (J.R. Forst. & G. Forst.) Seem.	218
<i>Pisonia</i> sp.	219, 307

Nymphaeaceae

<i>Nymphaea elleniae</i> S. W. L. Jacobs	200, 289
<i>Nymphaea pubescens</i> Willd.	200, 289

Ochnaceae

<i>Euthemis leucocarpa</i> Jack.	134
<i>Ochna</i> sp.	201, 315

Olacaceae

<i>Anacolosa</i> sp.	24
<i>Chionanthus ramiflorus</i> Roxb.	73, 302
<i>Forsythia europaea</i> Degen & Bald.	142
<i>Fraxinus griffithii</i> C.B. Clarke	142
<i>Fraxinus latifolia</i> Benth.	142
<i>Fraxinus ornus</i> L.	143
<i>Jasminum acuminatum</i> (Lam.) Pers.	167
<i>Jasminum sambac</i> (L.) Aiton	167
<i>Jasminum multiflorum</i> (Burm. f.) Andrews	168
<i>Jasminum</i> sp.	168

Olacaceae - Contd.

<i>Ligustrum glomeratum</i> Blume	174
<i>Ligustrum ibota</i> Siebold	174
<i>Ligustrum obtusifolium</i> Siebold & Zucc.	174
<i>Ligustrum ovalifolium</i> Hassk.	174
<i>Ligustrum quihoui</i> Carriere	174
<i>Ligustrum vulgare</i> L.	174
<i>Ligustrum</i> sp.	174, 305

Onagraceae

<i>Fuchsia magellanica</i> Lam.	143, 314
<i>Fuchsia</i> sp.	143, 314
<i>Oenothera biennis</i> L.	201, 315

Oxalidaceae

<i>Averrhoa carambola</i> L.	39, 322
<i>Oxalis corniculata</i> L.	204, 329
<i>Oxalis debilis</i> var. <i>corymbosa</i> (DC.) Lourteig	204, 329
<i>Oxalis</i> sp.	204, 329
<i>Sarcotheca</i> sp.	243, 314

Paeoniaceae

<i>Paeonia officinalis</i> subsp. <i>microcarpa</i> Nyman	204, 315
---	----------

Passifloraceae

<i>Passiflora edulis</i> f. <i>flavicarpa</i> O. Deg.	207, 329
<i>Passiflora ligularis</i> Juss.	207, 315
<i>Turnera ulmifolia</i> L.	174, 316

Pentaphragaceae

<i>Adinandra javanica</i> Choisy	8
<i>Adinandra</i> sp.	8
<i>Eurya roemerii</i> Lauterb.	134
<i>Ternstroemia</i> sp.	264

Phyllanthaceae

<i>Antidesma bunius</i> (L.) Spreng.	27, 301, 322
<i>Antidesma montanum</i> Blume	27
<i>Antidesma neurocarpum</i> Miq.	27
<i>Antidesma tetrandrum</i> Blume	27
<i>Antidesma</i> sp.	27
<i>Baccaurea racemosa</i> (Reinw. ex Blume) Mull. Arg.	39, 302, 322
<i>Baccaurea</i> sp.	39
<i>Bischofia javanica</i> Blume	50
<i>Breynia microphylla</i> (Kurz ex Teijsm. & Binn.) Mull.Arg.	53, 302
<i>Breynia</i> sp.	53, 323
<i>Bridelia glauca</i> Blume	53
<i>Bridelia</i> sp.	53
<i>Cleistanthus monoicus</i> (Lour.) Mull. Arg.	78
<i>Glochidion lanceolarium</i> (Roxb.) Voigt	149
<i>Glochidion lutescens</i> Blume	149
<i>Glochidion macrocarpum</i> Blume	149
<i>Glochidion macrostigma</i> Hook.f.	149
<i>Glochidion novoguineense</i> K. Schum	149
<i>Glochidion obscurum</i> (Roxb. ex Willd.) Blume	149
<i>Glochidion rubrum</i> Blume	149
<i>Glochidion sericeum</i> (Blume) Zoll & Moritzi	149
<i>Glochidion zeylanicum</i> (Gaertn.) A. Juss.	149
<i>Glochidion zollingeri</i> Miq.	149
<i>Glochidion</i> sp.	150, 326
<i>Phyllanthus acidus</i> (L.) Skeels	213, 306, 329
<i>Phyllanthus affinis</i> Müll. Arg.	214
<i>Phyllanthus buxifolius</i> (Blume) Mull. Arg.	214, 306, 329
<i>Phyllanthus juglandifolius</i> Willd.	214
<i>Phyllanthus lamprophyllus</i> Mull. Arg.	214
<i>Phyllanthus niruri</i> L.	214, 330
<i>Phyllanthus urinaria</i> L.	214, 330
<i>Phyllanthus</i> sp.	214
<i>Sauropus androgynus</i> (L.) Merr.	244, 331
<i>Sauropus macranthus</i> Hassk.	244
<i>Sauropus</i> sp.	244

Phytolaccaceae

<i>Phytolacca dioica</i> L.	215
<i>Rivina humilis</i> L.	240, 331

Piperaceae

<i>Peperomia</i> sp.	208, 311
<i>Piper aduncum</i> L.	218
<i>Piper betle</i> L.	218, 307, 330
<i>Piper caninum</i> Blume	218, 315
<i>Piper nigrum</i> L.	218, 307, 330
<i>Piper</i> sp.	218, 307, 315, 330

Pittosporaceae

<i>Auranticarpa rhombifolia</i> (A. Cunn. ex Hook.) L. W. Cayzer,	38
Crisp & I. Telford	
<i>Hymenosporum flavum</i> (Hook.) F. Muell.	163
<i>Pittosporum crassifolium</i> Banks & Sol. ex A. Cunn.	219
<i>Pittosporum ferrugineum</i> W.T. Aiton	219
<i>Pittosporum heterophyllum</i> Franch.	219
<i>Pittosporum moluccanum</i> Miq.	219
<i>Pittosporum pentandrum</i> (Blanco) Merr.	219
<i>Pittosporum ramiflorum</i> Zoll. ex Miq.	219
<i>Pittosporum tobira</i> (Thunb.) W.T. Aiton	219
<i>Pittosporum</i> sp.	220

Plantaginaceae

<i>Plantago major</i> L.	221, 330
<i>Russelia equisetiformis</i> Schltdl. & Cham.	241, 315
<i>Veronica ornata</i> Monjuschko	274, 316

Plumbaginaceae

<i>Plumbago zeylanica</i> L.	223, 330
<i>Plumbago</i> sp	223, 330

Polygalaceae

<i>Xanthophyllum novoguinese</i> Meijden	277
<i>Xanthophyllum</i> sp.	277

Polygonaceae

<i>Antigonon leptopus</i> Hook. & Arn.	27, 322
<i>Coccoloba striata</i> Benth.	80
<i>Homalocladium platycladum</i> (F.Muell.) L.H.Bailey	162, 314
<i>Persicaria chinensis</i> (L.) H. Gross	209, 329
<i>Polygonum</i> sp.	225, 330

Primulaceae

<i>Ardisia crenata</i> Sims	31, 322
<i>Ardisia humilis</i> Vahl	31, 322
<i>Ardisia javanica</i> A. DC.	31
<i>Ardisia fuliginosa</i> Blume	31
<i>Ardisia myristifolia</i> Blume	32
<i>Ardisia</i> sp.	32
<i>Embelia philippinensis</i> A. DC.	126
<i>Embelia</i> sp.	126
<i>Jacquinia</i> sp.	167
<i>Macrosolen</i> sp.	182
<i>Maesa junghuhniana</i> Scheff.	182
<i>Rapanea hasseltii</i> (Blume ex Scheff.) Mez	234
<i>Rapanea</i> sp.	234

Proteaceae

<i>Banksia latifolia</i> R. Br.	37
<i>Grevillea papuana</i> Diels	153
<i>Hakea sericea</i> Schrad. & J.C. Wendl.	155
<i>Helicia excelsa</i> (Roxb.) Blume	157
<i>Helicia petiolaris</i> Benn.	157
<i>Helicia robusta</i> (Roxb.) R.Br. ex Blume	157
<i>Helicia</i> sp.	157
<i>Macadamia hildebrandii</i> Steenis	180

Proteaceae - Contd.

<i>Macadamia ternifolia</i> F. Muell.	180
<i>Macadamia</i> sp.	180
<i>Stenocarpus salignus</i> R. Br.	254

Putranjivaceae

<i>Drypetes</i> sp.	120
---------------------	-----

Ranunculaceae

<i>Clematis</i> sp.	78, 313
---------------------	---------

Rhamnaceae

<i>Gouania microcarpa</i> DC.	154
<i>Maesopsis eminii</i> Engl.	182, 305
<i>Maesopsis</i> sp.	182, 305
<i>Rhamnus napalensis</i> (Wall.) M.A. Lawson	235
<i>Rhamnus</i> sp.	235
<i>Ziziphus</i> sp.	280

Rhizophoraceae

<i>Carallia brachiata</i> (Lour.) Merr.	66
---	----

Rosaceae

<i>Eriobotrya japonica</i> (Thunb.) Lindl.	130
<i>Eriobotrya</i> sp.	130
<i>Photinia integrifolia</i> Lindl.	213
<i>Photinia</i> sp.	213
<i>Prunus campanulata</i> Maxim.	228
<i>Prunus cerasoides</i> Buch.-Ham. ex D. Don	228
<i>Prunus</i> sp.	228, 307
<i>Pyracantha angustifolia</i> (Franch.) C.K. Schneid.	233
<i>Pyracantha rogersiana</i> (A.B. Jacks.) Coltm.-Rog.	233
<i>Rosa chinensis</i> Jacq.	240
<i>Rosa</i> χ <i>odorata</i> "Viridiflora"	240, 312

Rosaceae - Contd.

<i>Rubus fraxinifolius</i> Poir.	241
<i>Rubus rosifolius</i> Sm.	241, 331

Rubiaceae

<i>Breonia chinensis</i> (Lam.) Capuron	53, 302
<i>Canthium glabrum</i> Blume	66, 323
<i>Canthium horridum</i> Blume	66
<i>Canthium</i> sp.	66
<i>Catunaregam spinosa</i> (Thunb.)Tirveng.	69
<i>Cinchona</i> sp.	73
<i>Coffea canephora</i> Pierre ex A. Froehner	84, 324
<i>Coffea liberica</i> var. <i>dewevrei</i> (De Wild. & T. Durand) Lebrum	84
<i>Coffea</i> sp.	84
<i>Discospermum abnorme</i> (Korth.) S.J. Ali & Robbr.	117
<i>Discospermum</i> sp.	117
<i>Gardenia elata</i> Ridl.	144
<i>Gardenia tubifera</i> Wall. ex Roxb.	144
<i>Gardenia jasminoides</i> J. Ellis	144, 304, 326
<i>Gynochthodes</i> sp.	155
<i>Hamelia patens</i> Jacq.	155
<i>Hypobathrum frutescens</i> Blume	165
<i>Hypobathrum racemosum</i> (Roxb.) Kurz	165
<i>Hypobathrum</i> sp.	165, 327
<i>Ixora chinensis</i> Lam.	166, 305
<i>Ixora coccinea</i> L.	166, 305
<i>Ixora nigricans</i> R.Br. ex Wight & Arn.	167
<i>Ixora</i> sp.	167, 305, 327
<i>Lasianthus</i> sp.	172
<i>Morinda citrifolia</i> L.	194
<i>Mussaenda frondosa</i> L.	196
<i>Mussaenda</i> sp.	196
<i>Nauclea</i> sp.	197, 329

Rubiaceae - Contd.

<i>Neonauclea</i> sp.	198
<i>Ophiorrhiza</i> sp.	202, 329
<i>Paederia foetida</i> L.	204, 329
<i>Pavetta montana</i> Reinw. ex Blume	207
<i>Pavetta</i> sp.	207, 329
<i>Pentas lanceolata</i> (Forssk.) Deflers	208, 306
<i>Pseudomussaenda flava</i> Verdc.	229, 311, 330
<i>Psychotria rostrata</i> Blume	229
<i>Psychotria</i> sp.	229, 230, 307, 330
<i>Psydrax dicoccos</i> Gaertn.	230, 330
<i>Serissa japonica</i> (Thunb.) Thunb.	251
<i>Tarennoidea wallichii</i> (Hook. f.) Tirveng. & Sastre	262
<i>Timonius flavescens</i> (Jacq.) Backer	268
<i>Timonius</i> sp.	269
<i>Uncaria</i> sp.	272, 332
<i>Wendlandia densiflora</i> (Blume) DC.	275
<i>Wendlandia paniculata</i> (Roxb.) DC.	275
<i>Wendlandia</i> sp.	276, 332

Rutaceae

<i>Acronychia trifoliolata</i> Zoll. & Moritzi	7
<i>Acronychia</i> sp.	7
<i>Aegle marmelos</i> (L.) Correa	9, 301
<i>Boeninghausenia albiflora</i> (Hook.) Rchb. ex Meisn.	51, 323
<i>Citrus aurantifolia</i> (Christm.) Swingle	76, 323
<i>Citrus</i> × <i>aurantium</i> L.	76
<i>Citrus amblycarpa</i> (Hassk.) Ochse	76, 302
<i>Citrus hystrix</i> DC.	76, 323
<i>Citrus maxima</i> (Burm.) Merr.	76, 302, 323
<i>Citrus medica</i> L.	76, 302, 323
<i>Citrus nobilis</i> Lour.	76, 302, 324
<i>Citrus nobilis</i> var. <i>microcarpa</i>	76

Rutaceae - Contd.

<i>Citrus</i> sp.	76, 302, 324
<i>Clausena excavata</i> Burm. f.	77
<i>Clausena</i> sp.	77, 324
<i>Glycosmis pentaphylla</i> (Retz.) DC.	151
<i>Glycosmis</i> sp.	151, 326
<i>Harrisonia perforata</i> (Blanco) Merr.	156
<i>Lunasia amara</i> Blanco	179
<i>Melicope latifolia</i> (DC.) T.G. Hartley	189, 328
<i>Melicope</i> sp.	190, 306
<i>Micromelum</i> sp.	192
<i>Murraya paniculata</i> (L.) Jack	195, 306
<i>Murraya</i> sp.	195, 329
<i>Tetractomia</i> sp.	264, 308
<i>Toddalia asiatica</i> (L.) Lam.	269
<i>Toddalia</i> sp.	269
<i>Zanthoxylum armatum</i> DC.	278
<i>Zanthoxylum limonella</i> (Dennst.) Alston	278
<i>Zanthoxylum ovalifolium</i> Tutcher	278
<i>Zanthoxylum paniculatum</i> Balf. f.	278
<i>Zanthoxylum rhetsa</i> DC.	278
<i>Zanthoxylum</i> sp.	278

Sabiaceae

<i>Meliosma ferruginea</i> Blume	190
<i>Meliosma nitida</i> Blume	190
<i>Meliosma simplicifolia</i> (Roxb.) Walp.	190
<i>Meliosma</i> sp.	190

Salicaceae

<i>Flacourtia indica</i> (Burm. f.) Merr.	140
<i>Flacourtia rukam</i> Zoll. & Moritzi	141, 304, 326
<i>Flacourtia</i> sp.	141, 304
<i>Homalium</i> sp.	162

Sapindaceae

<i>Allophylus cobbe</i> (L.) Raeusch.	16
<i>Allophylus</i> sp.	16
<i>Arytera littoralis</i> Blume	35
<i>Blighia sapida</i> K.D. Koenig	51
<i>Blighia</i> sp.	51
<i>Dimocarpus longan</i> (Lour.)	111, 325
<i>Dimocarpus longan</i> subsp. <i>malesianus</i> Leenh.	111
<i>Dimocarpus</i> sp.	111
<i>Dodonaea viscosa</i> (L.) Jacq.	117
<i>Dodonaea viscosa</i> subsp. <i>angustifolia</i> (L. f.) J. G. West	118
<i>Elattostachys verrucosa</i> (Blume) Radlk.	125
<i>Filicium decipiens</i> (Wight & Arn.) Thwaites	140
<i>Filicium</i> sp.	140
<i>Guioa diplopetala</i> (Hassk.) Radlk.	154
<i>Guioa waigoensis</i> Welzen	154
<i>Guioa</i> sp.	154
<i>Harpullia arborea</i> (Blanco) Radlk.	156
<i>Harpullia</i> sp.	156
<i>Koelreuteria elegans</i> subsp. <i>formosana</i> (Hayata) F.G.Mey.	170
<i>Lepisanthes alata</i> (Blume) Leenh.	172
<i>Lepisanthes</i> sp.	173
<i>Mischocarpus pentapetalus</i> (Roxb.) Radlk.	193
<i>Mischocarpus sundaicus</i> Blume	193
<i>Mischocarpus</i> sp.	193, 194
<i>Sapindus marginatus</i> Willd.	244
<i>Sapindus mukorossi</i> Gaertn.	244
<i>Sapindus rarak</i> DC.	244
<i>Sapindus</i> sp.	244
<i>Schleichera oleosa</i> (Lour.) Merr.	248, 331
<i>Trigonachras</i> sp.	271

Sapotaceae

<i>Chrysophyllum cainito</i> L.	73
---------------------------------	----

Sapotaceae - Contd.

<i>Chrysophyllum</i> sp.	74
<i>Manilkara kauki</i> (L.) Dubard	186
<i>Mimusops elengi</i> L.	192, 328
<i>Palaquium gutta</i> (Hook.) Baill.	204
<i>Palaquium obovatum</i> (Griff.) Engl.	204
<i>Palaquium</i> sp.	204, 205
<i>Payena leerii</i> (Teijsm. & Binn.) Kurz	207
<i>Planchonella duclitan</i> (Blanco) Bakh. f.	220
<i>Planchonella obovata</i> (R. Br.) Pierre	220
<i>Planchonella</i> sp.	220, 221
<i>Sarcosperma paniculatum</i> (King) Stapf. & King	243

Schisandraceae

<i>Illicium religiosum</i> Sieb. & Zucc.	165
<i>Schisandra</i> sp.	245, 315

Scrophulariaceae

<i>Buddleja davidii</i> 'Royal Superior'	55
--	----

Simaroubaceae

<i>Ailanthus integrifolia</i> Lam.	14
<i>Picrasma javanica</i> Blume	215, 306

Simmondsiaceae

<i>Simmondsia chinensis</i> (Link.) C. K. Schneid.	251
--	-----

Solanaceae

<i>Browallia americana</i> L.	54, 313
<i>Brugmansia suaveolens</i> (Humb. & Bonpl. ex Willd) Bercht. & Presl.	54
<i>Brunfelsia americana</i> L.	54
<i>Brunfelsia uniflora</i> (Pohl) D.Don	54
<i>Brunfelsia</i> sp.	54, 302

Solanaceae - Contd.

<i>Cestrum elegans</i> (Brongn. ex Neumann) Schltdl.	72
<i>Cestrum nocturnum</i> Linn	72
<i>Cestrum pallidissimum</i> Francey	72
<i>Cestrum</i> sp.	72
<i>Solanum pseudocapsicum</i> L.	252, 316
<i>Solanum rudepannum</i> Dunal	252, 307, 331
<i>Solanum</i> sp.	253, 308, 316

Staphyleaceae

<i>Turpinia sphaerocarpa</i> Hassk.	272
<i>Turpinia</i> sp.	272

Stemonuraceae

<i>Gomphandra javanica</i> (Blume) Valetton	151
<i>Gomphandra</i> sp.	151
<i>Stemonurus</i> sp.	254

Sterculiaceae

<i>Pterospermum celebicum</i> Miq.	231
<i>Pterospermum diversifolium</i> Blume	231
<i>Pterospermum javanicum</i> Jungh.	232, 307, 330
<i>Pterospermum</i> sp.	232
<i>Sterculia coccinea</i> Jack	254
<i>Sterculia longifolia</i> Vent.	254
<i>Sterculia polyphylla</i> R. Br.	254
<i>Sterculia</i> sp.	254, 255

Symplocaceae

<i>Symplocos odoratissima</i> Choisy ex Zoll.	256, 332
<i>Symplocos</i> sp.	256, 308, 316

Talinaceae

<i>Talinum fruticosum</i> (L.) Juss.	262, 332
<i>Talinum paniculatum</i> (Jacq.) Gaertn.	262, 332

Tetramelaceae

<i>Tetrameles nudiflora</i> R. Br.	264
<i>Tetrameles</i> sp.	265

Theaceae

<i>Camellia japonica</i> L.	64
<i>Camellia sasanqua</i> Thunb.	64
<i>Camellia sinensis</i> (L.) Kuntze	64
<i>Camellia</i> sp.	64
<i>Gordonia amboinensis</i> (Miq.) Merr.	152
<i>Gordonia axillaris</i> (Roxb. ex Ker Gawl.) Endl.	152
<i>Gordonia excelsa</i> (Blume) Blume	152
<i>Gordonia</i> sp.	152
<i>Laplacea</i> sp.	171
<i>Schima wallichii</i> Choisy	245

Thymelaeaceae

<i>Aquilaria filaria</i> (Oken) Merr.	29
<i>Aquilaria malacensis</i> Lam.	29
<i>Eriosolena composita</i> (L.f.) Merr.	131
<i>Eriosolena</i> sp.	131
<i>Gonystylus</i> sp.	152
<i>Gyrinops verteegeeii</i> (Gilg) Domke	155
<i>Phaleria capitata</i> Jack	210
<i>Phaleria macrocarpa</i> (Scheff.) Boerl.	210, 329
<i>Phaleria octandra</i> (L.) Baill.	21, 306, 329
<i>Phaleria</i> sp.	210
<i>Wikstroemia androsaemifolia</i> Decne.	276

Tiliaceae

<i>Schoutenia ovata</i> Korth.	248
--------------------------------	-----

Urticaceae

<i>Cecropia peltata</i> L.	69
<i>Dendrocide microstigma</i> (Gaudich. ex Wedd) Chew	108
<i>Dendrocide</i> sp.	108
<i>Laportea</i> sp.	171
<i>Pellionia repens</i> (Lour.) Merr.	208
<i>Pipturus argenteus</i> (G. Forst.) Wedd.	218
<i>Procris ruhlandii</i> H. Schroet.	227
<i>Urticastrum decumanum</i> (Roxb.) Kuntze	273

Verbenaceae

<i>Duranta erecta</i> L.	120
<i>Duranta</i> sp.	120
<i>Lantana camara</i> L.	171, 328
<i>Lantana</i> × <i>aculeata</i> L.	171
<i>Lantana canescens</i> Kunth	171
<i>Lantana</i> sp.	171, 311
<i>Petrea volubilis</i> L.	209
<i>Stachytarpheta indica</i> (L.) Vahl	254, 332
<i>Stachytarpheta mutabilis</i> (Jacq.) Vahl	254, 332
<i>Vitex pinnata</i> L.	274
<i>Vitex trifolia</i> L.	274, 308
<i>Vitex</i> sp.	276

Violaceae

<i>Rinorea</i> sp.	240, 315
--------------------	----------

Vitaceae

<i>Ampelopsis aconitifolia</i> Bunge	21
<i>Cayratia trifolia</i> (L.) Domin	63

Vitaceae

<i>Cissus hastata</i> Miq.	75
<i>Cissus javana</i> DC.	75, 313
<i>Cissus quadrangularis</i> L.	75, 323
<i>Leea aculeata</i> Blume ex Spreng.	172, 305
<i>Leea angulata</i> Korth. ex Miq.	172, 305
<i>Leea indica</i> (Burm. f.) Merr.	172, 305
<i>Leea</i> sp.	172, 305
<i>Tetrastigma</i> sp.	265
<i>Vitis</i> sp.	275

Zygophyllaceae

<i>Malacocarpus macracanthus</i> (Arechav.) Herter	183
<i>Malacocarpus tetracanthus</i> (Lem.) Rud. Mey.	183

Genus Dubius

283, 312



Editors

Ida Bagus Ketut Arinasa is the author of around 45 scientific publications, mostly focusing on bamboo study. He is also a co-writer in some popular semi-science books such as *Six Guided Walks in Bali Botanic Garden*. Now he is still working on studying the conservation and cultivation of bamboos in Bali Botanical Garden.

Bayu Adjie is an expert in the evolution and systematics of plant, specializing in ferns. His scientific works on taxonomy and conservation have been published in many national and international journals. Currently he is the Head of Bali Botanical Garden-LIPI.

Dyan Meiningsasi Siswoyo Putri has published works on horticulture and conservation in various national journals. Now she leads the ex-situ conservation in Bali Botanical Garden-LIPI.

GARDEN MAP



1:17,000

0 125 250 500 Meters

1. Main Gate
2. Information
3. Herbarium & Laboratories
4. Library
5. Main Office
6. Guest House "Etnobotani"
7. "Nayaka Loka" Convention Hall
8. Guest House "Wisma Wijah Loka"
9. Mess
10. Nursery

- Orchid Park
- Gymnosperm Collection
- Palm Collection
- Bamboo Collection
- Fern Collection
- Ceremonial Plant Collection
- Medicinal Plant Collection





An Alphabetical List
of **PLANT SPECIES**
CULTIVATED
in Bali Botanic Garden

*A*n Alphabetical List of Plant Species Cultivated in Bali Botanic Garden serves as a catalogue that provides a comprehensive list of plant species that are cultivated in Bali Botanic Garden. Species are listed alphabetically, followed by information regarding their locality. This catalogue contains the most recent information about the Gardens' plant collection, comprising of more than 2,000 species.

This catalogue will be resourceful for botanists and researchers alike, as well as visitors of the Gardens.



Buku Obor

Distributor:

Yayasan Obor Indonesia
Jl. Plaju No. 10 Jakarta 10230
Telp. (021) 319 26978, 392 0114
Faks. (021) 319 24488
E-mail: yayasan_obor@cbn.net.id

LIPI Press

ISBN 978-979-799-872-1



9 789797 998721